



DRIVELINE COMPONENTS CATALOG FLANGE & END YOKE APPLICATIONS



J300P-10
August 2008

Supersedes
Section 10, Dated
March 2006

Changes from Original (pages noted are original page numbers)

12/8/08 Page 53 & 54 - Removed position 2 and 3 applications of 6-4-7631-1X from RT-**-140 and RT-**-145
Pages 53 thru the end - all pages were adjusted based on the removed information
Pages 94, 95, 96, 98, 99, 101 - corrected hub diameter dimension of 140-4-381-1 and 140-4-381-1X
Pages 108, 109, 110, 111, 144, 145, 146, 147 - removed footnote from 5-1-6271 (part number is not an assembly)



SPICER[®]

Drivetrain Products


Table Of Contents

Auxiliary Transmissions	
Fuller	2
Spicer	9
Single Axles	
Axle Alliance Corporation.....	12
Clark	12
Fabco.....	13
Navistar.....	14
Mack	16
Meritor / Rockwell	17
Spicer.....	26
Chelsea Split Shaft PTOs.....	51
Tandem Axles	
Axle Alliance Corporation.....	52
Clark	52
Navistar / International.....	53
Mack	54
Meritor / Rockwell	62
Spicer.....	77
Main Transmissions	
Allison	102
Clark	106
Fuller.....	107
Mack	136
New Process.....	137
Meritor / Rockwell	138
Spicer.....	141
Warner	151
Transfer Cases	
Fabco.....	152
Mack	153
New Process.....	154
Oshkosh.....	154
Meritor / Rockwell	154
Spicer.....	155
Companion Flange Part Data Listing.....	157
End Yoke Part Data Listing.....	158

NOTE: the data listed herein is correct to the best of our knowledge and belief; having been compiled from reliable and official sources of information. However, WE CANNOT ASSUME ANY RESPONSIBILITY FOR POSSIBLE ERROR



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

AT-1202

1	SPL140	2.750-10	3.750	6.570	EY 140-4-61-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-71-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-491-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-501-1X
1	SPL250	2.750-10	3.750	6.300	EY 250-4-211-1
1	SPL250	2.750-10	3.750	6.300	EY 250-4-221-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6631
1	1710	2.750-10	3.750	5.750	EY 6-4-6631-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6841-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6841X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-661
1	1760	2.750-10	3.750	5.969	EY 6.3-4-661-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-721-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-721X
1	1810	2.750-10	3.500	6.062	EY 6.5-4-1901
1	1810	2.750-10	3.500	6.062	EY 6.5-4-2931X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3461
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3461-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3501-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3501X
2	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
2	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
2	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
2	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
2	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
2	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
2	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
2	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
2	1710	2.750-10	3.750	5.750	EY 6-4-6821
2	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
2	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
2	1710	2.750-10	3.750	5.750	EY 6-4-6931X
2	1760	2.750-10	3.750	5.969	EY 6.3-4-711
2	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
2	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
2	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

MRT-11609, MRT-11610, MRT-11613

2	1710	2.500-10	3.750	3.625	CF 6-1-5541
2	1710	2.500-10	3.750	3.625	CF 6-1-5651X
2	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
2	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
2	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
2	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
2	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
2	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

MRT-11609, MRT-11610, MRT-11613 (Continued)

2	1710	2.500-10	3.750	5.625	EY 6-4-6611•
2	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
2	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
2	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
2	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
2	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
2	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
2	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

MRT-11615

2	1710	2.500-10	3.750	3.625	CF 6-1-5541
2	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
2	1710	2.500-10	3.750	5.625	EY 6-4-6611•
2	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
2	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
2	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
2	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
2	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
2	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
2	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

MRT-915, MRT-9509, MRT-9513

2	1710	2.500-10	3.750	3.625	CF 6-1-5541
2	1710	2.500-10	3.750	3.625	CF 6-1-5651X
2	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
2	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
2	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
2	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
2	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
2	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
2	1710	2.500-10	3.750	5.625	EY 6-4-6611•
2	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
2	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
2	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

MT-11605

1	SPL170	2.250-10	3.500	5.750	CF 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	CF 170-4-461-1X
2	1610/1550	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.500-10	3.750	3.625	CF 6-1-5541
2	1710	2.500-10	3.750	3.625	CF 6-1-5651X
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
MT-11605 (Continued)					
2	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
2	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
2	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
2	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
2	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
2	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1610	2.250-10	3.750	5.750	EY 5-4-7381-1
2	1710	2.500-10	3.750	5.625	EY 6-4-6611•
2	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1710	2.250-10	3.750	5.250	EY 6-4-7371-1
2	1760	2.250-10	3.750	5.625	EY 6.3-4-1091-1
2	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
2	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
2	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
2	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

MT-905					
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.500-10	3.750	3.625	CF 6-1-5541
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
2	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
2	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.500-10	3.750	5.625	EY 6-4-6611•
2	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
2	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
2	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

T-904					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
T-904 (Continued)					
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

10 SP. 1120, 10 SP. 65					
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
2	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

10 SP. 650					
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
2	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

15 SP. 1120					
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

2 SP. 62					
2	1610	2.000-10	3.250	3.625	CF 5-1-931
2	1710	2.000-10	3.250	5.625	EY 6-4-2001

2 SP. 92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

2-A-53, 2-A-62					
2	1610	2.000-10	3.250	3.625	CF 5-1-931
2	1710	2.000-10	3.250	5.625	EY 6-4-2001

2-A-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

2-A-92 (Continued)					
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
2	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

2-B-53, 2-B-62					
2	1610	2.000-10	3.250	3.625	CF 5-1-931
2	1710	2.000-10	3.250	5.625	EY 6-4-2001

2-B-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
2	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3 SP. 62					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001

3 SP. 65					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

3 SP. 65 (Continued)					
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3 SP. 92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3-A-65					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3-A-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
3-A-92 (Continued)					
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
3-B-65					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
3-B-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
3-C-65					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
3-C-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
3-C-92 (Continued)					
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
3-D-65					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
3-D-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
3-E-65					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

+Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

3-E-65 (Continued)					
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3-E-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3-F-65					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3-F-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

3-F-92 (Continued)					
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3-G-65					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3-G-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

3-H-65					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
3-H-65 (Continued)					
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
3-H-92, 3-TA-92, 3-TC-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
3-TD-92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
3K65, 3L65, 3M65, 3P65, 3Q65					
1	1610	2.250-10	3.500	5.750	EY 5-4-4961

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
4 SP. 75					
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
2	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
4 SP. 75 (Continued)					
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
4-B-73					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
4-B-75					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
4-C-75					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

4-C-75 (Continued)

2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

4-D-75, 4-E-75

1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-2141
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1710	2.250-10	3.500	3.688	CF 6-1-951
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-2141
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

4-F-1440, 4-MB-1440

2	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
2	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
2	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
2	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
2	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
2	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
2	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
2	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
2	1710	2.750-10	3.750	5.750	EY 6-4-6821
2	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
2	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
2	1710	2.750-10	3.750	5.750	EY 6-4-6931X
2	1760	2.750-10	3.750	5.969	EY 6.3-4-711
2	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
2	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
2	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

4-MS-1440

2	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
2	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
2	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
2	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
2	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
2	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
2	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
2	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
2	1710	2.750-10	3.750	5.750	EY 6-4-6821
2	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
2	1760	2.750-10	3.750	5.969	EY 6.3-4-711
2	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
2	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
2	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

5 SP. 1120, 5 SP. 1220

2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
2	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
2	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021


5 SP. 65, 5 SP. 650, 5 SP. 74, 5 SP. 740, 5 SP. 75

1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear





Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

AMO1000-4					
1	SPL250	2.635-20	3.750	6.270	EY 250-4-511-1•
1	SPL250	2.635-20	3.750	6.270	EY 250-4-521-1X•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•
2	1810	2.750-10	4.000	3.750	CF 6.5-1-1871•
2	SPL170	2.750-10	4.000	5.800	EY 170-4-1141-1
2	SPL250	2.750-10	4.000	6.370	EY 250-4-551-1•
2	1710	2.750-10	4.000	5.312	EY 6-4-4651•
2	1710	2.750-10	4.000	5.312	EY 6-4-4651-1•
2	1760	2.750-10	4.000	6.000	EY 6.3-4-61•
2	1760	2.750-10	4.000	6.000	EY 6.3-4-61-1•
2	1810	2.750-10	4.000	6.000	EY 6.5-4-2171•
2	1810	2.750-10	4.000	6.000	EY 6.5-4-2171-1•

AMO610-4, AMO610-6					
1	1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	SPL250	2.225-6	3.000	6.240	EY 250-4-531-1
1	SPL250	2.225-6	3.000	6.240	EY 250-4-541-1X
1	1610	2.225-6	3.000	5.719	EY 5-4-4741
1	1610	2.225-6	3.000	5.719	EY 5-4-4751X
1	1710	2.225-6	3.000	5.312	EY 6-4-3031
1	1710	2.225-6	3.000	5.438	EY 6-4-3031-1
1	1710	2.225-6	3.000	5.438	EY 6-4-3041-1X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-51
1	1760	2.225-6	3.000	6.000	EY 6.3-4-51-1
1	1810	2.225-6	3.000	6.000	EY 6.5-4-1971
1	1810	2.225-6	3.000	6.000	EY 6.5-4-1971-1
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1710	2.225-6	3.000	3.750	CF 6-1-1731
2	1810	2.225-6	3.000	3.750	CF 6.5-1-481
2	SPL250	2.225-6	3.000	6.240	EY 250-4-531-1
2	SPL250	2.225-6	3.000	6.240	EY 250-4-541-1X
2	1610	2.225-6	3.000	5.719	EY 5-4-4741
2	1610	2.225-6	3.000	5.719	EY 5-4-4751X
2	1710	2.225-6	3.000	5.312	EY 6-4-3031

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

AMO610-4, AMO610-6 (Continued)					
2	1710	2.225-6	3.000	5.438	EY 6-4-3031-1
2	1710	2.225-6	3.000	5.438	EY 6-4-3041-1X
2	1710	2.225-6	3.000	5.312	EY 6-4-3041X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-51
2	1760	2.225-6	3.000	6.000	EY 6.3-4-51-1
2	1810	2.225-6	3.000	6.000	EY 6.5-4-1971
2	1810	2.225-6	3.000	6.000	EY 6.5-4-1971-1
2	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X

ATO1000-4, ATO1000-4					
1	SPL250	2.635-20	3.750	6.270	EY 250-4-511-1•
1	SPL250	2.635-20	3.750	6.270	EY 250-4-521-1X•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•
2	1810	2.750-10	4.000	3.750	CF 6.5-1-1871•
2	SPL170	2.750-10	4.000	5.800	EY 170-4-1141-1
2	SPL250	2.750-10	4.000	6.370	EY 250-4-551-1•
2	1710	2.750-10	4.000	5.312	EY 6-4-4651•
2	1710	2.750-10	4.000	5.312	EY 6-4-4651-1•
2	1760	2.750-10	4.000	6.000	EY 6.3-4-61•
2	1760	2.750-10	4.000	6.000	EY 6.3-4-61-1•
2	1810	2.750-10	4.000	6.000	EY 6.5-4-2171•
2	1810	2.750-10	4.000	6.000	EY 6.5-4-2171-1•

ATO610-4					
1	1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	SPL250	2.225-6	3.000	6.240	EY 250-4-531-1
1	SPL250	2.225-6	3.000	6.240	EY 250-4-541-1X
1	1610	2.225-6	3.000	5.719	EY 5-4-4741
1	1610	2.225-6	3.000	5.719	EY 5-4-4751X
1	1710	2.225-6	3.000	5.312	EY 6-4-3031
1	1710	2.225-6	3.000	5.438	EY 6-4-3031-1
1	1710	2.225-6	3.000	5.438	EY 6-4-3041-1X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

ATO610-4 (Continued)

1	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-51
1	1760	2.225-6	3.000	6.000	EY 6.3-4-51-1
1	1810	2.225-6	3.000	6.000	EY 6.5-4-1971
1	1810	2.225-6	3.000	6.000	EY 6.5-4-1971-1
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1710	2.225-6	3.000	3.750	CF 6-1-1731
2	1810	2.225-6	3.000	3.750	CF 6.5-1-481
2	SPL250	2.225-6	3.000	6.240	EY 250-4-531-1
2	SPL250	2.225-6	3.000	6.240	EY 250-4-541-1X
2	1610	2.225-6	3.000	5.719	EY 5-4-4741
2	1610	2.225-6	3.000	5.719	EY 5-4-4751X
2	1710	2.225-6	3.000	5.312	EY 6-4-3031
2	1710	2.225-6	3.000	5.438	EY 6-4-3031-1
2	1710	2.225-6	3.000	5.438	EY 6-4-3041-1X
2	1710	2.225-6	3.000	5.312	EY 6-4-3041X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-51
2	1760	2.225-6	3.000	6.000	EY 6.3-4-51-1
2	1810	2.225-6	3.000	6.000	EY 6.5-4-1971
2	1810	2.225-6	3.000	6.000	EY 6.5-4-1971-1
2	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X

P1241-C, P1241-D

1	1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1810	2.750-10	4.000	3.750	CF 6.5-1-1871•
2	1710	2.750-10	4.000	5.312	EY 6-4-4651•
2	1710	2.750-10	4.000	5.312	EY 6-4-4651-1•
2	1760	2.750-10	4.000	6.000	EY 6.3-4-61•
2	1760	2.750-10	4.000	6.000	EY 6.3-4-61-1•
2	1810	2.750-10	4.000	6.000	EY 6.5-4-2171•
2	1810	2.750-10	4.000	6.000	EY 6.5-4-2171-1•

RP8341D, R8341-D

1	1610	2.225-6	3.000	3.875	CF 5-1-2541
1	1710	2.225-6	3.000	4.469	CF 6-1-1481
1	1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	1610	2.225-6	3.000	5.719	EY 5-4-4751X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1610	2.225-6	3.000	3.875	CF 5-1-2541
2	1710	2.225-6	3.000	4.469	CF 6-1-1481

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

RP8341D, R8341-D (Continued)

2	1710	2.225-6	3.000	3.750	CF 6-1-1731
2	1810	2.225-6	3.000	3.750	CF 6.5-1-481
2	1610	2.225-6	3.000	5.719	EY 5-4-4751X
2	1710	2.225-6	3.000	5.312	EY 6-4-3041X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
2	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X

1241-C, 1241-D

1	1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-51
1	1760	2.225-6	3.000	6.000	EY 6.3-4-51-1
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1810	2.750-10	4.000	3.750	CF 6.5-1-1871•
2	1710	2.750-10	4.000	5.312	EY 6-4-4651•
2	1710	2.750-10	4.000	5.312	EY 6-4-4651-1•
2	1760	2.750-10	4.000	6.000	EY 6.3-4-61•
2	1760	2.750-10	4.000	6.000	EY 6.3-4-61-1•
2	1810	2.750-10	4.000	6.000	EY 6.5-4-2171•
2	1810	2.750-10	4.000	6.000	EY 6.5-4-2171-1•

5831

1	1480/1550	1.750-10	2.500	2.875	CF 4-1-3331X <i>Slinger not sold separately</i>
2	1480/1550	1.750-10	2.500	2.875	CF 4-1-3331X <i>Slinger not sold separately</i>

6041, 6231

1	1480/1550	1.961-6	2.750	3.625	CF 4-1-601
1	1610	1.960-6	2.750	5.000	EY 5-4-2031X
2	1480/1550	1.961-6	2.750	3.625	CF 4-1-601
2	1610	1.960-6	2.750	5.000	EY 5-4-2031X

7041

1	1480/1550	1.961-6	2.750	3.625	CF 4-1-601
1	1610	1.960-6	2.750	5.000	EY 5-4-2031X
2	1610	2.225-6	3.000	3.875	CF 5-1-2541
2	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
2	1710	2.225-6	3.000	4.469	CF 6-1-1481
2	1810	2.225-6	3.000	3.750	CF 6.5-1-481
2	SPL250	2.225-6	3.000	6.250	EY 250-4-811-1
2	1610	2.225-6	3.000	5.719	EY 5-4-4751X
2	1710	2.225-6	3.000	5.312	EY 6-4-3041X
2	1810	2.225-6	3.000	6.000	EY 6.5-4-1971
2	1810	2.225-6	3.000	6.000	EY 6.5-4-1971-1
2	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1810	2.225-6	3.000	6.000	EY 6.5-4-2831X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
7231					
1	1480/1550	1.961-6	2.750	3.625	CF 4-1-601
1	1610	1.960-6	2.750	5.000	EY 5-4-2031X
2	1480/1550	1.961-6	2.750	3.625	CF 4-1-601
2	1610	1.960-6	2.750	5.000	EY 5-4-2031X
8031					
1	1610	2.225-6	3.000	3.875	CF 5-1-2541
1	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
1	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	1610	2.225-6	3.000	5.719	EY 5-4-4751X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1610	2.225-6	3.000	3.875	CF 5-1-2541
2	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
2	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
2	1810	2.225-6	3.000	3.750	CF 6.5-1-481
2	1610	2.225-6	3.000	5.719	EY 5-4-4751X
2	1710	2.225-6	3.000	5.312	EY 6-4-3041X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
2	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
8035					
1	1610	2.225-6	3.000	3.875	CF 5-1-2541
1	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	1610	2.225-6	3.000	5.719	EY 5-4-4751X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1610	2.225-6	3.000	3.875	CF 5-1-2541
2	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
2	1810	2.225-6	3.000	3.750	CF 6.5-1-481
2	1610	2.225-6	3.000	5.719	EY 5-4-4751X
2	1710	2.225-6	3.000	5.312	EY 6-4-3041X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
2	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
8341					
1	1610	2.225-6	3.000	3.875	CF 5-1-2541
1	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
1	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	1610	2.225-6	3.000	5.719	EY 5-4-4751X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1610	2.225-6	3.000	3.875	CF 5-1-2541
2	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
2	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
2	1810	2.225-6	3.000	3.750	CF 6.5-1-481
2	SPL250	2.225-6	3.000	6.250	EY 250-4-811-1
2	1610	2.225-6	3.000	5.719	EY 5-4-4751X
2	1710	2.225-6	3.000	5.312	EY 6-4-3041X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
8341 (Continued)					
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
2	1810	2.225-6	3.000	6.000	EY 6.5-4-1971
2	1810	2.225-6	3.000	6.000	EY 6.5-4-1971-1
2	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1810	2.225-6	3.000	6.000	EY 6.5-4-2831X
8345					
1	1610	2.225-6	3.000	3.875	CF 5-1-2541
1	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
1	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	1610	2.225-6	3.000	5.719	EY 5-4-4751X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
1	1760	2.225-6	3.000	6.000	EY 6.3-4-171X
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
2	1610	2.225-6	3.000	3.875	CF 5-1-2541
2	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
2	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
2	1810	2.225-6	3.000	3.750	CF 6.5-1-481
2	1610	2.225-6	3.000	5.719	EY 5-4-4751X
2	1710	2.225-6	3.000	5.312	EY 6-4-3041X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171-1X
2	1760	2.225-6	3.000	6.000	EY 6.3-4-171X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

Axle Alliance Corp.

4					
1	SPL100	2.143-41	3.000	4.310	EY 5002874
1	SPL100	2.143-41	3.000	4.310	EY 5002875
1	1610	2.143-41	3.000	4.680	EY 5002873

Clark

FDS-12050					
1	1710	2.005-15	2.875	5.250	EY 6.5-4-2911
1	1710	2.005-15	2.875	5.375	EY 6-4-3001

1614, 1615, 1618, 1619, 16500, 16501, 16600, 16601, 16802, 16803, 17800, 17801, 1790-A, 1791-A, 1792, 1793, 1862,

1	1350/1410	1.750-10	2.625	3.125	CF 3-1-1521
1	1480/1550	1.750-10	2.625	2.875	CF 4-1-3101
1	1610	1.750-10	2.625	2.875	CF 5-1-811
1	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
1	1480	1.750-10	2.625	4.469	EY 3-4-3121-1
1	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
1	1610	1.750-10	2.625	4.125	EY 5-4-781
1	1650	1.750-10	2.625	4.375	EY 5-4-4161X Chamfered Counterbore
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X Chamfered Counterbore

1863					
1	1350/1410	1.750-10	2.625	3.125	CF 3-1-1521
1	1480/1550	1.750-10	2.625	2.875	CF 4-1-3101
1	1610	1.750-10	2.625	2.875	CF 5-1-811
1	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
1	1610	1.750-10	2.625	4.125	EY 5-4-781
1	1650	1.750-10	2.625	4.375	EY 5-4-4161X Chamfered Counterbore
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X Chamfered Counterbore

18802					
1	1350/1410	1.750-10	2.625	3.125	CF 3-1-1521
1	1480/1550	1.750-10	2.625	2.875	CF 4-1-3101
1	1610	1.750-10	2.625	2.875	CF 5-1-811
1	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
1	1480	1.750-10	2.625	4.469	EY 3-4-3121-1
1	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

18802 (Continued)					
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
1	1610	1.750-10	2.625	4.125	EY 5-4-781
1	1650	1.750-10	2.625	4.375	EY 5-4-4161X Chamfered Counterbore
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X Chamfered Counterbore

18803					
1	1350/1410	1.750-10	2.625	3.125	CF 3-1-1521
1	1480/1550	1.750-10	2.625	2.875	CF 4-1-3101
1	1610	1.750-10	2.625	2.875	CF 5-1-811
1	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
1	1480	1.750-10	2.625	4.469	EY 3-4-3121-1
1	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
1	1610	1.750-10	2.625	4.125	EY 5-4-781
1	1650	1.750-10	2.625	4.375	EY 5-4-4161X Chamfered Counterbore
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X Chamfered Counterbore


1892, 1893, 1910, 1911. 19502, 19503, 2010, 2011, 20502, 20503, 2590, 2591, 2613, 2614, 2615, 2616, 2695, 2696, 6802, 6803

1	1350/1410	1.750-10	2.625	3.125	CF 3-1-1521
1	1480/1550	1.750-10	2.625	2.875	CF 4-1-3101
1	1610	1.750-10	2.625	2.875	CF 5-1-811
1	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
1	1480	1.750-10	2.625	4.469	EY 3-4-3121-1
1	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
1	1610	1.750-10	2.625	4.125	EY 5-4-781
1	1650	1.750-10	2.625	4.375	EY 5-4-4161X Chamfered Counterbore
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X Chamfered Counterbore

7800					
1	1350/1410	1.750-10	2.625	3.125	CF 3-1-1521
1	1480/1550	1.750-10	2.625	2.875	CF 4-1-3101
1	1610	1.750-10	2.625	2.875	CF 5-1-811
1	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
1	1480	1.750-10	2.625	4.469	EY 3-4-3121-1
1	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
1	1610	1.750-10	2.625	4.125	EY 5-4-781
1	1650	1.750-10	2.625	4.375	EY 5-4-4161X Chamfered Counterbore

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
•Hub machined for speedometer gear





Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

Clark (Continued)

7800 (Continued)					
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
7801, 8802, 8803					
1	1350/1410	1.750-10	2.625	3.125	CF 3-1-1521
1	1480/1550	1.750-10	2.625	2.875	CF 4-1-3101
1	1610	1.750-10	2.625	2.875	CF 5-1-811
1	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>.250 deep spline chamfer</i>
1	1480	1.750-10	2.625	4.469	EY 3-4-3121-1
1	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X <i>.250 deep spline chamfer</i>
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X <i>.250 deep spline chamfer</i>
1	1610	1.750-10	2.625	4.125	EY 5-4-781
1	1650	1.750-10	2.625	4.375	EY 5-4-4161X <i>Chamfered Counterbore</i>
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>

Fabco

FD-1600, FD-1610, FD-306					
1	1710	1.750-10	2.750	2.938	CF 6-1-1761
1	1610	1.750-10	2.750	5.000	EY 5-4-3621
1	1610	1.750-10	2.750	6.000	EY 5-4-4441X <i>High angle yoke</i>
1	1710	1.750-10	2.750	4.875	EY 6-4-2381
FD-900					
1	1480	1.500-10	2.250	4.406	EY 3-4-3241-1
1	1480	1.500-10	2.250	4.250	EY 3-4-6221-1X
SDA-12					
1	1350	1.750-10	2.375	4.000	EY 3-4-2351-1
1	1410	1.750-10	2.375	4.188	EY 3-4-1161-1
1	1410	1.750-10	2.375	4.188	EY 3-4-1841-1
1	1480	1.750-10	2.375	4.219	EY 3-4-3571-1
1	1550	1.750-10	2.375	4.000	EY 4-4-2041-1
SDA-1200					
1	1410	1.790-34	2.625	4.031	EY 3-4-10251-1
1	1480	1.790-34	2.625	4.281	EY 3-4-10261
1	1480	1.790-34	2.625	4.281	EY 3-4-10261-1
1	1550	1.790-34	2.625	4.275	EY 4-4-5551-1
1	1610	1.790-34	2.625	4.750	EY 5-4-7261
1	1610	1.790-34	2.625	4.750	EY 5-4-7261-1
1	1710	1.790-34	2.625	5.438	EY 6-4-7571-1
SDA-1400					
1	1480	1.790-34	2.625	4.281	EY 3-4-10261
1	1480	1.790-34	2.625	4.281	EY 3-4-10261-1
1	1550	1.790-34	2.625	4.275	EY 4-4-5551-1

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------


SDA-1400 (Continued)					
1	1610	1.790-34	2.625	4.750	EY 5-4-7261
1	1610	1.790-34	2.625	4.750	EY 5-4-7261-1
1	1710	1.790-34	2.625	5.438	EY 6-4-7571-1
SDA-16					
1	1350	1.750-10	2.625	3.125	CF 3-1-1521
1	1480/1550	1.750-10	2.625	2.875	CF 4-1-3101
1	1610	1.750-10	2.625	2.875	CF 5-1-811
1	1410	1.750-10	2.625	4.000	EY 3-4-5881-1X <i>.250 deep spline chamfer</i>
1	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X <i>.250 deep spline chamfer</i>
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X <i>.250 deep spline chamfer</i>
1	1610	1.750-10	2.625	4.750	EY 5-4-5111-1X
1	1610	1.750-10	2.625	4.750	EY 5-4-5111X
1	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
SDA-1600					
1	1410	1.790-34	2.625	4.031	EY 3-4-10251-1
1	1480	1.790-34	2.625	4.281	EY 3-4-10261
1	1480	1.790-34	2.625	4.281	EY 3-4-10261-1
1	1550	1.790-34	2.625	4.275	EY 4-4-5551-1
1	1610	1.790-34	2.625	4.750	EY 5-4-7261
1	1610	1.790-34	2.625	4.750	EY 5-4-7261-1
1	1710	1.790-34	2.625	5.438	EY 6-4-7571-1
SDA-18					
1	1350	1.750-10	2.625	3.125	CF 3-1-1521
1	1480/1550	1.750-10	2.625	2.875	CF 4-1-3101
1	1610	1.750-10	2.625	2.875	CF 5-1-811
1	1410	1.750-10	2.625	4.000	EY 3-4-5881-1X <i>.250 deep spline chamfer</i>
1	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X <i>.250 deep spline chamfer</i>
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X <i>.250 deep spline chamfer</i>
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1610	1.750-10	2.625	4.750	EY 5-4-5111-1X
1	1610	1.750-10	2.625	4.750	EY 5-4-5111X
1	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X <i>.250 deep spline chamfer</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X <i>.250 deep spline chamfer</i>

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

+Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SDA-1800					
1	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1
1	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-7971
1	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
1	1610	2.024-39	2.625	6.000	EY 5-4-7991 <i>High angle yoke</i>
1	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-8411X
1	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
1	1710	2.024-39	2.625	5.250	EY 6-4-7991
1	1710	2.024-39	2.625	5.250	EY 6-4-7991-1
1	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
1	1710	2.024-39	2.625	5.250	EY 6-4-8531X
1	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>
SDA-21					
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
SDA-2100					
1	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-8411X
1	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
1	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
1	1710	2.024-39	2.625	5.250	EY 6-4-8531X
1	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>
SDA-23					
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
SDA-2300					
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SDA-2300 (Continued)					
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-3681
1	1810	2.143-41	2.938	5.250	EY 6.5-4-3681-1
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
SDA-9					
1	1350	1.750-10	2.375	4.000	EY 3-4-2351-1
1	1410	1.750-10	2.375	4.188	EY 3-4-1161-1
1	1550	1.750-10	2.375	4.000	EY 4-4-2041-1

Navistar/International

RA-130, RA-131, RA-132					
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-5861X
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.840	EY 6-4-9951-1
1	1710	1.998-38	3.000	4.840	EY 6-4-9961-1X
RA-133					
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-5861X
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.840	EY 6-4-9951-1
RA-186					
1	1550	1.750-10	2.625	4.281	EY 4-4-2091-1
1	1610	1.750-10	2.625	5.344	EY 5-4-4461
1	1610	1.750-10	2.625	5.344	EY 5-4-4461-1
1	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RA-189					
1	1350	1.750-10	2.375	4.000	EY 3-4-2351-1
1	1410	1.750-10	2.375	4.188	EY 3-4-1841-1
1	1480	1.750-10	2.375	4.219	EY 3-4-3571-1
1	1550	1.750-10	2.375	4.000	EY 4-4-2041-1
RA-192					
1	1550	1.750-10	2.625	4.281	EY 4-4-2091-1
1	1610	1.750-10	2.625	5.344	EY 5-4-4461
1	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
RA-197					
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X .250 deep spline chamfer
RA-25					
1	1350	1.750-10	2.375	4.000	EY 3-4-2351-1
1	1410	1.750-10	2.375	4.188	EY 3-4-1841-1
1	1480	1.750-10	2.375	4.219	EY 3-4-3571-1
1	1550	1.750-10	2.375	4.000	EY 4-4-2041-1
1	1550	1.790-34	2.375	4.000	EY 4-4-6961-1X
RA-286					
1	1550	1.750-10	2.625	4.281	EY 4-4-2091-1
1	1610	1.750-10	2.625	5.344	EY 5-4-4461
1	1610	1.750-10	2.625	5.344	EY 5-4-4461-1
1	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
1	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
RA-29					
1	1350	1.750-10	2.375	4.000	EY 3-4-2351-1
1	1410	1.750-10	2.375	4.188	EY 3-4-1841-1
1	1480	1.790-34	2.375	4.219	EY 3-4-12101-1X
1	1480	1.750-10	2.375	4.219	EY 3-4-3571-1
1	1550	1.750-10	2.375	4.000	EY 4-4-2041-1
1	1550	1.790-34	2.375	4.000	EY 4-4-6961-1X
RA-30					
1	1350	1.750-10	2.375	4.000	EY 3-4-2351-1
1	1410	1.750-10	2.375	4.188	EY 3-4-1841-1
1	1480	1.750-10	2.375	4.219	EY 3-4-3571-1
1	1550	1.750-10	2.375	4.000	EY 4-4-2041-1
1	1550	1.790-34	2.375	4.000	EY 4-4-6961-1X
RA-31, RA-32, RA-33, RA-34					
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-5861X
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.840	EY 6-4-9951-1
1	1710	1.998-38	3.000	4.840	EY 6-4-9961-1X
RA-36					
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
1	1710	2.114-32	3.000	6.250	EY 6-4-7171X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RA-36 (Continued)					
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
RA-39					
1	1350	1.750-10	2.375	4.000	EY 3-4-2351-1
1	1410	1.750-10	2.375	4.188	EY 3-4-1841-1
1	1480	1.790-34	2.375	4.219	EY 3-4-12101-1X
1	1480	1.750-10	2.375	4.219	EY 3-4-3571-1
1	1550	1.750-10	2.375	4.000	EY 4-4-2041-1
1	1550	1.790-34	2.375	4.000	EY 4-4-6961-1X
RA-42, RA-44, RA-47					
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-5751
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
1	1710	2.114-32	3.000	6.250	EY 6-4-7171X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
RA-48					
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-5751
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1710	2.114-32	3.000	6.250	EY 6-4-7171X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
RA-54					
1	1610	1.962-10	3.000	5.375	EY 5-4-4541
1	1710	2.250-10	3.000	5.250	EY 6-4-2511
1	1710	1.964-10	3.000	4.562	EY 6-4-3291
RA-57					
1	1550	2.364-36	3.000	5.078	EY 4-4-7111-1X
1	1610	1.962-10	3.000	5.375	EY 5-4-4541
1	1610	2.364-36	3.000	5.156	EY 5-4-7201X
1	1610	2.364-36	3.000	5.156	EY 5-4-8631-1X
1	1710	1.964-10	3.000	4.562	EY 6-4-3291
1	1710	2.364-36	3.000	5.438	EY 6-4-5711
1	1710	2.364-36	3.000	5.438	EY 6-4-7191X
1	1710	2.364-36	3.000	5.438	EY 6-4-8701-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1021X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1531-1
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1541-1X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-3161
1	1810	2.364-36	3.000	5.438	EY 6.5-4-3651X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4421-1X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Navistar/International

014ADB, 014ADC, 014ADD

1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-5751
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
1	1710	2.114-32	3.000	6.250	EY 6-4-7171X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X

Mack

CRD118


1	1810	2.250-10	3.125	5.375	EY 6.5-4-2141-1
1	1810	2.250-10	3.125	5.375	EY 6.5-4-4221-1X

CRD201, CRD203, CRD93A

1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL170	2.374-46	3.500	6.688	EY 170-4-1281-1 <i>High angle yoke</i>
1	SPL170	2.374-46	3.500	6.688	EY 170-4-1291-1X <i>High angle yoke</i>
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-5841-1
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-8341X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
D-460F					
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
E-155					
1	1480	1.500-10	2.250	4.406	EY 3-4-3241-1
1	1480	1.500-10	2.250	4.250	EY 3-4-3781-1
E-245					
1	1410	1.500-10	2.250	3.750	EY 3-4-1911-1
F-106, F-140, F-145					
1	1480	1.500-10	2.250	4.406	EY 3-4-3241-1
1	1480	1.500-10	2.250	4.250	EY 3-4-3781-1
F-223, F-235					
1	1610	1.750-10	2.750	5.000	EY 5-4-3621
1	1610	1.750-10	2.750	6.000	EY 5-4-4441X <i>High angle yoke</i>
1	1710	1.750-10	2.750	4.875	EY 6-4-2381
1	1710	2.350-16	3.312	4.938	EY 6-4-4601 <i>Coupling shaft yoke</i>
F-245					
1	1410	1.500-10	2.250	3.750	EY 3-4-1911-1
F-3100					
1	1480/1550	2.000-10	2.938	3.625	CF 4-1-2361
1	1610	2.000-10	2.938	3.625	CF 5-1-3161
1	1610	2.000-10	2.938	5.000	EY 5-4-1521
1	1710	2.000-10	2.938	5.625	EY 6-4-2191
F-3110					
1	1710	1.960-10	2.938	4.500	EY 6-4-2061
F-3200					
1	1480/1550	2.000-10	2.938	3.625	CF 4-1-2361
1	1610	2.000-10	2.938	3.625	CF 5-1-3161
1	1610	2.000-10	2.938	5.000	EY 5-4-1521
1	1710	2.000-10	2.938	5.625	EY 6-4-2191
F-34					
1	1480	1.500-10	2.250	4.406	EY 3-4-3241-1
1	1480	1.500-10	2.250	4.250	EY 3-4-3781-1
F-345					
1	1410	1.500-10	2.250	3.750	EY 3-4-1911-1
F-409CW, F-429CN					
1	1710	1.960-10	2.938	4.500	EY 6-4-2061
FDS-1600					
1	1350/1410	1.625-10	2.375	3.000	CF 3-1-3531
1	1480/1550	1.625-10	2.375	2.750	CF 4-1-2751
1	1410	1.625-10	2.375	3.938	EY 3-4-3491-1
1	1410	1.625-10	2.375	4.188	EY 3-4-5921-1X
1	1480	1.625-10	2.375	4.312	EY 3-4-3771
1	1610	1.625-10	2.375	4.125	EY 5-4-2401


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FDS-1800					
1	1610	2.024-39	2.750	5.125	EY 5-4-6951X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	4.812	EY 6-4-6941X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
FDS-2100					
1	1610	2.024-39	2.750	5.125	EY 5-4-6951X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	4.812	EY 6-4-6941X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
FDS-75					
1	1480	1.500-10	2.250	4.406	EY 3-4-3241-1
1	1480	1.500-10	2.250	4.250	EY 3-4-3781-1
FDS-750					
1	1410	1.500-10	2.250	3.750	EY 3-4-1911-1
FDS-90					
1	1480	1.500-10	2.250	4.406	EY 3-4-3241-1
1	1480	1.500-10	2.250	4.250	EY 3-4-3781-1
G-100					
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
G-160, G-340, G-360, H-140, H-150, H-160, H-170					
1	1350/1410	1.625-10	2.375	3.000	CF 3-1-3531
1	1480/1550	1.625-10	2.375	2.750	CF 4-1-2751
1	1410	1.625-10	2.375	3.938	EY 3-4-3491-1
1	1410	1.625-10	2.375	4.188	EY 3-4-5921-1X
1	1610	1.625-10	2.375	4.125	EY 5-4-2401
H-172					
1	1410	1.774-34	2.500	4.188	EY 3-4-8061X
1	1480	1.774-34	2.500	4.469	EY 3-4-8051-1X
1	1550	1.774-34	2.500	4.700	EY 4-4-4101-1
1	1550	1.774-34	2.500	4.700	EY 4-4-4111-1X
1	1610	1.774-34	2.500	6.062	EY 5-4-4901X <i>High angle yoke</i>
1	1610	1.774-34	2.500	5.438	EY 5-4-5081X
1	1610	1.774-34	2.500	4.875	EY 5-4-5571-1
1	1610	1.774-34	2.500	4.875	EY 5-4-5621-1X

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

H-172 (Continued)

1	1710	1.774-34	2.500	5.969	EY 6-4-5111X <i>High angle yoke</i>
1	1710	1.774-34	2.500	4.875	EY 6-4-5131-1X
1	1710	1.774-34	2.500	4.875	EY 6-4-5131X

H-240, H-340, H-350

1	1350/1410	1.625-10	2.375	3.000	CF 3-1-3531
1	1480/1550	1.625-10	2.375	2.750	CF 4-1-2751
1	1410	1.625-10	2.375	3.938	EY 3-4-3491-1
1	1410	1.625-10	2.375	4.188	EY 3-4-5921-1X
1	1610	1.625-10	2.375	4.125	EY 5-4-2401

H-360, H-370

1	1410	1.625-10	2.375	4.188	EY 3-4-5921-1X
---	------	----------	-------	-------	----------------

H360, H-370

1	1350/1410	1.625-10	2.375	3.000	CF 3-1-3531
1	1480/1550	1.625-10	2.375	2.750	CF 4-1-2751
1	1410	1.625-10	2.375	3.938	EY 3-4-3491-1
1	1610	1.625-10	2.375	4.125	EY 5-4-2401

L-140, L-160

1	1650/1710	1.750-10	2.750	2.938	CF 6-1-1761
1	1610	1.750-10	2.750	5.000	EY 5-4-3621
1	1610	1.750-10	2.750	6.000	EY 5-4-4441X <i>High angle yoke</i>
1	1710	1.750-10	2.750	4.875	EY 6-4-2381
1	1710	2.350-16	3.312	4.938	EY 6-4-4601 <i>Coupling shaft yoke</i>

L-172

1	1410	1.774-34	2.500	4.188	EY 3-4-8061X
1	1480	1.774-34	2.500	4.469	EY 3-4-8051-1X
1	1550	1.774-34	2.500	4.700	EY 4-4-4101-1
1	1550	1.774-34	2.500	4.700	EY 4-4-4111-1X
1	1610	1.774-34	2.500	6.062	EY 5-4-4901X <i>High angle yoke</i>
1	1610	1.774-34	2.500	5.438	EY 5-4-5081X
1	1610	1.774-34	2.500	4.875	EY 5-4-5571-1
1	1610	1.774-34	2.500	4.875	EY 5-4-5621-1X
1	1710	1.774-34	2.500	5.969	EY 6-4-5111X <i>High angle yoke</i>
1	1710	1.774-34	2.500	4.875	EY 6-4-5131-1X
1	1710	1.774-34	2.500	4.875	EY 6-4-5131X

L-240, L-340, L-350, L-360, L-370

1	1650/1710	1.750-10	2.750	2.938	CF 6-1-1761
1	1610	1.750-10	2.750	5.000	EY 5-4-3621
1	1610	1.750-10	2.750	6.000	EY 5-4-4441X <i>High angle yoke</i>
1	1710	1.750-10	2.750	4.875	EY 6-4-2381
1	1710	2.350-16	3.312	4.938	EY 6-4-4601 <i>Coupling shaft yoke</i>

L-600

1	1410	1.774-34	2.500	4.188	EY 3-4-8061X
1	1480	1.774-34	2.500	4.469	EY 3-4-8051-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

L-600 (Continued)

1	1550	1.774-34	2.500	4.700	EY 4-4-4101-1
1	1550	1.774-34	2.500	4.700	EY 4-4-4111-1X
1	1610	1.774-34	2.500	6.062	EY 5-4-4901X <i>High angle yoke</i>
1	1610	1.774-34	2.500	5.438	EY 5-4-5081X
1	1610	1.774-34	2.500	4.875	EY 5-4-5571-1
1	1610	1.774-34	2.500	4.875	EY 5-4-5621-1X
1	1710	1.774-34	2.500	5.969	EY 6-4-5111X <i>High angle yoke</i>
1	1710	1.774-34	2.500	4.875	EY 6-4-5131-1X
1	1710	1.774-34	2.500	4.875	EY 6-4-5131X

LT-300, LT-340

1	1480	1.875-10	2.750	4.406	EY 3-4-6671-1X
1	1550	1.875-10	2.750	4.406	EY 4-4-1941
1	1610	1.875-10	2.750	5.000	EY 5-4-2501

M-172

1	1410	1.774-34	2.500	4.188	EY 3-4-8061X
1	1550	1.774-34	2.500	4.700	EY 4-4-4101-1
1	1550	1.774-34	2.500	4.700	EY 4-4-4111-1X
1	1610	1.774-34	2.500	6.062	EY 5-4-4901X <i>High angle yoke</i>
1	1610	1.774-34	2.500	5.438	EY 5-4-5081X
1	1610	1.774-34	2.500	4.875	EY 5-4-5571-1
1	1610	1.774-34	2.500	4.875	EY 5-4-5621-1X
1	1710	1.774-34	2.500	5.969	EY 6-4-5111X <i>High angle yoke</i>
1	1710	1.774-34	2.500	4.875	EY 6-4-5131-1X
1	1710	1.774-34	2.500	4.875	EY 6-4-5131X

M-175

1	1480	1.774-34	2.500	4.469	EY 3-4-8051-1X
---	------	----------	-------	-------	----------------

PR-200, PR-223

1	1480	1.875-10	2.750	4.406	EY 3-4-6671-1X
1	1550	1.875-10	2.750	4.406	EY 4-4-1941
1	1610	1.875-10	2.750	5.000	EY 5-4-2501

PR-250

1	1810	2.250-10	3.000	5.844	EY 6.5-4-1911
---	------	----------	-------	-------	---------------

PR-300, PR-400, PR-500


1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>
1	1810	2.250-10	3.000	5.844	EY 6.5-4-1911

PS-200

1	1480	1.875-10	2.750	4.406	EY 3-4-6671-1X
1	1550	1.875-10	2.750	4.406	EY 4-4-1941
1	1610	1.875-10	2.750	5.000	EY 5-4-2501

(*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





SINGLE AXLES

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

PS-300

1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X
<i>High angle yoke</i>					
1	1810	2.250-10	3.000	5.844	EY 6.5-4-1911

PS-400, PS-500

1	1810	2.250-10	3.000	5.844	EY 6.5-4-1911
---	------	----------	-------	-------	---------------

Q-100

1	1480	1.875-10	2.750	4.406	EY 3-4-6671-1X
1	1550	1.875-10	2.750	4.406	EY 4-4-1941
1	1610	1.875-10	2.750	5.000	EY 5-4-2501
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	6.219	EY 5-4-6291X
<i>High angle yoke</i>					
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X
<i>High angle yoke</i>					
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X
<i>High angle yoke</i>					
1	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X

Q-145, Q-200, Q-240, Q-245, Q-300, Q-340, Q-345, Q-360, Q-365, Q-380, Q-390, QT-140, QT-230, QT-240, QT-330, QT-340

1	1550	1.875-10	2.750	4.406	EY 4-4-1941
1	1610	1.875-10	2.750	5.000	EY 5-4-2501

R-100, R-140

1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X
<i>High angle yoke</i>					

R-143

1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

R-144

1	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X

R-155

1	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
1	1610	2.024-39	2.750	5.125	EY 5-4-5421
1	1610	2.024-39	2.750	5.938	EY 5-4-5441
<i>High angle yoke</i>					
1	1610	2.024-39	2.750	5.125	EY 5-4-6951X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X
<i>High angle yoke</i>					
1	1710	2.024-39	2.750	6.500	EY 6-4-5501
1	1710	2.024-39	2.750	6.500	EY 6-4-5501-1
<i>High angle yoke</i>					
1	1710	2.024-39	2.750	5.250	EY 6-4-5521
1	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
1	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X
<i>High angle yoke</i>					
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

R-160

1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X
<i>High angle yoke</i>					


R-170

1	1710	2.250-10	3.000	3.750	CF 6-1-1421
<i>.250 deep counterbore at hub end</i>					
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211
<i>.250 deep counterbore at hub end</i>					
1	1650	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-1991
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1710	2.250-10	3.000	7.188	EY 6-4-6891X
<i>High angle yoke</i>					
1	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

R-180					
1	1710	2.250-10	3.000	3.750	CF 6-1-1421
					<i>.250 deep counterbore at hub end</i>
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211
					<i>.250 deep counterbore at hub end</i>
1	1650	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1710	2.250-10	3.000	7.188	EY 6-4-6891X
					<i>High angle yoke</i>
1	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X

R-200					
1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X
					<i>High angle yoke</i>
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X

R-220, R-230, R-240					
1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X
					<i>High angle yoke</i>

R-255					
1	1610	2.024-39	2.750	5.125	EY 5-4-6951X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X
					<i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	4.812	EY 6-4-6941X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

R-270					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X
					<i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X
					<i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

R-270 (Continued)					
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X

R-300					
1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X
					<i>High angle yoke</i>
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X

R-330, R-340					
1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X
					<i>High angle yoke</i>

R-355					
1	1610	2.024-39	2.750	5.125	EY 5-4-6951X
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	4.812	EY 6-4-6941X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

RF-**-145					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	6.219	EY 5-4-6291X
					<i>High angle yoke</i>
1	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X
					<i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X
					<i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X

RF-**-155					
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X
					<i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-5501
1	1710	2.024-39	2.750	6.500	EY 6-4-5501-1
					<i>High angle yoke</i>

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RF-**-155 (Continued)					
1	1710	2.024-39	2.750	5.250	EY 6-4-5521
1	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
1	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.125	EY 5-4-5421
1	1810	2.024-39	2.750	5.938	EY 5-4-5441 <i>High angle yoke</i>
1	1810	2.024-39	2.750	5.125	EY 5-4-6951X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

RF-**-156					
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-5501
1	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 <i>High angle yoke</i>
1	1710	2.024-39	2.750	5.250	EY 6-4-5521
1	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
1	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1810	2.024-39	2.750	5.125	EY 5-4-5421
1	1810	2.024-39	2.750	5.938	EY 5-4-5441 <i>High angle yoke</i>
1	1810	2.024-39	2.750	5.125	EY 5-4-6951X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

RF-**-160					
1	1610	2.390-46	3.250	4.938	EY 5-4-7341-1X
1	1710	2.390-46	3.250	5.391	EY 6-4-7181-1X
1	1710	2.390-46	3.250	5.391	EY 6-4-7181X
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1041-1X
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1041X
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3731-1X

RF-**-180					
1	1710	2.374-46	3.250	5.938	EY 6-4-6961-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-861-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-861X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3581-1X

RF-**-355					
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-5501
1	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 <i>High angle yoke</i>
1	1710	2.024-39	2.750	5.250	EY 6-4-5521
1	1710	2.024-39	2.750	5.250	EY 6-4-5521-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RF-**-355 (Continued)					
1	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.125	EY 5-4-5421
1	1810	2.024-39	2.750	5.938	EY 5-4-5441 <i>High angle yoke</i>
1	1810	2.024-39	2.750	5.125	EY 5-4-6951X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

RF-**-356					
1	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 <i>High angle yoke</i>

RL-170					
1	1710	2.250-10	3.000	3.750	CF 6-1-1421 .250 deep counterbore at hub end
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211 .250 deep counterbore at hub end
1	1650	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1710	2.250-10	3.000	7.188	EY 6-4-6891X <i>High angle yoke</i>
1	1760	2.250-10	3.000	5.844	EY 6.3-4-731X


RS-**-120, RS-**-125, RS-**-140					
1	SPL140	1.774-34	2.500	4.950	EY 140-4-251-1
1	SPL140	1.774-34	2.500	4.950	EY 140-4-261-1X
1	SPL90	1.774-34	2.500	4.110	EY 90-4-751-1
1	SPL90	1.774-34	2.500	4.110	EY 90-4-761-1X
1	1410	1.774-34	2.500	4.469	EY 3-4-7541-1
1	1410	1.774-34	2.500	4.188	EY 3-4-7551
1	1410	1.774-34	2.500	4.188	EY 3-4-8061X
1	1480	1.774-34	2.500	4.469	EY 3-4-8051-1X
1	1550	1.774-34	2.500	4.700	EY 4-4-4101-1
1	1550	1.774-34	2.500	4.700	EY 4-4-4111-1X
1	1610	1.774-34	2.500	4.875	EY 5-4-5571-1
1	1610	1.774-34	2.500	4.875	EY 5-4-5621-1X
1	1710	1.774-34	2.500	4.875	EY 6-4-5131-1X
1	1710	1.774-34	2.500	4.875	EY 6-4-5131X
1	1710	1.774-34	2.500	4.875	EY 6-4-6331
1	1710	1.774-34	2.500	4.875	EY 6-4-6331-1

RS-**-144					
1	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
1	SPL140	2.024-39	3.000	5.680	EY 140-4-231-1X
1	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
1	SPL170	2.024-39	3.000	5.090	EY 170-4-651-1X
1	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
1	SPL170	2.024-39	3.000	6.391	EY 170-4-671-1X <i>High angle yoke</i>
1	SPL90	2.024-39	3.000	4.625	EY 90-4-311-1
1	SPL90	2.024-39	3.000	4.625	EY 90-4-321-1X
1	1550	2.024-39	3.000	5.000	EY 4-4-5261-1
1	1550	2.024-39	3.000	5.000	EY 4-4-6731-1X

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RS-**-144 (Continued)					
1	1610	2.024-39	3.000	6.219	EY 5-4-6241 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.219	EY 5-4-6241-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	5.531	EY 5-4-6271
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	6.219	EY 5-4-6291-1X <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
1	1610	2.024-39	3.000	4.875	EY 5-4-6421-1
1	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
1	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6401
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RS-**-145					
1	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
1	SPL140	2.024-39	3.000	5.680	EY 140-4-231-1X
1	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
1	SPL170	2.024-39	3.000	5.090	EY 170-4-651-1X
1	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
1	SPL170	2.024-39	3.000	6.391	EY 170-4-671-1X <i>High angle yoke</i>
1	SPL90	2.024-39	3.000	4.625	EY 90-4-311-1
1	SPL90	2.024-39	3.000	4.625	EY 90-4-321-1X
1	1550	2.024-39	3.000	5.000	EY 4-4-5261-1
1	1550	2.024-39	3.000	5.000	EY 4-4-6731-1X
1	1610	2.024-39	3.000	6.219	EY 5-4-6241 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.219	EY 5-4-6241-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	5.531	EY 5-4-6271
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	6.219	EY 5-4-6291-1X <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RS-**-145 (Continued)					
1	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
1	1610	2.024-39	3.000	4.875	EY 5-4-6421-1
1	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
1	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6401
1	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RS-**-160					
1	SPL140	2.390-46	3.250	5.660	EY 140-4-301-1
1	SPL140	2.390-46	3.250	5.660	EY 140-4-311-1X
1	SPL170	2.390-46	3.250	5.100	EY 170-4-711-1
1	SPL170	2.390-46	3.250	5.100	EY 170-4-721-1X
1	SPL170	2.390-46	3.250	6.438	EY 170-4-731-1 <i>High angle yoke</i>
1	SPL170	2.390-46	3.250	6.438	EY 170-4-741-1X <i>High angle yoke</i>
1	SPL250	2.390-46	3.250	5.312	EY 250-4-341-1
1	SPL250	2.390-46	3.250	5.312	EY 250-4-351-1X
1	SPL90	2.390-46	3.250	4.641	EY 90-4-331-1
1	SPL90	2.390-46	3.250	4.641	EY 90-4-341-1X
1	1610	2.390-46	3.250	4.938	EY 5-4-7331-1
1	1610	2.390-46	3.250	4.938	EY 5-4-7341-1X
1	1710	2.390-46	3.250	5.391	EY 6-4-7161
1	1710	2.390-46	3.250	5.391	EY 6-4-7161-1
1	1710	2.390-46	3.250	5.391	EY 6-4-7181-1X
1	1710	2.390-46	3.250	5.391	EY 6-4-7181X
1	1710	2.390-46	3.250	6.500	EY 6-4-7761 <i>High angle yoke</i>
1	1710	2.390-46	3.250	6.500	EY 6-4-7761-1 <i>High angle yoke</i>
1	1710	2.390-46	3.250	6.500	EY 6-4-7771-1X <i>High angle yoke</i>

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RS-**-160 (Continued)					
1	1710	2.390-46	3.250	6.500	EY 6-4-7771X <i>High angle yoke</i>
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1031
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1031-1
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1041-1X
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1041X
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3721
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3721-1
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3731-1X
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3731X

RS-**-180, RS-**-185, RS-**-186					
1	SPL140	2.374-46	3.250	6.210	EY 140-4-271-1
1	SPL140	2.374-46	3.250	6.210	EY 140-4-291-1X
1	SPL170	2.374-46	3.250	5.760	EY 170-4-571-1
1	SPL170	2.374-46	3.250	5.760	EY 170-4-591-1X
1	SPL170	2.374-46	3.250	7.250	EY 170-4-601-1 <i>High angle yoke</i>
1	SPL170	2.374-46	3.250	7.250	EY 170-4-611-1X <i>High angle yoke</i>
1	SPL250	2.374-46	3.250	5.870	EY 250-4-281-1
1	SPL250	2.374-46	3.250	5.870	EY 250-4-301-1X
1	SPL90	2.374-46	3.250	5.188	EY 90-4-351-1
1	SPL90	2.374-46	3.250	5.188	EY 90-4-361-1X
1	1610	2.374-46	3.250	4.547	EY 5-4-7351-1
1	1610	2.374-46	3.250	4.547	EY 5-4-7361-1X
1	1710	2.374-46	3.250	5.938	EY 6-4-5931
1	1710	2.374-46	3.250	5.938	EY 6-4-5931-1
1	1710	2.374-46	3.250	5.938	EY 6-4-6961-1X
1	1710	2.374-46	3.250	5.938	EY 6-4-6961X
1	1710	2.374-46	3.250	6.938	EY 6-4-7831 <i>High angle yoke</i>
1	1710	2.374-46	3.250	6.938	EY 6-4-7831-1 <i>High angle yoke</i>
1	1710	2.374-46	3.250	6.938	EY 6-4-7851-1X <i>High angle yoke</i>
1	1710	2.374-46	3.250	6.938	EY 6-4-7851X <i>High angle yoke</i>
1	1760	2.374-46	3.250	5.625	EY 6.3-4-291
1	1760	2.374-46	3.250	5.625	EY 6.3-4-291-1
1	1760	2.374-46	3.250	5.625	EY 6.3-4-861-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-861X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201-1
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3581-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3581X

RS-**-210, RS-**-220, RS-**-230					
1	SPL140	1.774-34	2.500	4.950	EY 140-4-251-1
1	SPL140	1.774-34	2.500	4.950	EY 140-4-261-1X
1	SPL90	1.774-34	2.500	4.110	EY 90-4-751-1
1	SPL90	1.774-34	2.500	4.110	EY 90-4-761-1X
1	1410	1.774-34	2.500	4.469	EY 3-4-7541-1
1	1410	1.774-34	2.500	4.188	EY 3-4-7551
1	1410	1.774-34	2.500	4.188	EY 3-4-8061X
1	1480	1.774-34	2.500	4.469	EY 3-4-8051-1X
1	1550	1.774-34	2.500	4.700	EY 4-4-4101-1
1	1550	1.774-34	2.500	4.700	EY 4-4-4111-1X
1	1610	1.774-34	2.500	4.875	EY 5-4-5571-1
1	1610	1.774-34	2.500	4.875	EY 5-4-5621-1X
1	1710	1.774-34	2.500	4.875	EY 6-4-5131-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RS-**-210, RS-**-220, RS-**-230 (Continued)					
1	1710	1.774-34	2.500	4.875	EY 6-4-5131X
1	1710	1.774-34	2.500	4.875	EY 6-4-6331
1	1710	1.774-34	2.500	4.875	EY 6-4-6331-1


RS-**-240					
1	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
1	SPL140	2.024-39	3.000	5.680	EY 140-4-231-1X
1	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
1	SPL170	2.024-39	3.000	5.090	EY 170-4-651-1X
1	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
1	SPL170	2.024-39	3.000	6.391	EY 170-4-671-1X <i>High angle yoke</i>
1	SPL90	2.024-39	3.000	4.625	EY 90-4-311-1
1	SPL90	2.024-39	3.000	4.625	EY 90-4-321-1X
1	1550	2.024-39	3.000	5.000	EY 4-4-5261-1
1	1550	2.024-39	3.000	5.000	EY 4-4-6731-1X
1	1610	2.024-39	3.000	6.219	EY 5-4-6241 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.219	EY 5-4-6241-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	5.531	EY 5-4-6271
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	6.219	EY 5-4-6291-1X <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
1	1610	2.024-39	3.000	4.875	EY 5-4-6421-1
1	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
1	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6401
1	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X

RS-**-380					
1	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
1	SPL140	2.024-39	3.000	5.680	EY 140-4-241-1X
1	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
1	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
1	SPL170	2.024-39	3.000	6.391	EY 170-4-691-1X <i>High angle yoke</i>
1	SPL170	2.024-39	3.000	5.090	EY 170-4-701-1X

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RS-**-380 (Continued)					
1	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.374-46	3.250	6.938	EY 6-4-7831 <i>High angle yoke</i>
1	1710	2.374-46	3.250	6.938	EY 6-4-7831-1 <i>High angle yoke</i>
1	1710	2.374-46	3.250	6.938	EY 6-4-7851-1X <i>High angle yoke</i>
1	1710	2.374-46	3.250	6.938	EY 6-4-7851X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-1341-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-4191-1X

RT-**-180					
1	SPL170	2.374-46	3.250	5.760	EY 170-4-571-1
1	SPL170	2.374-46	3.250	5.760	EY 170-4-591-1X

RT-140, RT-240, RT-340					
1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>

R125, R128					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X

R180					
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
R180 (Continued)					
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3581-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3581X

R360					
1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>

R611					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X

S-170					
1	1710	2.250-10	3.000	3.750	CF 6-1-1421 <i>.250 deep counterbore at hub end</i>
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211 <i>.250 deep counterbore at hub end</i>
1	1650	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1710	2.250-10	3.000	7.188	EY 6-4-6891X <i>High angle yoke</i>
1	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X

SPRC1737, SPRC1925					
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
1	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
1	1610	2.024-39	2.750	5.125	EY 5-4-5421
1	1610	2.024-39	2.750	5.938	EY 5-4-5441 <i>High angle yoke</i>
1	1610	2.024-39	2.750	5.125	EY 5-4-6951X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-5501
1	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 <i>High angle yoke</i>
1	1710	2.024-39	2.750	5.250	EY 6-4-5521
1	1710	2.024-39	2.750	5.250	EY 6-4-5521-1

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
SPRC1737, SPRC1925 (Continued)					
1	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
T-270					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
U-100					
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
U-170					
1	1710	2.250-10	3.000	3.750	CF 6-1-1421 .250 deep counterbore at hub end
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211 .250 deep counterbore at hub end
1	1610	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
U-180					
1	1710	2.250-10	3.000	3.750	CF 6-1-1421 .250 deep counterbore at hub end
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211 .250 deep counterbore at hub end
1	1650	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1710	2.250-10	3.000	7.188	EY 6-4-6891X <i>High angle yoke</i>
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201-1
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3581-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3581X
U-200					
1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
U-200 (Continued)					
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
U-240					
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1610	2.024-39	2.750	5.125	EY 5-4-6951X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	4.812	EY 6-4-6941X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
U-270					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
U-300					
1	1480/1550	1.960-10	2.750	3.375	CF 4-1-2661
1	1710	1.960-10	2.750	3.312	CF 6-1-1461
1	1610	1.960-10	2.750	5.125	EY 5-4-5281X
1	1710	1.960-10	2.750	5.250	EY 6-4-4361X
1	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
U-340					
1	1610	2.024-39	2.750	5.125	EY 5-4-6951X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	4.812	EY 6-4-6941X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Important: See Safety Information in General Information Section (J300P-GI)

SINGLE AXLES



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Meritor/Rockwell

W-170					
1	1710	2.250-10	3.000	3.750	CF 6-1-1421 .250 deep counterbore at hub end
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211 .250 deep counterbore at hub end
1	1650	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1710	2.250-10	3.000	7.188	EY 6-4-6891X High angle yoke
1	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X

W-270					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X High angle yoke
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X High angle yoke
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
1	1710	2.024-39	3.000	5.156	EY 6-4-6421X
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X

1357, 1758, 1768					
1	1710	1.960-10	2.938	4.500	EY 6-4-2061

2100					
1	1610	2.024-39	2.750	5.125	EY 5-4-6951X
1	1610	2.024-39	2.750	5.938	EY 5-4-6961X High angle yoke
1	1710	2.024-39	2.750	6.500	EY 6-4-6871X
1	1710	2.024-39	2.750	4.812	EY 6-4-6941X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
1	1710	2.024-39	2.750	5.250	EY 6-4-6951X
1	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
1	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Spicer® / Eaton

D135-S					
1	1480	1.790-34	2.375	4.219	EY 3-4-12101-1X
1	1480	1.750-10	2.375	4.219	EY 3-4-3571-1
1	1550	1.750-10	2.375	4.000	EY 4-4-2041-1
1	1550	1.790-34	2.375	4.000	EY 4-4-6961-1X
1	1610	1.790-34	2.375	4.125	EY 5-4-8571-1X

F155-S, F170-S					
1	SPL55	1.790-34	2.375	4.219	EY 55-4-31-1
1	SPL55	1.790-34	2.375	4.219	EY 55-4-41-1X
1	SPL90	1.790-34	2.375	5.625	EY 90-4-541-1
1	SPL90	1.790-34	2.375	5.625	EY 90-4-551-1X
1	1480	1.790-34	2.375	4.219	EY 3-4-12091-1
1	1480	1.790-34	2.375	4.219	EY 3-4-12101-1X
1	1550	1.790-34	2.375	4.000	EY 4-4-6951-1
1	1550	1.790-34	2.375	4.000	EY 4-4-6961-1X
1	1610	1.790-34	2.375	4.125	EY 5-4-8561-1
1	1610	1.790-34	2.375	4.125	EY 5-4-8571-1X

G155-T					
1	SPL140	1.998-38	3.000	4.680	EY 140-4-901-1
1	SPL140	1.998-38	3.000	4.680	EY 140-4-911-1X
1	SPL90	1.998-38	3.000	4.250	EY 90-4-561-1
1	SPL90	1.998-38	3.000	4.250	EY 90-4-571-1X
1	1480	1.998-38	3.000	4.281	EY 3-4-12111-1
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6971-1
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-8581-1
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.844	EY 6-4-8651-1
1	1710	1.998-38	3.000	4.844	EY 6-4-8661-1X
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1491-1
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1501-1X

G175-S					
1	SPL140	1.998-38	3.000	4.680	EY 140-4-901-1
1	SPL140	1.998-38	3.000	4.680	EY 140-4-911-1X
1	SPL90	1.998-38	3.000	4.250	EY 90-4-561-1
1	SPL90	1.998-38	3.000	4.250	EY 90-4-571-1X
1	1480	1.998-38	3.000	4.281	EY 3-4-12111-1
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6971-1
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-8581-1
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.844	EY 6-4-8651-1
1	1710	1.998-38	3.000	4.844	EY 6-4-8661-1X
1	1710	1.998-38	3.000	4.840	EY 6-4-9951-1
1	1710	1.998-38	3.000	4.840	EY 6-4-9961-1X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)




Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
G175-S (Continued)					
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1491-1
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1501-1X
G175-T					
1	SPL140	1.998-38	3.000	4.680	EY 140-4-901-1
1	SPL140	1.998-38	3.000	4.680	EY 140-4-911-1X
1	SPL90	1.998-38	3.000	4.250	EY 90-4-561-1
1	SPL90	1.998-38	3.000	4.250	EY 90-4-571-1X
1	1480	1.998-38	3.000	4.281	EY 3-4-12111-1
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6971-1
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-7121X
1	1610	1.998-38	3.000	4.844	EY 5-4-8581-1
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.840	EY 6-4-9951-1
1	1710	1.998-38	3.000	4.840	EY 6-4-9961-1X
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1491-1
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1501-1X
G190-S					
1	SPL140	1.998-38	3.000	4.680	EY 140-4-901-1
1	SPL140	1.998-38	3.000	4.680	EY 140-4-911-1X
1	SPL90	1.998-38	3.000	4.250	EY 90-4-561-1
1	SPL90	1.998-38	3.000	4.250	EY 90-4-571-1X
1	1480	1.998-38	3.000	4.281	EY 3-4-12111-1
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6971-1
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-8581-1
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.844	EY 6-4-8661-1X
1	1710	1.998-38	3.000	4.840	EY 6-4-9951-1
1	1710	1.998-38	3.000	4.840	EY 6-4-9961-1X
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1491-1
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1501-1X
G190-T					
1	1710	1.998-38	3.000	4.840	EY 6-4-9951-1
J175-S, J190-S, J210-S					
1	1610	2.114-32	3.000	2.844	CF 5-1-6691 <i>.424 deep counterbore at hub end</i>
1	1610	2.114-32	3.000	2.844	CF 5-1-6701X <i>.424 deep counterbore at hub end</i>
1	SPL140	2.114-32	3.000	4.810	EY 140-4-921-1
1	SPL140	2.114-32	3.000	4.810	EY 140-4-931-1X
1	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
1	SPL170	2.114-32	3.000	5.000	EY 170-4-901-1X
1	SPL170	2.114-32	3.000	6.312	EY 170-4-951-1 <i>High angle yoke</i>
1	SPL170	2.114-32	3.000	6.312	EY 170-4-961-1X <i>High angle yoke</i>
1	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1 <i>Counterbore at hub end.</i>
1	SPL250	2.114-32	3.000	5.240	EY 250-4-421-1X <i>Counterbore at hub end.</i>
1	SPL90	2.114-32	3.000	4.375	EY 90-4-581-1
1	SPL90	2.114-32	3.000	4.375	EY 90-4-591-1X
1	1480	2.114-32	3.000	4.281	EY 3-4-13341-1
1	1480	2.114-32	3.000	4.281	EY 3-4-13351-1X
1	1550	2.114-32	3.000	4.312	EY 4-4-6991-1
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
1	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 <i>High angle yoke</i>
1	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1710	1.998-38	3.000	4.844	EY 6-4-8661-1X
1	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 <i>High angle yoke</i>
1	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X <i>High angle yoke</i>
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
J175-S, J190-S, J210-S (Continued)					
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
1	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 <i>High angle yoke</i>
1	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 <i>High angle yoke</i>
1	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X <i>High angle yoke</i>
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
J220-S					
1	1610	2.114-32	3.000	2.844	CF 5-1-6691 <i>.424 deep counterbore at hub end</i>
1	1610	2.114-32	3.000	2.844	CF 5-1-6701X <i>.424 deep counterbore at hub end</i>
1	SPL140	2.114-32	3.000	4.810	EY 140-4-921-1
1	SPL140	2.114-32	3.000	4.810	EY 140-4-931-1X
1	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
1	SPL170	2.114-32	3.000	5.000	EY 170-4-901-1X
1	SPL170	2.114-32	3.000	6.312	EY 170-4-951-1 <i>High angle yoke</i>
1	SPL170	2.114-32	3.000	6.312	EY 170-4-961-1X <i>High angle yoke</i>
1	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1 <i>Counterbore at hub end.</i>
1	SPL250	2.114-32	3.000	5.240	EY 250-4-421-1X <i>Counterbore at hub end.</i>
1	SPL90	2.114-32	3.000	4.375	EY 90-4-581-1
1	SPL90	2.114-32	3.000	4.375	EY 90-4-591-1X
1	1480	2.114-32	3.000	4.281	EY 3-4-13341-1
1	1480	2.114-32	3.000	4.281	EY 3-4-13351-1X
1	1550	2.114-32	3.000	4.312	EY 4-4-6991-1
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
1	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 <i>High angle yoke</i>
1	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1710	1.998-38	3.000	4.844	EY 6-4-8661-1X
1	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 <i>High angle yoke</i>
1	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X <i>High angle yoke</i>
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
J230-SB					
1	1610	2.114-32	3.000	2.844	CF 5-1-6691 .424 deep counterbore at hub end
1	1610	2.114-32	3.000	2.844	CF 5-1-6701X .424 deep counterbore at hub end
1	SPL140	2.114-32	3.000	4.810	EY 140-4-921-1
1	SPL140	2.114-32	3.000	4.810	EY 140-4-931-1X
1	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
1	SPL170	2.114-32	3.000	5.000	EY 170-4-901-1X
1	SPL170	2.114-32	3.000	6.312	EY 170-4-951-1 High angle yoke
1	SPL170	2.114-32	3.000	6.312	EY 170-4-961-1X High angle yoke
1	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1 Counterbore at hub end.
1	SPL250	2.114-32	3.000	5.240	EY 250-4-421-1X Counterbore at hub end.
1	SPL90	2.114-32	3.000	4.375	EY 90-4-581-1
1	SPL90	2.114-32	3.000	4.375	EY 90-4-591-1X
1	1480	2.114-32	3.000	4.281	EY 3-4-13341-1
1	1480	2.114-32	3.000	4.281	EY 3-4-13351-1X
1	1550	2.114-32	3.000	4.312	EY 4-4-6991-1
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 High angle yoke
1	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X High angle yoke
1	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 High angle yoke
1	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X High angle yoke
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X

M185-T					
1	1610	1.998-38	3.000	4.844	EY 5-4-7121X

M190-T, M210-T					
1	SPL140	1.998-38	3.000	4.680	EY 140-4-901-1
1	SPL140	1.998-38	3.000	4.680	EY 140-4-911-1X
1	SPL90	1.998-38	3.000	4.250	EY 90-4-561-1
1	SPL90	1.998-38	3.000	4.250	EY 90-4-571-1X
1	1480	1.998-38	3.000	4.281	EY 3-4-12111-1
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6971-1
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-8581-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
M190-T, M210-T (Continued)					
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.844	EY 6-4-8651-1
1	1710	1.998-38	3.000	4.844	EY 6-4-8661-1X
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1491-1
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1501-1X

M220-T					
1	SPL140	1.998-38	3.000	4.680	EY 140-4-901-1
1	SPL140	1.998-38	3.000	4.680	EY 140-4-911-1X
1	SPL90	1.998-38	3.000	4.250	EY 90-4-561-1
1	SPL90	1.998-38	3.000	4.250	EY 90-4-571-1X
1	1480	1.998-38	3.000	4.281	EY 3-4-12111-1
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6971-1
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-7121X
1	1610	1.998-38	3.000	4.844	EY 5-4-8581-1
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.844	EY 6-4-8651-1
1	1710	1.998-38	3.000	4.844	EY 6-4-8661-1X
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1491-1
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1501-1X

M230-T					
1	SPL140	1.998-38	3.000	4.680	EY 140-4-901-1
1	SPL140	1.998-38	3.000	4.680	EY 140-4-911-1X
1	SPL90	1.998-38	3.000	4.250	EY 90-4-561-1
1	SPL90	1.998-38	3.000	4.250	EY 90-4-571-1X
1	1480	1.998-38	3.000	4.281	EY 3-4-12111-1
1	1480	1.998-38	3.000	4.281	EY 3-4-12121-1X
1	1550	1.998-38	3.000	4.500	EY 4-4-6971-1
1	1550	1.998-38	3.000	4.500	EY 4-4-6981-1X
1	1610	1.998-38	3.000	4.844	EY 5-4-8581-1
1	1610	1.998-38	3.000	4.844	EY 5-4-8591-1X
1	1710	1.998-38	3.000	4.844	EY 6-4-8651-1
1	1710	1.998-38	3.000	4.844	EY 6-4-8661-1X
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1491-1
1	1760	1.998-38	3.000	4.844	EY 6.3-4-1501-1X

N175-S, N190-S, N210-S					
1	1610	2.114-32	3.000	2.844	CF 5-1-6691 .424 deep counterbore at hub end
1	1610	2.114-32	3.000	2.844	CF 5-1-6701X .424 deep counterbore at hub end
1	SPL140	2.114-32	3.000	4.810	EY 140-4-921-1
1	SPL140	2.114-32	3.000	4.810	EY 140-4-931-1X
1	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
1	SPL170	2.114-32	3.000	5.000	EY 170-4-901-1X
1	SPL170	2.114-32	3.000	6.312	EY 170-4-951-1 High angle yoke
1	SPL170	2.114-32	3.000	6.312	EY 170-4-961-1X High angle yoke

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)




Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
N175-S, N190-S, N210-S (Continued)					
1	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1 <i>Counterbore at hub end.</i>
1	SPL250	2.114-32	3.000	5.240	EY 250-4-421-1X <i>Counterbore at hub end.</i>
1	SPL90	2.114-32	3.000	4.375	EY 90-4-581-1
1	SPL90	2.114-32	3.000	4.375	EY 90-4-591-1X
1	1480	2.114-32	3.000	4.281	EY 3-4-13341-1
1	1480	2.114-32	3.000	4.281	EY 3-4-13351-1X
1	1550	2.114-32	3.000	4.312	EY 4-4-6991-1
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 <i>High angle yoke</i>
1	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 <i>High angle yoke</i>
1	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X <i>High angle yoke</i>
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
S110					
1	SPL100	2.024-39	3.000	4.150	EY 5006607
1	SPL100	2.024-39	3.000	4.150	EY 5006608
1	1480	2.024-39	3.000	3.878	EY 3-4-14781-1
1	1480	2.024-39	3.000	3.878	EY 3-4-14791-1X
1	1480	2.024-39	3.000	3.878	EY 3-4-14841-1X
1	1480	2.024-39	3.000	3.878	EY 5006976
S130					
1	SPL100	2.024-39	3.000	4.150	EY 5006607
1	SPL100	2.024-39	3.000	4.150	EY 5006608
1	SPL70	2.024-39	3.000	3.878	EY 5001782
1	1480	2.024-39	3.000	3.878	EY 3-4-14781-1
1	1480	2.024-39	3.000	3.878	EY 3-4-14841-1X
S135, S150					
1	SPL55	1.790-34	2.375	4.219	EY 55-4-31-1
1	SPL55	1.790-34	2.375	4.219	EY 55-4-41-1X
1	SPL70	1.790-34	2.375	4.000	EY 70-4-51-1
1	SPL70	1.790-34	2.375	4.000	EY 70-4-61-1X
1	SPL90	1.790-34	2.375	5.625	EY 90-4-541-1
1	SPL90	1.790-34	2.375	5.625	EY 90-4-551-1X
1	1480	1.790-34	2.375	4.219	EY 3-4-12091-1
1	1550	1.790-34	2.375	4.000	EY 4-4-6951-1
1	1550	1.790-34	2.375	4.000	EY 4-4-6961-1X
1	1610	1.790-34	2.375	4.125	EY 5-4-8561-1
1	1610	1.790-34	2.375	4.125	EY 5-4-8571-1X
S170					
1	SPL170	2.544-49	3.820	6.810	EY 5006714
1	1710	2.544-49	3.819	5.570	EY 6-4-10291
1	1710	2.544-49	3.819	5.570	EY 6-4-10291-1
1	1710	2.544-49	3.819	6.260	EY 6-4-10311
1	1710	2.544-49	3.819	6.260	EY 6-4-10311-1 <i>Counterbore at hub end.</i>
1	1760	2.544-49	3.818	5.200	EY 6.3-4-1861-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
S170 (Continued)					
1	1810	2.544-49	3.818	5.740	EY 6.5-4-5091
1	1810	2.544-49	3.818	5.740	EY 6.5-4-5091-1
S175					
1	SPL170	2.024-39	3.000	5.031	EY 170-4-841-1
1	SPL170	2.024-39	3.000	5.031	EY 170-4-861-1X
1	SPL250	2.024-39	3.000	5.240	EY 250-4-381-1
1	1610	2.024-39	3.000	6.000	EY 5-4-9291-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-9311-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.000	EY 6-4-9291-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.000	EY 6-4-9301-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	4.656	EY 6-4-9421-1
1	1710	2.024-39	3.000	4.656	EY 6-4-9431-1X
1	1760	2.024-39	3.000	5.625	EY 6.3-4-1701-1
1	1810	2.024-39	3.000	5.000	EY 6.5-4-4651-1
S190					
1	SPL170	2.024-39	3.000	5.031	EY 170-4-841-1
1	SPL170	2.024-39	3.000	5.031	EY 170-4-861-1X
1	SPL170	2.544-49	3.820	6.810	EY 5006714
1	SPL250	2.024-39	3.000	5.240	EY 250-4-381-1
1	1610	2.024-39	3.000	6.000	EY 5-4-9291-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-9311-1X <i>High angle yoke</i>
1	1710	2.544-49	3.819	5.570	EY 6-4-10291
1	1710	2.544-49	3.819	5.570	EY 6-4-10291-1
1	1710	2.544-49	3.819	6.260	EY 6-4-10311
1	1710	2.544-49	3.819	6.260	EY 6-4-10311-1 <i>Counterbore at hub end.</i>
1	1710	2.024-39	3.000	6.000	EY 6-4-9291-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.000	EY 6-4-9301-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	4.656	EY 6-4-9421-1
1	1710	2.024-39	3.000	4.656	EY 6-4-9431-1X
1	1760	2.024-39	3.000	5.625	EY 6.3-4-1701-1
1	1760	2.544-49	3.818	5.200	EY 6.3-4-1861-1
1	1810	2.024-39	3.000	5.000	EY 6.5-4-4651-1
1	1810	2.544-49	3.818	5.740	EY 6.5-4-5091
1	1810	2.544-49	3.818	5.740	EY 6.5-4-5091-1
S210, S220					
1	SPL170	2.024-39	3.000	5.031	EY 170-4-841-1
1	SPL170	2.024-39	3.000	5.031	EY 170-4-861-1X
1	SPL250	2.024-39	3.000	5.240	EY 250-4-381-1
1	1610	2.024-39	3.000	6.000	EY 5-4-9291-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-9311-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.000	EY 6-4-9291-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.000	EY 6-4-9301-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	4.656	EY 6-4-9421-1
1	1710	2.024-39	3.000	4.656	EY 6-4-9431-1X
1	1760	2.024-39	3.000	5.625	EY 6.3-4-1701-1
1	1810	2.024-39	3.000	5.000	EY 6.5-4-4651-1

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
S230-S, S300-S					
1	SPL170	2.364-36	3.500	5.270	EY 170-4-1031-1
1	SPL170	2.364-36	3.500	5.270	EY 170-4-1041-1X
1	1710	2.364-36	3.500	5.234	EY 6-4-8791-1
1	1710	2.364-36	3.500	5.234	EY 6-4-8801-1X
1	1760	2.364-36	3.500	5.230	EY 6.3-4-1601-1
1	1760	2.364-36	3.500	5.230	EY 6.3-4-1611-1X
1	1810	2.364-36	3.500	5.230	EY 6.5-4-4471-1
1	1810	2.364-36	3.500	5.230	EY 6.5-4-4481-1X

S400					
1	SPL170	2.024-39	3.000	5.031	EY 170-4-841-1
1	SPL170	2.024-39	3.000	5.031	EY 170-4-861-1X
1	SPL250	2.024-39	3.000	5.240	EY 250-4-381-1
1	1610	2.024-39	3.000	6.000	EY 5-4-9291-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-9311-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.000	EY 6-4-9291-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.000	EY 6-4-9301-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	4.656	EY 6-4-9421-1
1	1710	2.024-39	3.000	4.656	EY 6-4-9431-1X
1	1760	2.024-39	3.000	5.625	EY 6.3-4-1701-1
1	1810	2.024-39	3.000	5.000	EY 6.5-4-4651-1

W190-S, W190-T, W210-T, W220-S, W220-T					
1	1710	1.998-38	3.000	4.840	EY 6-4-9951-1

W230-S					
1	SPL170	2.364-36	3.000	5.470	EY 170-4-1011-1
1	SPL170	2.364-36	3.000	5.470	EY 170-4-1021-1X
1	SPL90	2.364-36	3.000	4.812	EY 90-4-601-1
1	SPL90	2.364-36	3.000	4.812	EY 90-4-611-1X
1	1550	2.364-36	3.000	5.078	EY 4-4-7011-1
1	1550	2.364-36	3.000	5.078	EY 4-4-7111-1X
1	1610	2.364-36	3.000	5.156	EY 5-4-8621-1
1	1610	2.364-36	3.000	5.156	EY 5-4-8631-1X
1	1710	2.364-36	3.000	5.438	EY 6-4-5711
1	1710	2.364-36	3.000	5.438	EY 6-4-8691-1
1	1710	2.364-36	3.000	5.438	EY 6-4-8701-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1531-1
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1541-1X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-3161
1	1810	2.364-36	3.000	5.438	EY 6.5-4-3651X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4411-1
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4421-1X

13101					
1	1480	1.500-10	2.250	4.250	EY 3-4-3781-1
1	1480	1.500-10	2.250	4.250	EY 3-4-6221-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
15040-P					
1	1410	1.790-34	2.625	4.031	EY 3-4-10251-1
1	1480	1.790-34	2.625	4.281	EY 3-4-10261-1
1	1480	1.790-34	2.625	4.281	EY 3-4-11921-1X
1	1550	1.790-34	2.625	4.275	EY 4-4-5551-1
1	1610	1.790-34	2.625	4.750	EY 5-4-7261-1
1	1610	1.790-34	2.625	4.750	EY 5-4-7301-1X
1	1710	1.790-34	2.625	5.438	EY 6-4-7571-1
1	1710	1.790-34	2.625	5.438	EY 6-4-7581-1X

15040-S					
1	1480	1.790-34	2.625	4.281	EY 3-4-10261-1
1	1480	1.790-34	2.625	4.281	EY 3-4-10471-1X
1	1550	1.790-34	2.625	4.275	EY 4-4-5551-1
1	1550	1.790-34	2.625	4.275	EY 4-4-5611-1X
1	1610	1.790-34	2.625	4.750	EY 5-4-7261-1
1	1610	1.790-34	2.625	4.750	EY 5-4-7301-1X
1	1710	1.790-34	2.625	5.438	EY 6-4-7571-1
1	1710	1.790-34	2.625	5.438	EY 6-4-7581-1X

15040-T					
1	1410	1.790-34	2.625	4.031	EY 3-4-10251-1
1	1480	1.790-34	2.625	4.281	EY 3-4-10261-1
1	1480	1.790-34	2.625	4.281	EY 3-4-11921-1X
1	1550	1.790-34	2.625	4.275	EY 4-4-5551-1
1	1550	1.790-34	2.625	4.275	EY 4-4-5611-1X
1	1610	1.790-34	2.625	4.750	EY 5-4-7261-1
1	1610	1.790-34	2.625	4.750	EY 5-4-7301-1X
1	1710	1.790-34	2.625	5.438	EY 6-4-7571-1
1	1710	1.790-34	2.625	5.438	EY 6-4-7581-1X

15101, 15201, 15301					
1	1480	1.500-10	2.250	4.250	EY 3-4-3781-1
1	1480	1.500-10	2.250	4.250	EY 3-4-6221-1X

16121					
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X <i>All ratios except 4.33; .250 deep spline chamfer</i>
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>W/4.33 ratio.; High angle yoke</i>
1	1610	1.750-10	2.625	4.750	EY 5-4-5111-1X <i>All ratios except 4.33.</i>
1	1610	1.750-10	2.625	4.750	EY 5-4-5111X <i>All ratios except 4.33.</i>
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X <i>W/4.33 ratio.</i>
1	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>All ratios except 4.33; Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>W/4.33 ratio; High angle yoke</i>
1	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>All ratios except 4.33; Chamfered Counterbore; High angle yoke</i>
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X <i>W/4.33 ratio.</i>

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
16130, 16930					
1	1410	1.790-34	2.625	4.031	EY 3-4-10251-1
1	1410	1.790-34	2.625	4.031	EY 3-4-10461-1X
1	1480	1.790-34	2.625	4.281	EY 3-4-10261-1
1	1480	1.790-34	2.625	4.281	EY 3-4-10471-1X
1	1550	1.790-34	2.625	4.275	EY 4-4-5551-1
1	1550	1.790-34	2.625	4.275	EY 4-4-5611-1X
1	1610	1.790-34	2.625	4.750	EY 5-4-7261-1
1	1610	1.790-34	2.625	4.750	EY 5-4-7301-1X
1	1710	1.790-34	2.625	5.438	EY 6-4-7571-1
1	1710	1.790-34	2.625	5.438	EY 6-4-7581-1X

17101					
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
1	1610	1.750-10	2.625	4.750	EY 5-4-5111-1X
1	1610	1.750-10	2.625	4.750	EY 5-4-5111X
1	1710	1.750-10	2.625	5.250	EY 6-4-4301X Chamfered Counterbore
1	1710	1.750-10	2.625	6.125	EY 6-4-4861X Chamfered Counterbore; High angle yoke

17121, 18121					
1	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X High angle yoke
1	1610	1.750-10	2.625	4.750	EY 5-4-5111-1X
1	1610	1.750-10	2.625	4.750	EY 5-4-5111X
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.750-10	2.625	5.250	EY 6-4-4301X Chamfered Counterbore
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X High angle yoke
1	1710	1.750-10	2.625	6.125	EY 6-4-4861X Chamfered Counterbore; High angle yoke
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X

19050-A, 19050-P, 19050-S, 19050-T					
1	1410	1.790-34	2.625	4.031	EY 3-4-10251-1
1	1410	1.790-34	2.625	4.031	EY 3-4-10461-1X
1	1480	1.790-34	2.625	4.281	EY 3-4-10261-1
1	1480	1.790-34	2.625	4.281	EY 3-4-10471-1X
1	1550	1.790-34	2.625	4.275	EY 4-4-5551-1
1	1550	1.790-34	2.625	4.275	EY 4-4-5611-1X
1	1610	1.790-34	2.625	4.750	EY 5-4-7261-1
1	1610	1.790-34	2.625	4.750	EY 5-4-7301-1X
1	1710	1.790-34	2.625	5.438	EY 6-4-7571-1
1	1710	1.790-34	2.625	5.438	EY 6-4-7581-1X

19055-D, 19055-P, 19055-S					
1	SPL90	2.024-39	2.626	4.160	EY 90-4-621-1
1	SPL90	2.024-39	2.626	4.160	EY 90-4-631-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-11051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-11061-1X
1	1550	2.024-39	2.625	4.281	EY 4-4-5621-1
1	1550	2.024-39	2.625	4.281	EY 4-4-5691-1X
1	1610	2.024-39	2.625	4.719	EY 5-4-7981-1
1	1610	2.024-39	2.625	4.719	EY 5-4-8131-1X

19055-T					
1	SPL100	2.024-39	2.625	7.295	EY 100-4-1321-1 Flanged yoke w/8 tapped holes in flange
1	SPL100	2.024-39	2.625	7.295	EY 100-4-1331-1X Flanged yoke w/8 tapped holes in flange

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
19055-T (Continued)					
1	SPL90	2.024-39	2.626	4.160	EY 90-4-621-1
1	SPL90	2.024-39	2.626	4.160	EY 90-4-631-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-11051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-11061-1X
1	1550	2.024-39	2.625	4.281	EY 4-4-5621-1
1	1550	2.024-39	2.625	4.281	EY 4-4-5691-1X
1	1610	2.024-39	2.625	4.719	EY 5-4-7981-1
1	1610	2.024-39	2.625	4.719	EY 5-4-8131-1X


19060-A, 19060-D					
1	SPL100	2.024-39	3.000	4.750	EY 100-4-951-1
1	SPL100	2.024-39	3.000	4.750	EY 100-4-961-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1151-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1161-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X
1	SPL170	2.024-39	3.000	5.156	EY 170-4-251-1
1	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X
1	SPL170	2.024-39	3.000	6.240	EY 170-4-271-1 High angle yoke
1	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X High angle yoke
1	SPL55	2.024-39	3.000	4.330	EY 55-4-71-1
1	SPL55	2.024-39	3.000	4.330	EY 55-4-81-1X
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1
1	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X
1	1480	2.024-39	3.000	4.344	EY 3-4-13071-1
1	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X
1	1550	2.024-39	3.000	4.281	EY 4-4-7561-1
1	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-8261 High angle yoke
1	1610	2.024-39	3.000	6.000	EY 5-4-8261-1 High angle yoke
1	1610	2.024-39	3.000	4.875	EY 5-4-9221-1
1	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X High angle yoke
1	1610	2.024-39	3.000	6.000	EY 5-4-9241X High angle yoke
1	1710	2.024-39	3.000	6.125	EY 6-4-8411 High angle yoke
1	1710	2.024-39	3.000	6.125	EY 6-4-8411-1
1	1710	2.024-39	3.000	5.250	EY 6-4-8421
1	1710	2.024-39	3.000	6.125	EY 6-4-8421-1
1	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X
1	1710	2.024-39	3.000	6.125	EY 6-4-8991X High angle yoke
1	1710	2.024-39	3.000	5.250	EY 6-4-9031-1X
1	1710	2.024-39	3.000	5.250	EY 6-4-9031X

19060-P					
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1071-1
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1081-1X
1	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1
1	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
1	SPL170	2.024-39	2.625	6.016	EY 170-4-171-1 High angle yoke

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

19060-P (Continued)

1	SPL170	2.024-39	2.625	6.016	EY 170-4-181-1X <i>High angle yoke</i>
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X
1	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
1	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-7971
1	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
1	1610	2.024-39	2.625	6.000	EY 5-4-7991 <i>High angle yoke</i>
1	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-8411X
1	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
1	1710	2.024-39	2.625	5.250	EY 6-4-7991
1	1710	2.024-39	2.625	5.250	EY 6-4-7991-1
1	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
1	1710	2.024-39	2.625	5.250	EY 6-4-8531X
1	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>

19060-S

1	SPL100	2.024-39	3.000	4.750	EY 100-4-951-1
1	SPL100	2.024-39	3.000	4.750	EY 100-4-961-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1151-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1161-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X
1	SPL170	2.024-39	3.000	5.156	EY 170-4-251-1
1	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X
1	SPL170	2.024-39	3.000	6.240	EY 170-4-271-1 <i>High angle yoke</i>
1	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X <i>High angle yoke</i>
1	SPL55	2.024-39	3.000	4.330	EY 55-4-71-1
1	SPL55	2.024-39	3.000	4.330	EY 55-4-81-1X
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1
1	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X
1	1480	2.024-39	3.000	4.344	EY 3-4-13071-1
1	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X
1	1550	2.024-39	3.000	4.281	EY 4-4-7561-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

19060-S (Continued)

1	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-8261 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-8261-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	4.875	EY 5-4-9221-1
1	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-9241X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.125	EY 6-4-8411 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.125	EY 6-4-8411-1
1	1710	2.024-39	3.000	5.250	EY 6-4-8421
1	1710	2.024-39	3.000	5.250	EY 6-4-8421-1
1	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X
1	1710	2.024-39	3.000	6.125	EY 6-4-8991X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.250	EY 6-4-9031-1X
1	1710	2.024-39	3.000	5.250	EY 6-4-9031X

19060-T

1	SPL100	2.024-39	2.625	4.160	EY 100-4-1071-1
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1081-1X
1	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X
1	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
1	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-7971
1	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
1	1610	2.024-39	2.625	6.000	EY 5-4-7991 <i>High angle yoke</i>
1	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-8411X
1	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
1	1710	2.024-39	2.625	5.250	EY 6-4-7991
1	1710	2.024-39	2.625	5.250	EY 6-4-7991-1
1	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
1	1710	2.024-39	2.625	5.250	EY 6-4-8531X
1	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
19100-1					
1	1610	1.962-10	2.625	5.312	EY 5-4-6361-1X
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X Chamfered Counterbore

19120-1					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X

19121					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-2181
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991-1
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X

19200-1					
1	1610	1.962-10	2.625	5.312	EY 5-4-6361-1X
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X Chamfered Counterbore

19220-1					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X

19221					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-2181
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
19300-1					
1	1610	1.962-10	2.625	5.312	EY 5-4-6361-1X
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X Chamfered Counterbore

19320-1					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X

19321					
1	1710	2.149-16	2.938	5.500	EY 6-4-2181

19420-1, 19426					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X


20100					
1	1610	1.962-10	2.625	5.312	EY 5-4-6361-1X
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X Chamfered Counterbore

20120-1					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X

20200					
1	1610	1.962-10	2.625	5.312	EY 5-4-6361-1X
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X Chamfered Counterbore

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
20220					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
20300					
1	1610	1.962-10	2.625	5.312	EY 5-4-6361-1X
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X
					<i>.250 deep spline chamfer</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X
					<i>Chamfered Counterbore</i>
20320					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
21060-A, 21060-D					
1	SPL100	2.024-39	3.000	4.750	EY 100-4-951-1
1	SPL100	2.024-39	3.000	4.750	EY 100-4-961-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1151-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1161-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X
1	SPL170	2.024-39	3.000	5.156	EY 170-4-251-1
1	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X
1	SPL170	2.024-39	3.000	6.240	EY 170-4-271-1
					<i>High angle yoke</i>
1	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X
					<i>High angle yoke</i>
1	SPL55	2.024-39	3.000	4.330	EY 55-4-71-1
1	SPL55	2.024-39	3.000	4.330	EY 55-4-81-1X
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
21060-A, 21060-D (Continued)					
1	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X
1	1480	2.024-39	3.000	4.344	EY 3-4-13071-1
1	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X
1	1550	2.024-39	3.000	4.281	EY 4-4-7561-1
1	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-8261
					<i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-8261-1
					<i>High angle yoke</i>
1	1610	2.024-39	3.000	4.875	EY 5-4-9221-1
1	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X
					<i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-9241X
					<i>High angle yoke</i>
1	1710	2.024-39	3.000	6.125	EY 6-4-8411
					<i>High angle yoke</i>
1	1710	2.024-39	3.000	6.125	EY 6-4-8411-1
1	1710	2.024-39	3.000	5.250	EY 6-4-8421
1	1710	2.024-39	3.000	5.250	EY 6-4-8421-1
1	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X
1	1710	2.024-39	3.000	6.125	EY 6-4-8991X
					<i>High angle yoke</i>
1	1710	2.024-39	3.000	5.250	EY 6-4-9031-1X
1	1710	2.024-39	3.000	5.250	EY 6-4-9031X
21060-P					
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1071-1
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1081-1X
1	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1
1	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
1	SPL170	2.024-39	2.625	6.016	EY 170-4-171-1
					<i>High angle yoke</i>
1	SPL170	2.024-39	2.625	6.016	EY 170-4-181-1X
					<i>High angle yoke</i>
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X
1	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
1	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-7971
1	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
1	1610	2.024-39	2.625	6.000	EY 5-4-7991
					<i>High angle yoke</i>
1	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-8411X
1	1610	2.024-39	2.625	6.000	EY 5-4-8421X
					<i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981
					<i>High angle yoke</i>

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
21060-P (Continued)					
1	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
1	1710	2.024-39	2.625	5.250	EY 6-4-7991
1	1710	2.024-39	2.625	5.250	EY 6-4-7991-1
1	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
1	1710	2.024-39	2.625	5.250	EY 6-4-8531X
1	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>

21060-S					
1	SPL100	2.024-39	3.000	4.750	EY 100-4-951-1
1	SPL100	2.024-39	3.000	4.750	EY 100-4-961-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X
1	SPL170	2.024-39	3.000	5.156	EY 170-4-251-1
1	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X
1	SPL170	2.024-39	3.000	6.240	EY 170-4-271-1 <i>High angle yoke</i>
1	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X <i>High angle yoke</i>
1	SPL55	2.024-39	3.000	4.330	EY 55-4-71-1
1	SPL55	2.024-39	3.000	4.330	EY 55-4-81-1X
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1
1	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X
1	1480	2.024-39	3.000	4.344	EY 3-4-13071-1
1	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X
1	1550	2.024-39	3.000	4.281	EY 4-4-7561-1
1	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-8261 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-8261-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	4.875	EY 5-4-9221-1
1	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-9241X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.125	EY 6-4-8411 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.125	EY 6-4-8411-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.250	EY 6-4-8421-1
1	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X
1	1710	2.024-39	3.000	6.125	EY 6-4-8991X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.250	EY 6-4-9031-1X
1	1710	2.024-39	3.000	5.250	EY 6-4-9031X

21060-T					
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1071-1
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1081-1X
1	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1
1	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	SPL90	2.024-39	2.626	4.160	EY 90-4-621-1
1	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
21060-T (Continued)					
1	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
1	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-7971
1	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
1	1610	2.024-39	2.625	6.000	EY 5-4-7991 <i>High angle yoke</i>
1	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-8411X
1	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
1	1710	2.024-39	2.625	5.250	EY 6-4-7991
1	1710	2.024-39	2.625	5.250	EY 6-4-7991-1
1	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
1	1710	2.024-39	2.625	5.250	EY 6-4-8531X
1	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>

21065-D, 21065-P					
1	SPL90	2.024-39	2.626	4.160	EY 90-4-621-1
1	SPL90	2.024-39	2.626	4.160	EY 90-4-631-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-11051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-11061-1X
1	1550	2.024-39	2.625	4.281	EY 4-4-5621-1
1	1550	2.024-39	2.625	4.281	EY 4-4-5691-1X
1	1610	2.024-39	2.625	4.719	EY 5-4-7981-1
1	1610	2.024-39	2.625	4.719	EY 5-4-8131-1X


21065-S, 21065-T					
1	SPL100	2.024-39	2.625	7.295	EY 100-4-1321-1 <i>Flanged yoke w/8 tapped holes in flange</i>
1	SPL100	2.024-39	2.625	7.295	EY 100-4-1331-1X <i>Flanged yoke w/8 tapped holes in flange</i>
1	SPL90	2.024-39	2.626	4.160	EY 90-4-621-1
1	SPL90	2.024-39	2.626	4.160	EY 90-4-631-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-11051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-11061-1X
1	1550	2.024-39	2.625	4.281	EY 4-4-5621-1
1	1550	2.024-39	2.625	4.281	EY 4-4-5691-1X
1	1610	2.024-39	2.625	4.719	EY 5-4-7981-1
1	1610	2.024-39	2.625	4.719	EY 5-4-8131-1X

21080-A, 21080-D					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
21080-A, 21080-D (Continued)					
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X
21080-P					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
21080-P (Continued)					
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X
21080-S					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X
21080-T					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
21080-T (Continued)					
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

21085-P, 21085-T					
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X

22060-A, 22060-D					
1	SPL100	2.024-39	3.000	4.750	EY 100-4-951-1
1	SPL100	2.024-39	3.000	4.750	EY 100-4-961-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1151-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1161-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X
1	SPL170	2.024-39	3.000	5.156	EY 170-4-251-1
1	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X
1	SPL170	2.024-39	3.000	6.240	EY 170-4-271-1 <i>High angle yoke</i>
1	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X <i>High angle yoke</i>
1	SPL55	2.024-39	3.000	4.330	EY 55-4-71-1
1	SPL55	2.024-39	3.000	4.330	EY 55-4-81-1X
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1
1	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X
1	1480	2.024-39	3.000	4.344	EY 3-4-13071-1
1	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X
1	1550	2.024-39	3.000	4.281	EY 4-4-7561-1
1	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-8261 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-8261-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	4.875	EY 5-4-9221-1
1	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-9241X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.125	EY 6-4-8411 <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
22060-A, 22060-D (Continued)					
1	1710	2.024-39	3.000	6.125	EY 6-4-8411-1
1	1710	2.024-39	3.000	5.250	EY 6-4-8421
1	1710	2.024-39	3.000	5.250	EY 6-4-8421-1
1	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X
1	1710	2.024-39	3.000	6.125	EY 6-4-8991X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.250	EY 6-4-9031-1X
1	1710	2.024-39	3.000	5.250	EY 6-4-9031X


22060-P					
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1071-1
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1081-1X
1	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1
1	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
1	SPL170	2.024-39	2.625	6.016	EY 170-4-171-1 <i>High angle yoke</i>
1	SPL170	2.024-39	2.625	6.016	EY 170-4-181-1X <i>High angle yoke</i>
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X
1	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
1	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-7971
1	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
1	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-8411X
1	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
1	1710	2.024-39	2.625	5.250	EY 6-4-7991
1	1710	2.024-39	2.625	5.250	EY 6-4-7991-1
1	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
1	1710	2.024-39	2.625	5.250	EY 6-4-8531X
1	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>

22060-S					
1	SPL100	2.024-39	3.000	4.750	EY 100-4-951-1
1	SPL100	2.024-39	3.000	4.750	EY 100-4-961-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1151-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-1161-1X
1	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
1	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X
1	SPL170	2.024-39	3.000	5.156	EY 170-4-251-1
1	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X
1	SPL170	2.024-39	3.000	6.240	EY 170-4-271-1 <i>High angle yoke</i>
1	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X <i>High angle yoke</i>
1	SPL55	2.024-39	3.000	4.330	EY 55-4-71-1
1	SPL55	2.024-39	3.000	4.330	EY 55-4-81-1X
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1
1	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

22060-S (Continued)

1	1480	2.024-39	3.000	4.344	EY 3-4-13071-1
1	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X
1	1550	2.024-39	3.000	4.281	EY 4-4-7561-1
1	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-8261 <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-8261-1 <i>High angle yoke</i>
1	1610	2.024-39	3.000	4.875	EY 5-4-9221-1
1	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X <i>High angle yoke</i>
1	1610	2.024-39	3.000	6.000	EY 5-4-9241X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.125	EY 6-4-8411 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.125	EY 6-4-8411-1
1	1710	2.024-39	3.000	5.250	EY 6-4-8421
1	1710	2.024-39	3.000	5.250	EY 6-4-8421-1
1	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X
1	1710	2.024-39	3.000	6.125	EY 6-4-8991X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.250	EY 6-4-9031-1X
1	1710	2.024-39	3.000	5.250	EY 6-4-9031X

22060-T

1	SPL100	2.024-39	2.625	4.160	EY 100-4-1071-1
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1081-1X
1	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1
1	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X
1	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
1	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-7971
1	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
1	1610	2.024-39	2.625	6.000	EY 5-4-7991 <i>High angle yoke</i>
1	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-8411X
1	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
1	1710	2.024-39	2.625	5.250	EY 6-4-7991
1	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
1	1710	2.024-39	2.625	5.250	EY 6-4-8531X
1	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

22060-T (Continued)

1	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>
---	------	----------	-------	-------	--

22065-D, 22065-P, 22065-S, 22065-T

1	SPL90	2.024-39	2.626	4.160	EY 90-4-621-1
1	SPL90	2.024-39	2.626	4.160	EY 90-4-631-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-11051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-11061-1X
1	1550	2.024-39	2.625	4.281	EY 4-4-5621-1
1	1550	2.024-39	2.625	4.281	EY 4-4-5691-1X
1	1610	2.024-39	2.625	4.719	EY 5-4-7981-1
1	1610	2.024-39	2.625	4.719	EY 5-4-8131-1X

22070-D, 22070-P, 22070-S, 22070-T

1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
22080-D, 22080-S					
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1
					<i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X
					<i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X
22120, 22121					
1	1610	1.962-10	2.625	4.719	EY 5-4-5121-1X
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X
					<i>.250 deep spline chamfer</i>
22130-T					
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1071-1
1	SPL100	2.024-39	2.625	4.160	EY 100-4-1081-1X
1	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1
1	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
1	SPL170	2.024-39	2.625	6.016	EY 170-4-181-1X
					<i>High angle yoke</i>
1	SPL70	2.024-39	3.000	4.281	EY 70-4-101-1
1	SPL70	2.024-39	3.000	4.281	EY 70-4-111-1X
1	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
1	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X
1	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
1	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-7971
1	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
1	1610	2.024-39	2.625	6.000	EY 5-4-7991
					<i>High angle yoke</i>
1	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
1	1610	2.024-39	2.625	5.312	EY 5-4-8411X
1	1610	2.024-39	2.625	6.000	EY 5-4-8421X
					<i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-7981
					<i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
22130-T (Continued)					
1	1710	2.024-39	2.625	6.125	EY 6-4-7981-1
					<i>High angle yoke</i>
1	1710	2.024-39	2.625	5.250	EY 6-4-7991
1	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
1	1710	2.024-39	2.625	5.250	EY 6-4-8531X
1	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X
					<i>High angle yoke</i>
1	1710	2.024-39	2.625	6.125	EY 6-4-8541X
					<i>High angle yoke</i>
22207					
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
22220, 22320					
1	1610	1.962-10	2.625	4.719	EY 5-4-5121-1X
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X
					<i>.250 deep spline chamfer</i>
22500					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
22501					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
23060-D, 23060-S					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1
					<i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X
					<i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Important: See Safety Information in General Information Section (J300P-GI)

SINGLE AXLES



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23060-D, 23060-S (Continued)					
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

23070-D					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551
					<i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1
					<i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1
					<i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X
					<i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1550	2.143-41	2.938	4.500	EY 4-4-5701-1X
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7311-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
1	1710	2.143-41	2.938	6.125	EY 6-4-7561X
					<i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X

23070-P					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551
					<i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23070-P (Continued)					
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1
					<i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1
					<i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X
					<i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1550	2.143-41	2.938	4.500	EY 4-4-5701-1X
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7311-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
1	1710	2.143-41	2.938	6.125	EY 6-4-7561X
					<i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X

23070-S, 23070-T					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551
					<i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1
					<i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1
					<i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X
					<i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL70	2.143-41	2.938	4.555	EY 70-4-141-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23070-S, 23070-T (Continued)					
1	SPL70	2.143-41	2.938	4.555	EY 70-4-151-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1550	2.143-41	2.938	4.500	EY 4-4-5701-1X
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7311-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
1	1710	2.143-41	2.938	6.125	EY 6-4-7561X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-3681
1	1810	2.143-41	2.938	5.250	EY 6.5-4-3681-1
1	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-3691X

23080-D					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X


23080-P					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23080-P (Continued)					
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

23080-S					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23080-T					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

23085-D					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23085-D (Continued)					
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

23085-P					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23085-P (Continued)					
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

23085-S					
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1
					<i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X
					<i>High angle yoke</i>
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

23085-T					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551
					<i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1
					<i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X
					<i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X
					<i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23085-T (Continued)					
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1
					<i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X
					<i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

23090-S					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

23105-A					
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321

23105-C					
1	1610	2.274-44	2.938	4.844	EY 5-4-8031-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-7971-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7971X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1331-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1331X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4091-1X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X


23105-D					
S	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23105-D (Continued)					
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8031-1X
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-7971-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7971X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1331-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1331X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4091-1X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X
23105-S					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
23105-S (Continued)					
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8031-1X
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-7971-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7971X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1331-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1331X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4091-1X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X
23121					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
23207					
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
23221					
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
23421, 2501					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
26080-A, 26080-D					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
26080-A, 26080-D (Continued)					
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
26080-P					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
26080-P (Continued)					
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X
26080-S					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
26080-T					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Important: See Safety Information in General Information Section (J300P-GI)

SINGLE AXLES



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

26080-T (Continued)

1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

26085

1	1550	2.143-41	2.938	4.500	EY 4-4-5701-1X
1	1610	2.143-41	2.938	5.250	EY 5-4-7311-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
1	1710	2.143-41	2.938	6.125	EY 6-4-7561X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X

26085-A

1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

26085-D

1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

26085-D (Continued)

1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

26085-P

1	1810	2.143-41	2.938	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

26085-S

1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
26085-S (Continued)					
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X
26085-T					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL70	2.143-41	2.938	4.555	EY 70-4-141-1
1	SPL70	2.143-41	2.938	4.555	EY 70-4-151-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
26085-T (Continued)					
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
26105-D					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X
26105-S					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Important: See Safety Information in General Information Section (J300P-GI)

SINGLE AXLES



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
26121, 26221, 26321, 26421, 26426					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X

28					
1	1310	1.026-23	1.552	3.000	EY 2-4-6131-1X

30					
1	1280/1310	1.146-26	1.554	2.594	CF 2-1-1881X
1	1310	1.146-26	1.552	3.406	EY 2-4-5251X <i>Spec. yoke w/1.125 dia. brg. caps</i>
1	1310	1.146-26	1.552	3.000	EY 2-4-8091-1X
1	1310	1.146-26	1.552	3.000	EY 2-4-8091X
1	1330	1.146-26	1.562	3.000	EY 2-4-3581-1X <i>Coupling shaft yoke</i>
1	1330	1.146-26	1.562	3.000	EY 2-4-6111X

300-S					
1	1810	2.364-36	3.500	5.230	EY 6.5-4-4471-1
1	1810	2.364-36	3.500	5.230	EY 6.5-4-4481-1X

30055-P					
1	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
1	1710	2.143-41	2.938	5.190	EY 6-4-7311
1	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
1	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
1	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
1	1710	2.143-41	2.938	5.190	EY 6-4-9171X
1	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
1	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
1	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
1	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
30055-P (Continued)					
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

30080-A					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

30080-D, 30080-S					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
30080-D, 30080-S (Continued)					
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

30105					
1	1810	2.274-44	2.938	3.094	CF 6.5-1-2401X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281X

30105-D					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1

1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
30105-S					
1	SPL100	2.281-44	2.938	4.469	EY 100-4-1381-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1191-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-1201-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
1	SPL140	2.274-44	2.938	5.190	EY 140-4-441-1
1	SPL140	2.274-44	2.938	5.190	EY 140-4-451-1X
1	SPL170	2.274-44	2.938	5.094	EY 170-4-21-1
1	SPL170	2.274-44	2.938	5.094	EY 170-4-31-1X
1	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1
1	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
1	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
1	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
1	SPL250	2.274-44	2.938	5.328	EY 250-4-31-1
1	SPL250	2.274-44	2.938	5.328	EY 250-4-41-1X
1	SPL90	2.281-44	2.938	4.469	EY 90-4-281-1
1	1610	2.274-44	2.938	4.844	EY 5-4-8021-1
1	1610	2.274-44	2.938	4.844	EY 5-4-9101-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-7961
1	1710	2.274-44	2.938	5.031	EY 6-4-7961-1
1	1710	2.274-44	2.938	5.031	EY 6-4-9161-1X
1	1710	2.274-44	2.938	5.031	EY 6-4-9161X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1321-1
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621-1X
1	1760	2.274-44	2.938	5.094	EY 6.3-4-1621X
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4081-1
1	1810	2.274-44	2.938	5.090	EY 6.5-4-4591-1X

30127					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X

35-FRONT					
1	1310	1.146-26	1.844	2.938	EY 2-4-6901-1X

35-REAR					
1	1310	1.146-26	1.844	2.938	EY 2-4-4601-1
1	1330	1.146-26	1.844	3.562	EY 2-4-7631-1
1	7260	1.146-26	1.844	3.219	EY 2-4-7661-1 <i>High angle yoke</i>

35055-P					
1	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
1	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X


35327					
1	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
1	1610	2.149-16	2.938	6.250	EY 5-4-5161X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
1	1710	2.149-16	2.938	5.500	EY 6-4-4171X
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141
1	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Important: See Safety Information in General Information Section (J300P-GI)




Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
35327 (Continued)					
1	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991-1
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
1	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
36					
1	1310	1.146-26	1.552	3.000	EY 2-4-8091-1X
44					
1	1280/1310	1.146-26	1.554	2.594	CF 2-1-1881X
1	1310	1.146-26	1.552	3.406	EY 2-4-5251X
<i>Spec. yoke w/1.125 dia. brg. caps</i>					
1	1310	1.146-26	1.552	3.000	EY 2-4-8091-1X
1	1310	1.146-26	1.552	3.000	EY 2-4-8091X
1	1330	1.146-26	1.562	3.000	EY 2-4-3581-1X
<i>Coupling shaft yoke</i>					
1	1330	1.146-26	1.562	3.000	EY 2-4-6111X
50					
1	1280/1310	1.146-26	1.554	2.594	CF 2-1-1881X
1	1310	1.146-26	1.552	3.406	EY 2-4-5251X
<i>Spec. yoke w/1.125 dia. brg. caps</i>					
1	1310	1.146-26	1.552	3.000	EY 2-4-8091-1X
1	1310	1.146-26	1.552	3.000	EY 2-4-8091X
1	1330	1.146-26	1.562	3.000	EY 2-4-3581-1X
<i>Coupling shaft yoke</i>					
1	1330	1.146-26	1.562	3.000	EY 2-4-6111X
60					
1	1350/1410	1.276-29	1.875	2.062	CF 3-1-4041X
1	1310	1.276-29	1.875	2.938	EY 2-4-3801-1X
1	1310	1.276-29	1.875	2.938	EY 2-4-3801X
1	1330	1.276-29	1.875	2.938	EY 2-4-4291-1X
1	1330	1.276-29	1.875	2.938	EY 2-4-5311X
1	1330	1.276-29	1.875	2.938	EY 2-4-8051X
1	1350	1.276-29	1.875	3.000	EY 3-4-12781-1X
1	1350	1.276-29	1.875	3.000	EY 3-4-14701-1X
1	1350	1.276-29	1.875	3.000	EY 3-4-5731-1X
1	1410	1.276-29	1.875	3.188	EY 3-4-5711-1X
1	7290	1.276-29	1.875	3.359	EY 2-4-7681-1X
61					
1	1350/1410	1.276-29	1.875	2.062	CF 3-1-4041X
1	1310	1.276-29	1.875	2.938	EY 2-4-3801-1X
1	1310	1.276-29	1.875	2.938	EY 2-4-3801X
1	1330	1.276-29	1.875	2.938	EY 2-4-4291-1X
1	1330	1.276-29	1.875	2.938	EY 2-4-5311X
1	1330	1.276-29	1.875	2.938	EY 2-4-8051X
1	1350	1.276-29	1.875	3.000	EY 3-4-5731-1X
1	1410	1.276-29	1.875	3.188	EY 3-4-5711-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
70					
1	1350/1410	1.276-29	1.875	2.062	CF 3-1-4041X
1	1310	1.276-29	1.875	2.938	EY 2-4-3801-1X
1	1310	1.276-29	1.875	2.938	EY 2-4-3801X
1	1330	1.276-29	1.875	2.938	EY 2-4-4291-1X
1	1330	1.276-29	1.875	2.938	EY 2-4-5311X
1	1330	1.276-29	1.875	2.938	EY 2-4-8051X
1	1350	1.276-29	1.875	3.000	EY 3-4-12781-1X
1	1350	1.276-29	1.875	3.200	EY 3-4-14711-1X
<i>Attaching hardware by OEM</i>					
1	1350	1.276-29	1.875	3.000	EY 3-4-5731-1X
1	1410	1.276-29	1.875	3.188	EY 3-4-5711-1X
80					
1	1410	1.609-37	2.500	4.312	EY 3-4-11081-1X
1	1480	1.609-37	2.500	4.328	EY 3-4-11281-1X
1	1480	1.609-37	2.500	4.328	EY 3-4-14731-1X
1	1550	1.609-37	2.500	4.406	EY 4-4-6851-1X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)



Split Shaft PTO — Chelsea



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

4551					
2	1350/1410	1.375-10	1.750	2.250	CF 3-1-3881
<i>Can be used w/brake</i>					

4552, 4553, 4561					
1	1350/1410	1.375-10	1.750	2.250	CF 3-1-3881
2	1350/1410	1.375-10	1.750	2.250	CF 3-1-3881
<i>Can be used w/brake</i>					

4600, 4605, 4608					
1	1480/1410	1.750-10	2.500	3.000	CF 4-1-3891
2	1480/1410	1.750-10	2.500	3.000	CF 4-1-3891
<i>Can be used w/brake</i>					
3	1350/1410	1.500-10	2.000	2.906	CF 3-1-3431
<i>.310 deep counterbore at hub end</i>					

4700, 4701					
1	1480/1550	1.964-10	2.500	3.000	CF 4-1-3761
1	1610	1.964-10	2.500	3.000	CF 5-1-4291
2	1610	1.962-10	2.500	3.250	CF 5-1-4301

4704					
1	1610	1.964-10	2.500	3.000	CF 5-1-4291
2	1610	1.962-10	2.500	3.250	CF 5-1-4301

4714					
1	1480/1550	1.964-10	2.500	3.000	CF 4-1-3761
1	1610	1.964-10	2.500	3.000	CF 5-1-4291
2	1610	1.962-10	2.500	3.250	CF 5-1-4301

4724					
1	1610	1.964-10	2.500	3.000	CF 5-1-4291
2	1610	1.962-10	2.500	3.250	CF 5-1-4301

4900					
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X*
2	1710	2.500-10	3.750	3.625	CF 6-1-5651X
2	1710	2.500-10	3.750	5.625	EY 6-4-6921X*

900, 901					
1	1480/1410	1.750-10	2.500	3.000	CF 4-1-3891
2	1480/1410	1.750-10	2.500	3.000	CF 4-1-3891
<i>Can be used w/brake</i>					
3	1350/1410	1.500-10	2.000	2.906	CF 3-1-3431
<i>.310 deep counterbore at hub end</i>					

910 (**)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X
<i>** Two Spline Options; Hub machined for speedometer gear</i>					
2	1710	2.500-10	3.750	5.625	EY 6-4-6921X
<i>** Two Spline Options; Hub machined for speedometer gear</i>					

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

911 (**)					
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
<i>** Two Spline Options</i>					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X
<i>** Two Spline Options; Hub machined for speedometer gear</i>					
2	1710	2.500-10	3.750	3.625	CF 6-1-5651X
<i>** Two Spline Options;</i>					
2	1710	2.500-10	3.750	5.625	EY 6-4-6921X
<i>** Two Spline Options; Hub machined for speedometer gear</i>					

912					
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X
2	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
2	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
2	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
2	1710	2.750-10	3.750	5.750	EY 6-4-6931X
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
2	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X


930, 931					
1	1350/1410	1.375-10	1.750	2.250	CF 3-1-3881
2	1350/1410	1.375-10	1.750	2.250	CF 3-1-3881
<i>Can be used w/brake</i>					

941					
1	1350/1410	1.500-10	2.125	2.438	CF 3-1-2431
1	1550	1.500-10	2.125	2.625	CF 4-1-2701
2	1550	1.500-10	2.125	2.625	CF 4-1-2701

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

Axle Alliance Corporation

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
4					
3	SPL100	2.143-41	3.000	4.310	EY 5002874
3	SPL100	2.143-41	3.000	4.310	EY 5002875
3	1610	2.143-41	3.000	4.680	EY 5002873
3	1710	2.143-41	3.000	5.380	EY 5002876
					<i>High angle yoke</i>
3	1710	2.143-41	3.000	5.380	EY 5002877
					<i>High angle yoke</i>

Clark

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
BD-100000, BD-101000					
1	1710	2.631-25	3.625	5.250	EY 6-4-3021
1	1810	2.631-25	3.625	5.781	EY 6.5-4-2181
					<i>Counterbore at hub end.</i>
2	1710	2.005-15	2.875	5.375	EY 6-4-3001
2	1810	2.005-15	2.875	5.250	EY 6.5-4-2911
3	1710	2.631-25	3.625	5.250	EY 6-4-3021
3	1810	2.631-25	3.625	5.781	EY 6.5-4-2181
					<i>Counterbore at hub end.</i>


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
BD-45-60, BD-50-60					
1	1710	2.005-15	2.875	5.375	EY 6-4-3001
2	1710	1.775-16	2.375	4.750	EY 6-4-4271
3	1710	2.005-15	2.875	5.375	EY 6-4-3001
BD-50-70, BD-57000, BD-65000, BD-65200, BD-70000, BD-71000, BD-80-120, BD-90000, BD-91000					
1	1710	2.631-25	3.625	5.250	EY 6-4-3021
1	1810	2.631-25	3.625	5.781	EY 6.5-4-2181
					<i>Counterbore at hub end.</i>
2	1710	2.005-15	2.875	5.375	EY 6-4-3001
2	1810	2.005-15	2.875	5.250	EY 6.5-4-2911
3	1710	2.631-25	3.625	5.250	EY 6-4-3021
3	1810	2.631-25	3.625	5.781	EY 6.5-4-2181
					<i>Counterbore at hub end.</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
BE-45-60					
1	1710	2.005-15	2.875	5.375	EY 6-4-3001
2	1710	1.775-16	2.375	4.750	EY 6-4-4271
3	1710	2.005-15	2.875	5.375	EY 6-4-3001

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Tandem Axles — Navistar/International



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RA-341					
1	1610	1.939-30	3.000	4.750	EY 5-4-4391
1	1710	1.939-30	3.000	4.562	EY 6-4-4371
1	1810	1.939-30	3.000	5.375	EY 6.5-4-2051
2	1480	1.964-10	2.500	4.688	EY 3-4-4211
2	1610	1.964-10	2.500	5.219	EY 5-4-4551

RA-351					
1	1550	2.364-36	3.000	5.078	EY 4-4-7111-1X
1	1610	2.364-36	3.000	5.156	EY 5-4-5631
1	1610	2.364-36	3.000	5.156	EY 5-4-7201X
1	1610	2.364-36	3.000	5.156	EY 5-4-7211X
1	1610	2.364-36	3.000	5.156	EY 5-4-8631-1X
1	1610	2.364-36	3.000	5.156	EY 5-4-8651-1X
1	1710	2.364-36	3.000	5.438	EY 6-4-5711
1	1710	2.364-36	3.000	5.438	EY 6-4-7191X
1	1710	2.364-36	3.000	5.438	EY 6-4-7211X
1	1710	2.364-36	3.000	5.438	EY 6-4-8701-1X
1	1710	2.364-36	3.000	5.438	EY 6-4-8721-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1561-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-851X
1	1810	1.939-30	3.000	5.375	EY 6.5-4-2051
1	1810	2.364-36	3.000	5.438	EY 6.5-4-3161
1	1810	2.364-36	3.000	5.438	EY 6.5-4-3651X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4421-1X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4441-1X

Positions 2 and 3 - No Information Available

RA-355, RA-386, RA-387, RA-471, RA-472, RA-474					
1	1550	2.364-36	3.000	5.078	EY 4-4-7111-1X
1	1610	1.939-30	3.000	4.750	EY 5-4-4391
1	1610	2.364-36	3.000	5.156	EY 5-4-5631
1	1610	2.364-36	3.000	5.156	EY 5-4-7201X
1	1610	2.364-36	3.000	5.156	EY 5-4-7211X
1	1610	2.364-36	3.000	5.156	EY 5-4-8631-1X
1	1610	2.364-36	3.000	5.156	EY 5-4-8651-1X
1	1710	1.939-30	3.000	4.562	EY 6-4-4371
1	1710	2.364-36	3.000	5.438	EY 6-4-5711
1	1710	2.364-36	3.000	5.438	EY 6-4-7191X
1	1710	2.364-36	3.000	5.438	EY 6-4-7211X
1	1710	2.364-36	3.000	5.438	EY 6-4-8701-1X
1	1710	2.364-36	3.000	5.438	EY 6-4-8721-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1551-1
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1561-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-851X
1	1810	1.939-30	3.000	5.375	EY 6.5-4-2051
1	1810	2.364-36	3.000	5.438	EY 6.5-4-3161
1	1810	2.364-36	3.000	5.438	EY 6.5-4-3651X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4421-1X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4441-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RA-355, RA-386, RA-387, RA-471, RA-472, RA-474					
(Continued)					


Positions 2 and 3 - No Information Available

RA-475, RA-476, 014ADB, 014ADC, 014ADD					
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1551-1
014GDA, 014GDB, 014GDC					
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-5751
1	1610	2.364-36	3.000	5.156	EY 5-4-7211X
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1710	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
1	1710	2.114-32	3.000	6.250	EY 6-4-7171X
<i>High angle yoke</i>					
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
3	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
3	1610	2.114-32	3.000	5.375	EY 5-4-5751
3	1610	2.364-36	3.000	5.156	EY 5-4-7211X
3	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
3	1710	2.114-32	3.000	6.250	EY 6-4-7171X
<i>High angle yoke</i>					
3	1710	2.114-32	3.000	4.562	EY 6-4-7221X
3	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
3	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

CRD-112

1	1710	2.024-39	2.750	5.000	EY 6-4-5851-1
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1
3	1710	2.024-39	2.750	5.000	EY 6-4-5851-1

CRD-113

1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1 <i>High angle yoke</i>
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>Reyco and dayton suspensions only High angle yoke</i>
2	1710	2.024-39	2.750	5.875	EY 6-4-6571-1 <i>Reyco and dayton suspensions only; High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261 <i>All suspensions except reyco and dayton</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261-1 <i>All suspensions except reyco and dayton</i>
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1 <i>High angle yoke</i>
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1261-1X <i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X <i>All suspensions except reyco and dayton</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331X <i>All suspensions except reyco and dayton</i>
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>Reyco and dayton suspensions only; High angle yoke</i>
3	1710	2.024-39	2.750	5.875	EY 6-4-8361X <i>Reyco and dayton suspensions only; High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X <i>All suspensions except reyco and dayton</i>

CRD-200

1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL170	2.374-46	3.500	6.688	EY 170-4-1281-1 <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

CRD-200 (Continued)

1	SPL170	2.374-46	3.500	6.688	EY 170-4-1291-1X <i>High angle yoke</i>
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-5841-1
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-8341X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271X
2	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1 <i>All suspensions except reyco and dayton; High angle yoke</i>
2	1610	2.024-39	2.750	4.500	EY 5-4-5881 <i>All suspensions except reyco and dayton</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-5851 <i>All suspensions except reyco and dayton</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-5851-1 <i>All suspensions except reyco and dayton</i>
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>All suspensions except reyco and dayton; High angle yoke</i>
2	1710	2.024-39	2.750	5.875	EY 6-4-6571-1 <i>All suspensions except reyco and dayton; High angle yoke</i>
2	1760	2.032-10	2.750	5.000	EY 6.3-4-421 <i>All suspensions except reyco and dayton</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261 <i>All suspensions except reyco and dayton</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261-1 <i>All suspensions except reyco and dayton</i>
3	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
3	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
3	SPL170	2.374-46	3.500	6.688	EY 170-4-1281-1 <i>High angle yoke</i>
3	SPL170	2.374-46	3.500	6.688	EY 170-4-1291-1X <i>High angle yoke</i>
3	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
3	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
3	1710	2.374-46	3.500	5.156	EY 6-4-5841
3	1710	2.374-46	3.500	5.156	EY 6-4-5841-1
3	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
3	1710	2.374-46	3.500	5.156	EY 6-4-8341X
3	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
3	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
3	1760	2.374-46	3.500	5.375	EY 6.3-4-391

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

CRD-200 (Continued)

3	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
3	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
3	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1
3	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
3	1810	2.374-46	3.500	5.406	EY 6.5-4-4271X

CRD-201

1	1710	2.374-46	3.500	5.156	EY 6.4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
<i>All suspensions except reyco and dayton</i>					
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261-1
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6.4-8331-1X
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6.4-8331X
<i>All suspensions except reyco and dayton</i>					
3	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
<i>All suspensions except reyco and dayton</i>					

CRD-203

1	1710	2.374-46	3.500	5.156	EY 6.4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
3	1710	2.024-39	2.750	5.000	EY 6.4-8331-1X
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6.4-8331X
<i>All suspensions except reyco and dayton</i>					
3	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
<i>All suspensions except reyco and dayton</i>					

CRD-92, CRD-93

1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL170	2.374-46	3.500	6.688	EY 170-4-1281-1
<i>High angle yoke</i>					
1	SPL170	2.374-46	3.500	6.688	EY 170-4-1291-1X
<i>High angle yoke</i>					
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.374-46	3.500	5.156	EY 6.4-5841
1	1710	2.374-46	3.500	5.156	EY 6.4-5841-1
1	1710	2.024-39	2.750	5.000	EY 6.4-5851-1
1	1710	2.374-46	3.500	5.156	EY 6.4-8341-1X
1	1710	2.374-46	3.500	5.156	EY 6.4-8341X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271X
2	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1
<i>High angle yoke</i>					
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
<i>All suspensions except reyco and dayton</i>					
2	1710	2.024-39	2.750	5.000	EY 6.4-5851
<i>All suspensions except reyco and dayton</i>					
2	1710	2.024-39	2.750	5.000	EY 6.4-5851-1
<i>All suspensions except reyco and dayton</i>					

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

CRD-92, CRD-93 (Continued)

2	1710	2.024-39	2.750	5.875	EY 6.4-6571
<i>Reyco and dayton suspensions only; High angle yoke</i>					
2	1710	2.024-39	2.750	5.875	EY 6.4-6571-1
<i>Reyco and dayton suspensions only; High angle yoke</i>					
2	1760	2.032-10	2.750	5.000	EY 6.3-4-421
<i>All suspensions except reyco and dayton</i>					
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
<i>All suspensions except reyco and dayton</i>					
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261-1
<i>All suspensions except reyco and dayton</i>					
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1
<i>High angle yoke</i>					
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1261-1X
<i>High angle yoke</i>					
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6.4-5851
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6.4-5851-1
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.875	EY 6.4-6571
<i>All suspensions except reyco and dayton; High angle yoke</i>					
3	1710	2.024-39	2.750	5.875	EY 6.4-6571-1
<i>All suspensions except reyco and dayton; High angle yoke</i>					
3	1710	2.024-39	2.750	5.000	EY 6.4-8331-1X
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6.4-8331X
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.875	EY 6.4-8361-1X
<i>Reyco and dayton suspensions only; High angle yoke</i>					
3	1710	2.024-39	2.750	5.875	EY 6.4-8361X
<i>Reyco and dayton suspensions only; High angle yoke</i>					
3	1760	2.032-10	2.750	5.000	EY 6.3-4-1261X
<i>All suspensions except reyco and dayton</i>					
3	1760	2.032-10	2.750	5.000	EY 6.3-4-421
<i>All suspensions except reyco and dayton</i>					
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
<i>All suspensions except reyco and dayton</i>					
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261-1
<i>All suspensions except reyco and dayton</i>					
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
<i>All suspensions except reyco and dayton</i>					
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281X
<i>All suspensions except reyco and dayton</i>					


CRD-95

1	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
1	SPL170	2.500-10	3.500	5.188	EY 170-4-1351-1X
1	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1
1	SPL250	2.500-10	3.500	5.500	EY 250-4-711-1X
1	1710	2.500-10	3.500	5.156	EY 6.4-4421
1	1710	2.500-10	3.500	5.156	EY 6.4-4421-1
1	1710	2.500-10	3.500	5.156	EY 6.4-8351-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
1	1810	2.500-10	3.500	5.406	EY 6.5-4-4291-1X
1	1810	2.500-10	3.500	5.406	EY 6.5-4-4291X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
CRD-96					
1	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
1	SPL170	2.500-10	3.500	5.188	EY 170-4-1351-1X
1	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1
1	SPL250	2.500-10	3.500	5.500	EY 250-4-711-1X
1	1710	2.500-10	3.500	5.156	EY 6-4-4421
1	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
1	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
1	1810	2.500-10	3.500	5.406	EY 6.5-4-4291-1X
1	1810	2.500-10	3.500	5.406	EY 6.5-4-4291X
2	1810	2.500-10	3.500	5.406	EY 6.5-4-4261-1X
<i>All suspensions except reyco and dayton</i>					
3	1810	2.250-10	3.312	5.375	EY 6.5-4-4241-1X
<i>All suspensions except reyco and dayton</i>					

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
CRDP-95					
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
2	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1
<i>High angle yoke</i>					
2	1810	2.500-10	3.500	5.406	EY 6.5-4-4261-1X
<i>All suspensions except reyco and dayton</i>					
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1
<i>High angle yoke</i>					
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1261-1X
<i>High angle yoke</i>					
3	1810	2.250-10	3.312	5.375	EY 6.5-4-4241-1X
<i>All suspensions except reyco and dayton</i>					

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
CRDPC-112					
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
<i>Reyco and dayton suspensions only; High angle yoke</i>					
2	1710	2.024-39	2.750	5.875	EY 6-4-6571-1
<i>Reyco and dayton suspensions only; High angle yoke</i>					

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
CRDPC-112 (Continued)					
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
<i>All suspensions except reyco and dayton</i>					
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261-1
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
<i>All suspensions w/9.59 ratio, exc. reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6-4-8331X
<i>All suspensions w/9.59 ratio, exc. reyco and dayton</i>					
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
<i>Reyco and dayton suspensions only; High angle yoke</i>					
3	1710	2.024-39	2.750	5.875	EY 6-4-8361X
<i>Reyco and dayton suspensions only; High angle yoke</i>					
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
<i>All suspensions except reyco and dayton</i>					

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
CRDPC-200, CRDPC-202					
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
<i>All suspensions except reyco and dayton</i>					
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261-1
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6-4-8331X
<i>All suspensions except reyco and dayton</i>					
3	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
<i>All suspensions except reyco and dayton</i>					

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
CRDPC-92					
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
<i>Reyco and dayton suspensions only; High angle yoke</i>					
2	1710	2.024-39	2.750	5.875	EY 6-4-6571-1
<i>Reyco and dayton suspensions only; High angle yoke</i>					
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
<i>All suspensions except reyco and dayton</i>					
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261-1
<i>All suspensions except reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
<i>All suspensions w/9.59 ratio, exc. reyco and dayton</i>					
3	1710	2.024-39	2.750	5.000	EY 6-4-8331X
<i>All suspensions w/9.59 ratio, exc. reyco and dayton</i>					
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
<i>Reyco and dayton suspensions only; High angle yoke</i>					
3	1710	2.024-39	2.750	5.875	EY 6-4-8361X
<i>Reyco and dayton suspensions only; High angle yoke</i>					

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))




Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
CRDPC-92 (Continued)					
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X <i>All suspensions except reyco and dayton</i>
CRDPL-112, CRDPL-200, CRDPL-202					
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401-1X
2	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1 <i>High angle yoke</i>
2	1810	2.500-10	3.500	5.406	EY 6.5-4-4261-1X
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1 <i>High angle yoke</i>
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1261-1X <i>High angle yoke</i>
3	1810	2.250-10	3.312	5.375	EY 6.5-4-4241-1X
EW-48C, EW-48W, EW-60C					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
GWS-592					
1	1710	2.500-10	3.500	5.156	EY 6-4-4421
1	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
2	1710	2.250-10	3.125	5.250	EY 6-4-2441
2	1810	2.250-10	3.125	5.375	EY 6.5-4-4221-1X
SA-38C					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SA-38C (Continued)					
3	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
SA-38W, SC-342C					
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1 <i>High angle yoke</i>
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1 <i>High angle yoke</i>
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1261-1X <i>High angle yoke</i>
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
SC-342W, SC-38C, SC-38W, SH-34C, SH-34W, SH-342C, SH-342W					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SC-342W, SC-38C, SC-38W, SH-34C, SH-34W, SH-342C, SH-342W (Continued)

2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X

SH-38C

1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1
					<i>High angle yoke</i>
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1
					<i>High angle yoke</i>
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1261-1X
					<i>High angle yoke</i>
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SH-38W

1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X

SH-440C, SH-441C

1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))




Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SHB-342C, SHB-342W, SHB-38C, SHB-38W, SS-34C, SS-34W, SS-342C, SS-342W, SS-38C, SS-38W					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
SS-440C, SS-441C, SS-50C, SS-58C					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
SS-65C, SS-65W					
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
2	1710	2.250-10	3.125	5.250	EY 6-4-2441
3	1710	2.250-10	3.125	5.250	EY 6-4-2441
SSB-38C, SSB-38W, ST-34C, ST-34W, SW-342C, SW-342W					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SSB-38C, SSB-38W, ST-34C, ST-34W, SW-342C, SW-342W (Continued)					
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
SW-38C, SW-38W					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X
					<i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
SW-440C					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571
					<i>High angle yoke</i>

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SW-441C, SW-50C, SW-58C					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261

SW-65C, SW-65W, SW-80W					
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
2	1710	2.250-10	3.125	5.250	EY 6-4-2441
3	1710	2.250-10	3.125	5.250	EY 6-4-2441

SWB-342C, SWB-342W					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SWB-38C					
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1 <i>High angle yoke</i>
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1251-1 <i>High angle yoke</i>
3	SPL170	2.024-39	2.750	5.370	EY 170-4-1261-1X <i>High angle yoke</i>
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X

SWB-38W					
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
2	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
2	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
2	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SWB-38W (Continued)

3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
3	1710	2.024-39	2.750	5.000	EY 6-4-8331-1X
3	1710	2.024-39	2.750	5.875	EY 6-4-8361-1X <i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1810	2.024-39	2.750	5.188	EY 6.5-4-4281-1X

SWH-562, SWH-762

2	1610	2.032-10	2.750	4.500	EY 5-4-4401
2	1710	2.032-10	2.750	5.000	EY 6-4-3791
2	1810	2.031-10	2.750	5.250	EY 6.5-4-2261
3	1610	2.032-10	2.750	4.500	EY 5-4-4401
3	1710	2.032-10	2.750	5.000	EY 6-4-3791
3	1710	2.500-10	3.500	5.156	EY 6-4-4421
3	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
3	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
3	1810	2.031-10	2.750	5.250	EY 6.5-4-2261

SWP-800W

1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
2	1610	2.024-39	2.750	4.500	EY 5-4-5881
2	1710	2.024-39	2.750	5.000	EY 6-4-5851
2	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
2	1810	2.024-39	2.750	5.188	EY 6.5-4-3261
3	1610	2.024-39	2.750	4.500	EY 5-4-5881
3	1710	2.024-39	2.750	5.000	EY 6-4-5851
3	1710	2.024-39	2.750	5.875	EY 6-4-6571 <i>High angle yoke</i>
3	1810	2.024-39	2.750	5.188	EY 6.5-4-3261

SWP-801W

1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
2	1710	2.250-10	3.125	5.250	EY 6-4-2441
3	1710	2.250-10	3.125	5.250	EY 6-4-2441

SWS-56, SWS-57, SWS-68, SWW-56, SWW-562,

SWW-57, SWW-68

2	1610	2.032-10	2.750	4.500	EY 5-4-4401
2	1710	2.032-10	2.750	5.000	EY 6-4-3791
2	1810	2.031-10	2.750	5.250	EY 6.5-4-2261
3	1610	2.032-10	2.750	4.500	EY 5-4-4401
3	1710	2.032-10	2.750	5.000	EY 6-4-3791
3	1710	2.500-10	3.500	5.156	EY 6-4-4421
3	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
3	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
3	1810	2.031-10	2.750	5.250	EY 6.5-4-2261

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SWW-69

1	1710	2.500-10	3.500	5.156	EY 6-4-4421
1	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
2	1710	2.250-10	3.125	5.250	EY 6-4-2441
2	1810	2.250-10	3.125	5.375	EY 6.5-4-4221-1X


SWW-76, SWW-762

2	1610	2.032-10	2.750	4.500	EY 5-4-4401
2	1710	2.032-10	2.750	5.000	EY 6-4-3791
2	1810	2.031-10	2.750	5.250	EY 6.5-4-2261
3	1610	2.032-10	2.750	4.500	EY 5-4-4401
3	1710	2.032-10	2.750	5.000	EY 6-4-3791
3	1710	2.500-10	3.500	5.156	EY 6-4-4421
3	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
3	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
3	1810	2.031-10	2.750	5.250	EY 6.5-4-2261

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT-**-140					
1	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
1	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
1	SPL170	2.024-39	3.000	5.090	EY 170-4-681-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6421
1	1610	2.024-39	3.000	4.875	EY 5-4-6421-1
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
2	SPL170	1.774-34	2.500	6.440	EY 170-4-631-1 <i>High angle yoke</i>
2	1610	1.774-34	2.500	6.062	EY 5-4-6251 <i>High angle yoke</i>
2	1610	1.774-34	2.500	5.438	EY 5-4-6261
2	1610	1.774-34	2.500	5.438	EY 5-4-6261-1
2	1710	1.774-34	2.500	5.969	EY 6-4-6321 <i>High angle yoke</i>
2	1710	1.774-34	2.500	5.969	EY 6-4-6321-1 <i>High angle yoke</i>
2	1710	1.774-34	2.500	4.875	EY 6-4-6331
2	1710	1.774-34	2.500	4.875	EY 6-4-6331-1
3	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
3	SPL140	2.024-39	3.000	5.680	EY 140-4-231-1X
3	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
3	SPL170	2.024-39	3.000	5.090	EY 170-4-651-1X
3	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	6.391	EY 170-4-671-1X <i>High angle yoke</i>
3	SPL90	2.024-39	3.000	4.625	EY 90-4-311-1
3	SPL90	2.024-39	3.000	4.625	EY 90-4-321-1X
3	1550	2.024-39	3.000	5.000	EY 4-4-5261-1
3	1550	2.024-39	3.000	5.000	EY 4-4-6731-1X
3	1610	2.024-39	3.000	6.219	EY 5-4-6241 <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.219	EY 5-4-6241-1 <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT-**-140 (Continued)					
3	1610	2.024-39	3.000	5.531	EY 5-4-6271
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291-1X <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-6421-1
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
3	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-6401
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-531
3	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
RT-**-145					
1	SPL140	2.390-46	3.250	5.660	EY 140-4-301-1
1	SPL140	2.390-46	3.250	5.660	EY 140-4-311-1X
1	SPL140	2.390-46	3.250	5.660	EY 5003557
1	SPL170	2.390-46	3.250	5.100	EY 170-4-711-1
1	SPL170	2.390-46	3.250	5.100	EY 170-4-721-1X
1	SPL170	2.390-46	3.250	6.438	EY 170-4-731-1 <i>High angle yoke</i>
1	SPL170	2.390-46	3.250	6.438	EY 170-4-741-1X <i>High angle yoke</i>
1	SPL170	2.390-46	3.250	5.100	EY 5003558
1	SPL250	2.390-46	3.250	5.312	EY 250-4-341-1
1	SPL250	2.390-46	3.250	5.312	EY 250-4-351-1X
1	SPL90	2.390-46	3.250	4.641	EY 90-4-331-1
1	SPL90	2.390-46	3.250	4.641	EY 90-4-341-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.390-46	3.250	4.938	EY 5-4-7331-1
1	1610	2.390-46	3.250	4.938	EY 5-4-7341-1X
1	1710	2.390-46	3.250	5.391	EY 5003553

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))




Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT-**-145 (Continued)					
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.390-46	3.250	5.391	EY 6-4-7161
1	1710	2.390-46	3.250	5.391	EY 6-4-7161-1
1	1710	2.390-46	3.250	5.391	EY 6-4-7181-1X
1	1710	2.390-46	3.250	5.391	EY 6-4-7181X
1	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
1	1710	2.390-46	3.250	6.500	EY 6-4-7761 <i>High angle yoke</i>
1	1710	2.390-46	3.250	6.500	EY 6-4-7761-1 <i>High angle yoke</i>
1	1710	2.390-46	3.250	6.500	EY 6-4-7771-1X <i>High angle yoke</i>
1	1710	2.390-46	3.250	6.500	EY 6-4-7771X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
1	1760	2.390-46	3.250	5.062	EY 5003555
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1031
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1031-1
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1041-1X
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1041X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.390-46	3.250	5.156	EY 5003556
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3721
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3721-1
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3731-1X
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3731X
2	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
2	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
2	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
2	1610	2.024-39	3.000	6.219	EY 5-4-6241 <i>High angle yoke</i>
2	1610	2.024-39	3.000	6.219	EY 5-4-6241-1 <i>High angle yoke</i>
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1610	2.024-39	3.000	5.531	EY 5-4-6281X
2	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
2	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
3	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
3	SPL140	2.024-39	3.000	5.680	EY 140-4-231-1X
3	SPL140	2.390-46	3.250	5.660	EY 140-4-311-1X
3	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
3	SPL170	2.024-39	3.000	5.090	EY 170-4-651-1X
3	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT-**-145 (Continued)					
3	SPL170	2.024-39	3.000	6.391	EY 170-4-671-1X <i>High angle yoke</i>
3	SPL90	2.024-39	3.000	4.625	EY 90-4-311-1
3	SPL90	2.024-39	3.000	4.625	EY 90-4-321-1X
3	1550	2.024-39	3.000	5.000	EY 4-4-5261-1
3	1550	2.024-39	3.000	5.000	EY 4-4-6731-1X
3	1610	2.024-39	3.000	6.219	EY 5-4-6241 <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.219	EY 5-4-6241-1 <i>High angle yoke</i>
3	1610	2.024-39	3.000	5.531	EY 5-4-6271
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291-1X <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-6421-1
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
3	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-6401
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1710	2.024-39	3.000	6.250	EY 6-4-8571-1X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-8571X <i>High angle yoke</i>
3	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-531
3	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
3	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
RT-**-150					
1	1710	2.390-46	3.250	6.500	EY 6-4-7771-1X <i>High angle yoke</i>
3	1710	2.390-46	3.250	6.500	EY 6-4-7771-1X <i>High angle yoke</i>
RT-**-157					
1	SPL250	2.374-46	3.250	5.610	EY 250-4-771-1
1	SPL250	2.374-46	3.250	5.610	EY 250-4-781-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5451
1	1710	2.374-46	3.250	5.688	EY 6-4-5451-1
1	1710	2.374-46	3.250	5.688	EY 6-4-5461-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211-1X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

RT--157 (Continued)**

1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711-1X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711X
2	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
2	1610	2.024-39	2.750	5.125	EY 5-4-5421
2	1610	2.024-39	2.750	5.938	EY 5-4-5441
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	6.500	EY 6-4-5501
2	1710	2.024-39	2.750	6.500	EY 6-4-5501-1
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	5.250	EY 6-4-5521
2	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
2	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
2	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
3	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
3	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
3	1610	2.024-39	2.750	5.125	EY 5-4-5421
3	1610	2.024-39	2.750	5.938	EY 5-4-5441
					<i>High angle yoke</i>
3	1610	2.024-39	2.750	5.125	EY 5-4-6951X
3	1610	2.024-39	2.750	5.938	EY 5-4-6961X
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-5501
3	1710	2.024-39	2.750	6.500	EY 6-4-5501-1
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	5.250	EY 6-4-5521
3	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
3	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-6871X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
3	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
3	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

RT--160**

1	SPL140	2.390-46	3.250	5.660	EY 140-4-301-1
1	SPL140	2.390-46	3.250	5.660	EY 140-4-311-1X
1	SPL140	2.390-46	3.250	5.660	EY 5003557
1	SPL170	2.390-46	3.250	5.100	EY 170-4-711-1
1	SPL170	2.390-46	3.250	5.100	EY 170-4-721-1X
1	SPL170	2.390-46	3.250	6.438	EY 170-4-731-1
					<i>High angle yoke</i>
1	SPL170	2.390-46	3.250	6.438	EY 170-4-741-1X
					<i>High angle yoke</i>
1	SPL170	2.390-46	3.250	5.100	EY 5003558
1	SPL250	2.390-46	3.250	5.312	EY 250-4-341-1

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

RT--160 (Continued)**

1	SPL250	2.390-46	3.250	5.312	EY 250-4-351-1X
1	SPL90	2.390-46	3.250	4.641	EY 90-4-331-1
1	SPL90	2.390-46	3.250	4.641	EY 90-4-341-1X
1	1610	2.390-46	3.250	4.938	EY 5-4-7331-1
1	1610	2.390-46	3.250	4.938	EY 5-4-7341-1X
1	1710	2.390-46	3.250	5.391	EY 5003553
1	1710	2.390-46	3.250	5.391	EY 6-4-7161
1	1710	2.390-46	3.250	5.391	EY 6-4-7161-1
1	1710	2.390-46	3.250	5.391	EY 6-4-7181-1X
1	1710	2.390-46	3.250	5.391	EY 6-4-7181X
1	1710	2.390-46	3.250	6.500	EY 6-4-7761
					<i>High angle yoke</i>
1	1710	2.390-46	3.250	6.500	EY 6-4-7761-1
					<i>High angle yoke</i>
1	1710	2.390-46	3.250	6.500	EY 6-4-7771-1X
					<i>High angle yoke</i>
1	1710	2.390-46	3.250	6.500	EY 6-4-7771X
					<i>High angle yoke</i>
1	1760	2.390-46	3.250	5.062	EY 5003555
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1031
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1031-1
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1041-1X
1	1760	2.390-46	3.250	5.062	EY 6.3-4-1041X
1	1810	2.390-46	3.250	5.156	EY 5003556
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3721
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3721-1
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3731-1X
1	1810	2.390-46	3.250	5.156	EY 6.5-4-3731X
2	SPL170	2.024-39	2.625	5.266	EY 170-4-211-1
2	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
2	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1
					<i>High angle yoke</i>
2	1610	2.024-39	3.000	6.219	EY 5-4-6241
					<i>High angle yoke</i>
2	1610	2.024-39	3.000	6.219	EY 5-4-6241-1
					<i>High angle yoke</i>
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	6.250	EY 6-4-6371
					<i>High angle yoke</i>
2	1710	2.024-39	3.000	6.250	EY 6-4-6371-1
					<i>High angle yoke</i>
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
3	SPL140	2.390-46	3.250	5.660	EY 140-4-301-1
3	SPL140	2.390-46	3.250	5.660	EY 140-4-311-1X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT**-160 (Continued)					
3	SPL170	2.390-46	3.250	5.100	EY 170-4-711-1
3	SPL170	2.390-46	3.250	5.100	EY 170-4-721-1X
3	SPL170	2.390-46	3.250	6.438	EY 170-4-731-1 <i>High angle yoke</i>
3	SPL170	2.390-46	3.250	6.438	EY 170-4-741-1X <i>High angle yoke</i>
3	SPL250	2.390-46	3.250	5.312	EY 250-4-341-1
3	SPL250	2.390-46	3.250	5.312	EY 250-4-351-1X
3	SPL90	2.390-46	3.250	4.641	EY 90-4-331-1
3	SPL90	2.390-46	3.250	4.641	EY 90-4-341-1X
3	1610	2.390-46	3.250	4.938	EY 5-4-7331-1
3	1610	2.390-46	3.250	4.938	EY 5-4-7341-1X
3	1710	2.390-46	3.250	5.391	EY 6-4-7161
3	1710	2.390-46	3.250	5.391	EY 6-4-7161-1
3	1710	2.390-46	3.250	5.391	EY 6-4-7181-1X
3	1710	2.390-46	3.250	5.391	EY 6-4-7181X
3	1710	2.390-46	3.250	6.500	EY 6-4-7761 <i>High angle yoke</i>
3	1710	2.390-46	3.250	6.500	EY 6-4-7761-1 <i>High angle yoke</i>
3	1710	2.390-46	3.250	6.500	EY 6-4-7771-1X <i>High angle yoke</i>
3	1710	2.390-46	3.250	6.500	EY 6-4-7771X <i>High angle yoke</i>
3	1760	2.390-46	3.250	5.062	EY 6.3-4-1031
3	1760	2.390-46	3.250	5.062	EY 6.3-4-1031-1
3	1760	2.390-46	3.250	5.062	EY 6.3-4-1041-1X
3	1760	2.390-46	3.250	5.062	EY 6.3-4-1041X
3	1810	2.390-46	3.250	5.156	EY 6.5-4-3721
3	1810	2.390-46	3.250	5.156	EY 6.5-4-3721-1
3	1810	2.390-46	3.250	5.156	EY 6.5-4-3731-1X
3	1810	2.390-46	3.250	5.156	EY 6.5-4-3731X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT**-180, RT**-185					
1	SPL140	2.374-46	3.250	6.210	EY 140-4-271-1
1	SPL170	2.374-46	3.250	5.760	EY 170-4-571-1
1	SPL170	2.374-46	3.250	5.760	EY 170-4-581-1X
1	SPL250	2.374-46	3.250	5.870	EY 250-4-281-1
1	SPL250	2.374-46	3.250	5.870	EY 250-4-291-1X
1	1710	2.374-46	3.250	5.938	EY 6-4-5931
1	1710	2.374-46	3.250	5.938	EY 6-4-5931-1
1	1710	2.374-46	3.250	5.938	EY 6-4-5961-1X
1	1710	2.374-46	3.250	5.938	EY 6-4-5961X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-291
1	1760	2.374-46	3.250	5.625	EY 6.3-4-291-1
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201-1
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
2	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
2	1610	2.024-39	3.000	6.219	EY 5-4-6241 <i>High angle yoke</i>
2	1610	2.024-39	3.000	6.219	EY 5-4-6241-1 <i>High angle yoke</i>
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT**-180, RT**-185 (Continued)					
2	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
3	SPL140	2.374-46	3.250	6.210	EY 140-4-271-1
3	SPL140	2.374-46	3.250	6.210	EY 140-4-291-1X
3	SPL170	2.374-46	3.250	5.760	EY 170-4-571-1
3	SPL170	2.374-46	3.250	5.760	EY 170-4-591-1X
3	SPL170	2.374-46	3.250	7.250	EY 170-4-601-1 <i>High angle yoke</i>
3	SPL170	2.374-46	3.250	7.250	EY 170-4-611-1X <i>High angle yoke</i>
3	SPL250	2.374-46	3.250	5.870	EY 250-4-281-1
3	SPL250	2.374-46	3.250	5.870	EY 250-4-301-1X
3	SPL90	2.374-46	3.250	5.188	EY 90-4-351-1
3	SPL90	2.374-46	3.250	5.188	EY 90-4-361-1X
3	1610	2.374-46	3.250	4.547	EY 5-4-7351-1
3	1610	2.374-46	3.250	4.547	EY 5-4-7361-1X
3	1710	2.374-46	3.250	5.938	EY 6-4-5931
3	1710	2.374-46	3.250	5.938	EY 6-4-5931-1
3	1710	2.374-46	3.250	5.938	EY 6-4-6961-1X
3	1710	2.374-46	3.250	5.938	EY 6-4-6961X
3	1710	2.374-46	3.250	6.938	EY 6-4-7831 <i>High angle yoke</i>
3	1710	2.374-46	3.250	6.938	EY 6-4-7831-1 <i>High angle yoke</i>
3	1710	2.374-46	3.250	6.938	EY 6-4-7851-1X <i>High angle yoke</i>
3	1710	2.374-46	3.250	6.938	EY 6-4-7851X <i>High angle yoke</i>
3	1760	2.374-46	3.250	5.625	EY 6.3-4-291
3	1760	2.374-46	3.250	5.625	EY 6.3-4-291-1
3	1760	2.374-46	3.250	5.625	EY 6.3-4-861-1X
3	1810	2.374-46	3.250	5.688	EY 6.5-4-3201
3	1810	2.374-46	3.250	5.688	EY 6.5-4-3201-1
3	1810	2.374-46	3.250	5.688	EY 6.5-4-3581-1X
3	1810	2.374-46	3.250	5.688	EY 6.5-4-3581X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT**-380					
1	SPL140	2.374-46	3.250	6.210	EY 140-4-271-1
1	SPL170	2.374-46	3.250	5.760	EY 170-4-571-1
1	SPL170	2.374-46	3.250	5.760	EY 170-4-581-1X
1	SPL170	2.390-46	3.250	6.438	EY 170-4-741-1X <i>High angle yoke</i>
1	SPL250	2.374-46	3.250	5.870	EY 250-4-281-1
1	SPL250	2.374-46	3.250	5.870	EY 250-4-291-1X
1	1710	2.374-46	3.250	5.938	EY 6-4-5931
1	1710	2.374-46	3.250	5.938	EY 6-4-5931-1
1	1710	2.374-46	3.250	5.938	EY 6-4-5961-1X
1	1710	2.374-46	3.250	5.938	EY 6-4-5961X
1	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
1	1760	2.374-46	3.250	5.625	EY 6.3-4-291
1	1760	2.374-46	3.250	5.625	EY 6.3-4-291-1
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3201-1


Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)

TANDEM AXLES



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT-**-380 (Continued)					
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
2	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
2	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
2	1610	2.024-39	3.000	6.219	EY 5-4-6241 <i>High angle yoke</i>
2	1610	2.024-39	3.000	6.219	EY 5-4-6241-1 <i>High angle yoke</i>
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
2	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
3	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
3	SPL140	2.024-39	3.000	5.680	EY 140-4-241-1X
3	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
3	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	6.391	EY 170-4-691-1X <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	5.090	EY 170-4-701-1X
3	SPL170	2.390-46	3.250	6.438	EY 170-4-741-1X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
3	1710	2.374-46	3.250	6.938	EY 6-4-7831 <i>High angle yoke</i>
3	1710	2.374-46	3.250	6.938	EY 6-4-7831-1 <i>High angle yoke</i>
3	1710	2.374-46	3.250	6.938	EY 6-4-7851-1X <i>High angle yoke</i>
3	1710	2.374-46	3.250	6.938	EY 6-4-7851X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-1341-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
3	1810	2.024-39	3.000	5.190	EY 6.5-4-4191-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
RT-140					
1	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
1	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
1	SPL170	2.024-39	3.000	5.090	EY 170-4-681-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6421
1	1610	2.024-39	3.000	4.875	EY 5-4-6421-1
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
SFD					
1	1650/1710	2.250-10	3.000	3.750	CF 6-1-1421 <i>.250 deep counterbore at hub end</i>
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211 <i>.250 deep counterbore at hub end</i>
1	1610	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
2	1610	2.250-10	3.000	5.625	EY 5-4-6891X
2	1710	2.250-10	3.000	6.062	EY 6-4-4411X
2	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
3	1610	2.250-10	3.000	5.625	EY 5-4-6891X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411X
3	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
SFDD					
1	1710	2.250-10	3.000	6.062	EY 6-4-1991-1
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711-1X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))




Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SFDD (Continued)					
2	1610	1.960-10	2.750	5.125	EY 5-4-5281X
2	1610	1.962-10	2.750	5.938	EY 5-4-5321X
2	1610	2.024-39	2.750	5.125	EY 5-4-6951X
2	1610	2.024-39	2.750	5.938	EY 5-4-6961X
<i>High angle yoke</i>					
2	1710	1.960-10	2.750	5.250	EY 6-4-4361X
2	1710	1.960-10	2.750	6.500	EY 6-4-4481X
<i>High angle yoke</i>					
2	1710	2.024-39	2.750	6.500	EY 6-4-6871X
2	1710	2.024-39	2.750	4.812	EY 6-4-6941X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951X
2	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
3	1610	1.960-10	2.750	5.125	EY 5-4-5281X
3	1610	1.962-10	2.750	5.938	EY 5-4-5321X
3	1610	2.024-39	2.750	5.125	EY 5-4-6951X
3	1610	2.024-39	2.750	5.938	EY 5-4-6961X
<i>High angle yoke</i>					
3	1710	1.960-10	2.750	5.250	EY 6-4-4361X
3	1710	1.960-10	2.750	6.500	EY 6-4-4481X
<i>High angle yoke</i>					
3	1710	2.024-39	2.750	6.500	EY 6-4-6871X
3	1710	2.024-39	2.750	4.812	EY 6-4-6941X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
SFDD-4600, SFDD-4640, SFDD-4700, SFDD-4740					
1	1650/1710	2.250-10	3.000	3.750	CF 6-1-1421
<i>.250 deep counterbore at hub end</i>					
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211
<i>.250 deep counterbore at hub end</i>					
1	1610	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-1991
1	1710	2.250-10	3.000	6.062	EY 6-4-1991-1
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
2	1610	2.250-10	3.000	5.625	EY 5-4-6891X
2	1710	2.250-10	3.000	6.062	EY 6-4-4411X
2	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
3	1610	2.250-10	3.000	5.625	EY 5-4-6891X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411X
3	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
SFHD					
2	1410	1.500-10	2.250	3.875	EY 3-4-2241-1
3	1410	1.500-10	2.250	3.875	EY 3-4-2241-1
SHD					
1	SPL250	2.374-46	3.250	5.610	EY 250-4-771-1
1	SPL250	2.374-46	3.250	5.610	EY 250-4-781-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5451
1	1710	2.374-46	3.250	5.688	EY 6-4-5451-1
1	1710	2.374-46	3.250	5.688	EY 6-4-5461-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211-1X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711-1X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711X
2	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SHD (Continued)					
2	1610	1.960-10	2.750	5.125	EY 5-4-5281X
2	1610	1.962-10	2.750	5.938	EY 5-4-5321X
2	1610	2.024-39	2.750	5.125	EY 5-4-5421
2	1610	2.024-39	2.750	5.938	EY 5-4-5441
<i>High angle yoke</i>					
2	1610	2.024-39	2.750	5.125	EY 5-4-6951X
2	1610	2.024-39	2.750	5.938	EY 5-4-6961X
<i>High angle yoke</i>					
2	1710	1.960-10	2.750	5.250	EY 6-4-4361X
2	1710	1.960-10	2.750	6.500	EY 6-4-4481X
<i>High angle yoke</i>					
2	1710	2.024-39	2.750	6.500	EY 6-4-5501-1
<i>High angle yoke</i>					
2	1710	2.024-39	2.750	5.250	EY 6-4-5521
2	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
2	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X
<i>High angle yoke</i>					
2	1710	2.024-39	2.750	6.500	EY 6-4-6871X
2	1710	2.024-39	2.750	4.812	EY 6-4-6941X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951X
2	171070	2.024-39	2.750	6.500	EY 6-4-5501
2	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
2	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
2	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
2	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
3	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
3	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
3	1610	1.960-10	2.750	5.125	EY 5-4-5281X
3	1610	1.962-10	2.750	5.938	EY 5-4-5321X
3	1610	2.024-39	2.750	5.125	EY 5-4-5421
3	1610	2.024-39	2.750	5.938	EY 5-4-5441
<i>High angle yoke</i>					
3	1610	2.024-39	2.750	5.125	EY 5-4-6951X
3	1610	2.024-39	2.750	5.938	EY 5-4-6961X
<i>High angle yoke</i>					
3	1710	1.960-10	2.750	5.250	EY 6-4-4361X
3	1710	1.960-10	2.750	6.500	EY 6-4-4481X
<i>High angle yoke</i>					
3	1710	2.024-39	2.750	5.250	EY 6-4-5521
3	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
3	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X
<i>High angle yoke</i>					
3	1710	2.024-39	2.750	6.500	EY 6-4-6871X
3	1710	2.024-39	2.750	4.812	EY 6-4-6941X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951X
3	171070	2.024-39	2.750	6.500	EY 6-4-5501
3	171070	2.024-39	2.750	6.500	EY 6-4-5501-1
<i>High angle yoke</i>					
3	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
3	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
3	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
SHDD					
1	SPL250	2.374-46	3.250	5.610	EY 250-4-771-1
1	SPL250	2.374-46	3.250	5.610	EY 250-4-781-1X
1	1410	1.875-10	2.750	4.406	EY 3-4-6671-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5451
Continued on next page					

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SHDD (Continued)

1	1710	2.374-46	3.250	5.688	EY 6-4-5451-1
1	1710	2.374-46	3.250	5.688	EY 6-4-5461-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211-1X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711-1X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711X
2	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
2	1410	1.625-10	2.375	4.188	EY 3-4-5921-1X
2	1610	1.960-10	2.750	5.125	EY 5-4-5281X
2	1610	1.962-10	2.750	5.938	EY 5-4-5321X
2	1610	2.024-39	2.750	5.125	EY 5-4-6951X
2	1610	2.024-39	2.750	5.938	EY 5-4-6961X
					<i>High angle yoke</i>
2	1710	1.960-10	2.750	5.250	EY 6-4-4361X
2	1710	1.960-10	2.750	6.500	EY 6-4-4481X
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	6.500	EY 6-4-6871X
2	1710	2.024-39	2.750	4.812	EY 6-4-6941X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951X
2	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
3	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
3	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
3	1410	1.625-10	2.375	4.188	EY 3-4-5921-1X
3	1610	1.960-10	2.750	5.125	EY 5-4-5281X
3	1610	1.962-10	2.750	5.938	EY 5-4-5321X
3	1610	2.024-39	2.750	5.125	EY 5-4-6951X
3	1610	2.024-39	2.750	5.938	EY 5-4-6961X
					<i>High angle yoke</i>
3	1710	1.960-10	2.750	5.250	EY 6-4-4361X
3	1710	1.960-10	2.750	6.500	EY 6-4-4481X
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-6871X
3	1710	2.024-39	2.750	4.812	EY 6-4-6941X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

SHHD

1	1550	1.875-10	2.750	4.406	EY 4-4-1941
1	1610	1.875-10	2.750	5.000	EY 5-4-2501
2	1350	1.625-10	2.375	3.969	EY 3-4-9001X
2	1480	1.625-10	2.375	4.312	EY 3-4-3771
2	1610	1.625-10	2.375	4.125	EY 5-4-2401
3	1350	1.625-10	2.375	3.969	EY 3-4-9001X
3	1480	1.625-10	2.375	4.312	EY 3-4-3771
3	1610	1.625-10	2.375	4.125	EY 5-4-2401

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SJHD

1	1410	1.875-10	2.750	4.406	EY 3-4-6671-1X
1	1550	1.875-10	2.750	4.406	EY 4-4-1941
1	1610	1.875-10	2.750	5.000	EY 5-4-2501
2	1350	1.625-10	2.375	3.969	EY 3-4-9001X
2	1410	1.625-10	2.375	4.188	EY 3-4-5921-1X
2	1480	1.625-10	2.375	4.312	EY 3-4-3771
2	1610	1.625-10	2.375	4.125	EY 5-4-2401
3	1350	1.625-10	2.375	3.969	EY 3-4-9001X
3	1410	1.625-10	2.375	4.188	EY 3-4-5921-1X
3	1480	1.625-10	2.375	4.312	EY 3-4-3771
3	1610	1.625-10	2.375	4.125	EY 5-4-2401

SL-100

1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X
					<i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6401
1	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
1	1810	2.024-39	3.000	5.750	EY 6.5-4-3881-1X
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1610	1.774-34	2.500	6.062	EY 5-4-6251
					<i>High angle yoke</i>
2	1610	1.774-34	2.500	5.438	EY 5-4-6261
2	1610	1.998-38	2.750	4.125	EY 5-4-6321
2	1710	1.774-34	2.500	5.969	EY 6-4-6321
					<i>High angle yoke</i>
2	1710	1.774-34	2.500	4.875	EY 6-4-6331
2	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X
					<i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
3	1610	2.024-39	3.000	4.875	EY 5-4-6431X
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X
					<i>High angle yoke</i>

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SL-100 (Continued)					
3	1710	2.024-39	3.000	5.156	EY 6-4-6401
3	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
3	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-531
3	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
SL-100P					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6401
1	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1610	1.774-34	2.500	6.062	EY 5-4-6251 <i>High angle yoke</i>
2	1610	1.774-34	2.500	5.438	EY 5-4-6261
2	1610	1.998-38	2.750	4.125	EY 5-4-6321
2	1710	1.774-34	2.500	5.969	EY 6-4-6321 <i>High angle yoke</i>
2	1710	1.774-34	2.500	4.875	EY 6-4-6331
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
3	1610	2.024-39	3.000	4.875	EY 5-4-6431X
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
SLD, SLDD					
1	1480	1.875-10	2.750	4.406	EY 3-4-6671-1X
1	1550	1.875-10	2.750	4.406	EY 4-4-1941
1	1610	1.875-10	2.750	5.000	EY 5-4-2501
2	1480	1.875-10	2.750	4.406	EY 3-4-6671-1X
2	1550	1.875-10	2.750	4.406	EY 4-4-1941
2	1610	1.875-10	2.750	5.000	EY 5-4-2501


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SLD, SLDD (Continued)					
3	1480	1.875-10	2.750	4.406	EY 3-4-6671-1X
3	1550	1.875-10	2.750	4.406	EY 4-4-1941
3	1610	1.875-10	2.750	5.000	EY 5-4-2501
SLHD					
1	1610	2.000-10	2.938	5.188	EY 5-4-5131X
1	1710	2.000-10	2.938	5.188	EY 6-4-3241
1	1760	2.000-10	2.938	5.375	EY 6.3-4-181X
SLHP					
1	1760	2.024-39	3.000	5.188	EY 6.3-4-191X
SPRC-1357					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1610	1.774-34	2.500	6.062	EY 5-4-6251 <i>High angle yoke</i>
2	1610	1.774-34	2.500	5.438	EY 5-4-6261
2	1710	1.774-34	2.500	5.969	EY 6-4-6321 <i>High angle yoke</i>
2	1710	1.774-34	2.500	4.875	EY 6-4-6331
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
3	1610	2.024-39	3.000	4.875	EY 5-4-6431X
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
SPR450					
2	1710	1.960-10	2.750	5.250	EY 6-4-3221
3	1710	1.960-10	2.750	5.250	EY 6-4-3221
SQ-100					
1	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
1	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
1	SPL170	2.024-39	3.000	5.090	EY 170-4-681-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6421
1	1610	2.024-39	3.000	4.875	EY 5-4-6421-1
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SQ-100 (Continued)					
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6401
1	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	SPL170	1.774-34	2.500	6.440	EY 170-4-631-1 <i>High angle yoke</i>
2	1610	1.774-34	2.500	6.062	EY 5-4-6251 <i>High angle yoke</i>
2	1610	1.774-34	2.500	5.438	EY 5-4-6261
2	1610	1.774-34	2.500	5.438	EY 5-4-6261-1
2	1710	1.774-34	2.500	5.969	EY 6-4-6321 <i>High angle yoke</i>
2	1710	1.774-34	2.500	5.969	EY 6-4-6321-1 <i>High angle yoke</i>
2	1710	1.774-34	2.500	4.875	EY 6-4-6331
2	1710	1.774-34	2.500	4.875	EY 6-4-6331-1
2	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	SPL140	2.024-39	3.000	5.680	EY 140-4-211-1
3	SPL140	2.024-39	3.000	5.680	EY 140-4-231-1X
3	SPL170	2.024-39	3.000	5.090	EY 170-4-641-1
3	SPL170	2.024-39	3.000	5.090	EY 170-4-651-1X
3	SPL170	2.024-39	3.000	6.391	EY 170-4-661-1 <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	6.391	EY 170-4-671-1X <i>High angle yoke</i>
3	SPL90	2.024-39	3.000	4.625	EY 90-4-311-1
3	SPL90	2.024-39	3.000	4.625	EY 90-4-321-1X
3	1550	2.024-39	3.000	5.000	EY 4-4-5261-1
3	1550	2.024-39	3.000	5.000	EY 4-4-6731-1X
3	1610	2.024-39	3.000	6.219	EY 5-4-6241 <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.219	EY 5-4-6241-1 <i>High angle yoke</i>
3	1610	2.024-39	3.000	5.531	EY 5-4-6271
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291-1X <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SQ-100 (Continued)					
3	1610	2.024-39	3.000	4.875	EY 5-4-6421-1
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
3	1710	2.024-39	3.000	6.250	EY 6-4-6371 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-6401
3	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-531
3	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X

SQ-100P					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1610	1.774-34	2.500	6.062	EY 5-4-6251 <i>High angle yoke</i>
2	1610	1.774-34	2.500	5.438	EY 5-4-6261
2	1710	1.774-34	2.500	5.969	EY 6-4-6321 <i>High angle yoke</i>
2	1710	1.774-34	2.500	4.875	EY 6-4-6331
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
3	1610	2.024-39	3.000	4.875	EY 5-4-6431X
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SQ-100P (Continued)					
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
SQD					
1	1610	2.000-10	2.938	5.188	EY 5-4-5131X
1	1710	2.000-10	2.938	5.188	EY 6-4-4291X
1	1710	2.000-10	2.938	5.188	EY 6-4-4741X
1	1810	2.000-10	2.938	5.375	EY 6.5-4-2341X
2	1610	2.000-10	2.938	5.188	EY 5-4-5131X
2	1710	2.000-10	2.938	5.188	EY 6-4-4291X
2	1710	2.000-10	2.938	5.188	EY 6-4-4741X
2	1810	2.000-10	2.938	5.375	EY 6.5-4-2341X
3	1610	2.000-10	2.938	5.188	EY 5-4-5131X
3	1710	2.000-10	2.938	5.188	EY 6-4-4291X
3	1710	2.000-10	2.938	5.188	EY 6-4-4741X
3	1810	2.000-10	2.938	5.375	EY 6.5-4-2341X
SQDD					
1	1710	2.000-10	2.750	5.188	EY 6-4-4391X
2	1610	2.000-10	2.938	5.188	EY 5-4-5131X
2	1710	2.000-10	2.938	5.188	EY 6-4-4291X
2	1710	2.000-10	2.938	5.188	EY 6-4-4741X
3	1610	2.000-10	2.938	5.188	EY 5-4-5131X
3	1710	2.000-10	2.938	5.188	EY 6-4-4291X
3	1710	2.000-10	2.938	5.188	EY 6-4-4741X
SQHD					
1	1710	1.750-10	2.750	2.938	CF 6-1-1761
1	1610	2.000-10	2.938	5.188	EY 5-4-5131X
1	1710	2.000-10	2.938	5.188	EY 6-4-3241
1	1710	2.000-10	2.938	5.188	EY 6-4-4291X
1	1760	2.000-10	2.938	5.375	EY 6.3-4-181X
1	1810	2.000-10	2.938	5.375	EY 6.5-4-2341X
2	1610	1.750-10	2.750	5.000	EY 5-4-3621
2	1710	1.750-10	2.750	4.875	EY 6-4-2381
SQHP					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	5.188	EY 6-4-5101X
1	1710	2.024-39	3.000	6.250	EY 6-4-6371-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.250	EY 6-4-6391-1X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6401
1	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-191X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.188	EY 6.5-4-2491X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3371-1
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
1	1810	2.024-39	3.000	5.750	EY 6.5-4-3881-1X
2	1610	1.774-34	2.500	6.062	EY 5-4-6251 <i>High angle yoke</i>
2	1610	1.774-34	2.500	5.438	EY 5-4-6261
2	1710	1.774-34	2.500	4.875	EY 6-4-6331
2	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
3	1610	2.024-39	3.000	4.875	EY 5-4-6431X
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-6401
3	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
3	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
SQR-100					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6401
1	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
1	1810	2.024-39	3.000	5.750	EY 6.5-4-3881-1X
2	1610	1.774-34	2.500	6.062	EY 5-4-6251 <i>High angle yoke</i>
2	1610	1.774-34	2.500	5.438	EY 5-4-6261
2	1710	1.774-34	2.500	5.969	EY 6-4-6321 <i>High angle yoke</i>
2	1710	1.774-34	2.500	4.875	EY 6-4-6331
2	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
3	1610	2.024-39	3.000	4.875	EY 5-4-6431X
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SQR-100 (Continued)					
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-6401
3	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
3	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SQR-100P					
1	1610	2.024-39	3.000	5.531	EY 5-4-6281X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
1	1610	2.024-39	3.000	4.875	EY 5-4-6431X
1	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
1	1710	2.024-39	3.000	5.156	EY 6-4-6401
1	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
1	1710	2.024-39	3.000	5.156	EY 6-4-6411X
1	1710	2.024-39	3.000	5.156	EY 6-4-7621-1
1	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531
1	1760	2.024-39	3.000	5.188	EY 6.3-4-531-1
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541-1X
1	1760	2.024-39	3.000	5.188	EY 6.3-4-541X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381-1X
1	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
2	1610	1.774-34	2.500	6.062	EY 5-4-6251 <i>High angle yoke</i>
2	1610	1.774-34	2.500	5.438	EY 5-4-6261
2	1710	1.774-34	2.500	5.969	EY 6-4-6321 <i>High angle yoke</i>
2	1710	1.774-34	2.500	4.875	EY 6-4-6331
3	1610	2.024-39	3.000	5.531	EY 5-4-6281X
3	1610	2.024-39	3.000	6.219	EY 5-4-6291X <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-6431-1X
3	1610	2.024-39	3.000	4.875	EY 5-4-6431X
3	1610	2.024-39	3.000	4.875	EY 5-4-6441-1X
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.156	EY 6-4-6421-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-6421X
3	1710	2.024-39	3.000	5.156	EY 6-4-7631-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-7641-1X
3	1710	2.024-39	3.000	5.156	EY 6-4-8601-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-1141-1X
3	1760	2.024-39	3.000	5.188	EY 6.3-4-541X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SR-170					
1	1710	2.374-46	3.250	5.938	EY 6-4-5961X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1760	2.024-39	3.000	5.188	EY 6.3-4-531
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1610	2.250-10	3.000	5.625	EY 5-4-6891X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411X
3	1710	2.250-10	3.000	7.188	EY 6-4-6891X <i>High angle yoke</i>
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731-1X
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
3	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SR-270, SR-280					
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1760	2.024-39	3.000	5.188	EY 6.3-4-531
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SRD					
1	1650/1710	2.250-10	3.000	3.750	CF 6-1-1421 <i>.250 deep counterbore at hub end</i>
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211 <i>.250 deep counterbore at hub end</i>
1	1610	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
2	1610	2.250-10	3.000	5.625	EY 5-4-6891X
2	1710	2.250-10	3.000	6.062	EY 6-4-4411X
2	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
3	1610	2.250-10	3.000	5.625	EY 5-4-6891X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411X
3	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SRDD					
1	1650/1710	2.250-10	3.000	3.750	CF 6-1-1421 .250 deep counterbore at hub end
1	1610	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-1991
1	1710	2.250-10	3.000	6.062	EY 6-4-1991-1
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211-1X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711-1X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711X
2	1610	1.960-10	2.750	5.125	EY 5-4-5281X
2	1610	1.962-10	2.750	5.938	EY 5-4-5321X
2	1610	2.250-10	3.000	5.625	EY 5-4-6891X
2	1610	2.024-39	2.750	5.125	EY 5-4-6951X
2	1610	2.024-39	2.750	5.938	EY 5-4-6961X High angle yoke
2	1710	1.960-10	2.750	5.250	EY 6-4-4361X
2	1710	2.250-10	3.000	6.062	EY 6-4-4411X
2	1710	1.960-10	2.750	6.500	EY 6-4-4481X High angle yoke
2	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 High angle yoke
2	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X High angle yoke
2	1710	2.024-39	2.750	6.500	EY 6-4-6871X
2	1710	2.024-39	2.750	4.812	EY 6-4-6941X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951X
2	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
2	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
3	1610	1.960-10	2.750	5.125	EY 5-4-5281X
3	1610	1.962-10	2.750	5.938	EY 5-4-5321X
3	1610	2.250-10	3.000	5.625	EY 5-4-6891X
3	1610	2.024-39	2.750	5.125	EY 5-4-6951X
3	1610	2.024-39	2.750	5.938	EY 5-4-6961X High angle yoke
3	1710	1.960-10	2.750	5.250	EY 6-4-4361X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411X
3	1710	1.960-10	2.750	6.500	EY 6-4-4481X High angle yoke
3	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 High angle yoke
3	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X High angle yoke
3	1710	2.024-39	2.750	6.500	EY 6-4-6871X
3	1710	2.024-39	2.750	4.812	EY 6-4-6941X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951X
3	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
3	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SRHD					
1	1650/1710	2.250-10	3.000	3.750	CF 6-1-1421 .250 deep counterbore at hub end
1	1810	2.250-10	3.000	3.750	CF 6.5-1-211 .250 deep counterbore at hub end
1	1610	2.250-10	3.000	5.625	EY 5-4-6891X
1	1710	2.250-10	3.000	6.062	EY 6-4-1991
1	1710	2.250-10	3.000	6.062	EY 6-4-1991-1
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-4411X
1	1710	2.250-10	3.000	7.188	EY 6-4-6891X High angle yoke
1	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
2	1610	1.962-10	2.750	5.938	EY 5-4-5321X
2	1710	1.960-10	2.750	5.250	EY 6-4-4361X
2	1710	1.960-10	2.750	6.500	EY 6-4-4481X High angle yoke
3	1480	1.875-10	2.750	4.406	EY 3-4-6671-1X
3	1550	1.875-10	2.750	4.406	EY 4-4-1941
3	1610	1.875-10	2.750	5.000	EY 5-4-2501


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
SSHD					
1	SPL250	2.374-46	3.250	5.610	EY 250-4-771-1
1	SPL250	2.374-46	3.250	5.610	EY 250-4-781-1X
1	1710	2.250-10	3.000	6.062	EY 6-4-1991
1	1710	2.374-46	3.250	5.688	EY 6-4-5461-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211-1X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-211X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711-1X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711X
2	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
2	1610	1.960-10	2.750	5.125	EY 5-4-5281X
2	1610	1.962-10	2.750	5.938	EY 5-4-5321X
2	1610	2.024-39	2.750	5.125	EY 5-4-5421
2	1610	2.024-39	2.750	5.938	EY 5-4-5441 High angle yoke
2	1610	2.024-39	2.750	5.125	EY 5-4-6951X
2	1610	2.024-39	2.750	5.938	EY 5-4-6961X High angle yoke
2	1710	1.960-10	2.750	5.250	EY 6-4-3221
2	1710	1.960-10	2.750	5.250	EY 6-4-4361X
2	1710	1.960-10	2.750	6.500	EY 6-4-4481X High angle yoke
2	1710	2.024-39	2.750	6.500	EY 6-4-5501 High angle yoke
2	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 High angle yoke
2	1710	2.024-39	2.750	5.250	EY 6-4-5521
2	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
2	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X High angle yoke
2	1710	2.024-39	2.750	6.500	EY 6-4-6871X
2	1710	2.024-39	2.750	4.812	EY 6-4-6941X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951X
2	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
2	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
2	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SSHD (Continued)					
2	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
3	SPL140	2.024-39	2.750	5.250	EY 140-4-1421-1
3	SPL140	2.024-39	2.750	5.250	EY 140-4-1431-1X
3	1610	1.960-10	2.750	5.125	EY 5-4-5281X
3	1610	1.962-10	2.750	5.938	EY 5-4-5321X
3	1610	2.024-39	2.750	5.125	EY 5-4-5421
3	1610	2.024-39	2.750	5.125	EY 5-4-6951X
3	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
3	1710	1.960-10	2.750	5.250	EY 6-4-3221
3	1710	1.960-10	2.750	5.250	EY 6-4-4361X
3	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-5501
3	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 <i>High angle yoke</i>
3	1710	2.024-39	2.750	5.250	EY 6-4-5521
3	1710	2.024-39	2.750	5.250	EY 6-4-5521-1
3	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X <i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-6871X
3	1710	2.024-39	2.750	4.812	EY 6-4-6941X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951-1X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-2781
3	1810	2.024-39	2.750	5.625	EY 6.5-4-2781-1
3	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

SSHF					
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1

ST-170					
1	1710	2.374-46	3.250	5.938	EY 6-4-5961X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1 <i>High angle yoke</i>
2	1760	2.024-39	3.000	5.188	EY 6.3-4-531
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1610	2.250-10	3.000	5.625	EY 5-4-6891X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411X
3	1710	2.250-10	3.000	7.188	EY 6-4-6891X <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

ST-170 (Continued)					
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731-1X
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
3	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
ST-270, ST-280					
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1760	2.024-39	3.000	5.188	EY 6.3-4-531
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1610	2.250-10	3.000	5.625	EY 5-4-6891X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411X
3	1710	2.250-10	3.000	7.188	EY 6-4-6891X <i>High angle yoke</i>
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731-1X
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
3	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X

STDD					
1	1710	2.250-10	3.000	6.062	EY 6-4-1991
1	1710	2.250-10	3.000	6.062	EY 6-4-1991-1
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711-1X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711X
2	1610	1.960-10	2.750	5.125	EY 5-4-5281X
2	1610	1.962-10	2.750	5.938	EY 5-4-5321X
2	1610	2.024-39	2.750	5.125	EY 5-4-6951X
2	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
2	1710	1.960-10	2.750	5.250	EY 6-4-4361X
2	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>
2	1710	2.024-39	2.750	6.500	EY 6-4-6871X
2	1710	2.024-39	2.750	4.812	EY 6-4-6941X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951X
2	1760	2.374-46	3.250	5.438	EY 6.3-4-211-1X
2	1760	2.374-46	3.250	5.438	EY 6.3-4-211X
2	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
STDD (Continued)					
3	1610	1.960-10	2.750	5.125	EY 5-4-5281X
3	1610	1.962-10	2.750	5.938	EY 5-4-5321X
3	1610	2.024-39	2.750	5.125	EY 5-4-6951X
3	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
3	1710	1.960-10	2.750	5.250	EY 6-4-4361X
3	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-6871X
3	1710	2.024-39	2.750	4.812	EY 6-4-6941X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
STHD					
1	1710	2.250-10	3.000	6.062	EY 6-4-1991
1	1710	2.250-10	3.000	6.062	EY 6-4-1991-1
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461X
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711-1X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711X
2	1610	1.960-10	2.750	5.125	EY 5-4-5281X
2	1610	1.962-10	2.750	5.938	EY 5-4-5321X
2	1610	2.024-39	2.750	5.125	EY 5-4-6951X
2	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
2	1710	1.960-10	2.750	5.250	EY 6-4-4361X
2	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>
2	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 <i>High angle yoke</i>
2	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X <i>High angle yoke</i>
2	1710	2.024-39	2.750	6.500	EY 6-4-6871X <i>High angle yoke</i>
2	1710	2.024-39	2.750	4.812	EY 6-4-6941X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951X
2	1760	2.374-46	3.250	5.438	EY 6.3-4-211-1X
2	1760	2.374-46	3.250	5.438	EY 6.3-4-211X
2	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
3	1610	1.960-10	2.750	5.125	EY 5-4-5281X
3	1610	1.962-10	2.750	5.938	EY 5-4-5321X
3	1610	2.024-39	2.750	5.125	EY 5-4-6951X
3	1610	2.024-39	2.750	5.938	EY 5-4-6961X <i>High angle yoke</i>
3	1710	1.960-10	2.750	5.250	EY 6-4-3221
3	1710	1.960-10	2.750	5.250	EY 6-4-4361X
3	1710	1.960-10	2.750	6.500	EY 6-4-4481X <i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-5501-1 <i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X <i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-6871X
3	1710	2.024-39	2.750	4.812	EY 6-4-6941X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951X
3	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
STHF					
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
SU-170					
1	1710	2.374-46	3.250	5.938	EY 6-4-5961X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1760	2.024-39	3.000	5.188	EY 6.3-4-531
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1610	2.250-10	3.000	5.625	EY 5-4-6891X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411X
3	1710	2.250-10	3.000	7.188	EY 6-4-6891X <i>High angle yoke</i>
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731-1X
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
3	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X
SU-270					
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1760	2.024-39	3.000	5.188	EY 6.3-4-531
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
SU-280					
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1760	2.024-39	3.000	5.188	EY 6.3-4-531
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1710	2.024-39	3.000	6.250	EY 6-4-6381X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X <i>High angle yoke</i>
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X
SUDD, SUHD					
1	1710	2.250-10	3.000	6.062	EY 6-4-1991
1	1710	2.250-10	3.000	6.062	EY 6-4-1991-1
1	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461-1X
1	1710	2.374-46	3.250	5.688	EY 6-4-5461X

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SUDD, SUHD (Continued)

1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711-1X
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2711X
2	1610	1.960-10	2.750	5.125	EY 5-4-5281X
2	1610	1.962-10	2.750	5.938	EY 5-4-5321X
2	1610	2.024-39	2.750	5.125	EY 5-4-6951X
2	1610	2.024-39	2.750	5.938	EY 5-4-6961X
					<i>High angle yoke</i>
2	1710	1.960-10	2.750	5.250	EY 6-4-3221
2	1710	1.960-10	2.750	5.250	EY 6-4-4361X
2	1710	1.960-10	2.750	6.500	EY 6-4-4481X
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	6.500	EY 6-4-5501-1
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X
					<i>High angle yoke</i>
2	1710	2.024-39	2.750	6.500	EY 6-4-6871X
2	1710	2.024-39	2.750	4.812	EY 6-4-6941X
2	1710	2.024-39	2.750	5.250	EY 6-4-6951X
2	1760	2.374-46	3.250	5.438	EY 6.3-4-211-1X
2	1760	2.374-46	3.250	5.438	EY 6.3-4-211X
2	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X
3	1610	1.960-10	2.750	5.125	EY 5-4-5281X
3	1610	1.962-10	2.750	5.938	EY 5-4-5321X
3	1610	2.024-39	2.750	5.125	EY 5-4-6951X
3	1610	2.024-39	2.750	5.938	EY 5-4-6961X
					<i>High angle yoke</i>
3	1710	1.960-10	2.750	5.250	EY 6-4-3221
3	1710	1.960-10	2.750	5.250	EY 6-4-4361X
3	1710	1.960-10	2.750	6.500	EY 6-4-4481X
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-5501-1
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-6871-1X
					<i>High angle yoke</i>
3	1710	2.024-39	2.750	6.500	EY 6-4-6871X
3	1710	2.024-39	2.750	4.812	EY 6-4-6941X
3	1710	2.024-39	2.750	5.250	EY 6-4-6951X
3	1810	2.024-39	2.750	5.625	EY 6.5-4-3571-1X
3	1810	2.024-39	2.750	5.531	EY 6.5-4-3571X

SUHF

1	1760	2.374-46	3.250	5.438	EY 6.3-4-101
1	1760	2.374-46	3.250	5.438	EY 6.3-4-101-1
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701
1	1810	2.374-46	3.250	5.438	EY 6.5-4-2701-1

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

SW-170


1	1710	2.374-46	3.250	5.938	EY 6-4-5961X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1760	2.024-39	3.000	5.188	EY 6.3-4-531
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1610	2.250-10	3.000	5.625	EY 5-4-6891X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411-1X
3	1710	2.250-10	3.000	6.062	EY 6-4-4411X
3	1710	2.250-10	3.000	7.188	EY 6-4-6891X
					<i>High angle yoke</i>
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731-1X
3	1760	2.250-10	3.000	5.844	EY 6.3-4-731X
3	1810	2.250-10	3.000	5.844	EY 6.5-4-2551X

SW-270, SW-280

1	1760	2.374-46	3.250	5.625	EY 6.3-4-301-1X
1	1760	2.374-46	3.250	5.625	EY 6.3-4-301X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221-1X
1	1810	2.374-46	3.250	5.688	EY 6.5-4-3221X
2	1610	2.024-39	3.000	5.531	EY 5-4-6271
2	1710	2.024-39	3.000	5.156	EY 6-4-6401
2	1710	2.024-39	3.000	5.156	EY 6-4-6401-1
2	1760	2.024-39	3.000	5.188	EY 6.3-4-531
2	1810	2.024-39	3.000	5.190	EY 6.5-4-3371
3	1710	2.024-39	3.000	6.250	EY 6-4-6381X
					<i>High angle yoke</i>
3	1710	2.024-39	3.000	6.250	EY 6-4-6391X
					<i>High angle yoke</i>
3	1810	2.024-39	3.000	5.190	EY 6.5-4-3381X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
D170, D190					
1	SPL170	2.544-49	3.820	6.040	EY 5005217
1	1710	2.544-49	3.819	6.050	EY 5005579
1	1710	2.544-49	3.819	6.050	EY 5005580
1	1760	2.544-49	3.819	5.750	EY 5005581
1	1760	2.544-49	3.819	5.750	EY 5005582
1	1810	2.544-49	3.818	5.740	EY 6.5-4-5091
2	SPL170	2.143-41	2.938	7.190	EY 170-4-1901-1
2	1710	2.143-41	2.938	6.620	EY 6-4-10301
2	1710	2.143-41	2.938	6.620	EY 6-4-10301-1
3	1710	2.544-49	3.819	6.260	EY 6-4-10311
3	1710	2.544-49	3.819	6.260	EY 6-4-10311-1
					<i>Counterbore at hub end.</i>
3	1760	2.544-49	3.818	5.200	EY 6.3-4-1861
3	1760	2.544-49	3.818	5.200	EY 6.3-4-1861-1
3	1810	2.544-49	3.818	5.740	EY 6.5-4-5091
3	1810	2.544-49	3.818	5.740	EY 6.5-4-5091-1
G340-S, G380-S					
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
3	1610	2.114-32	3.000	5.375	EY 5-4-7221X
3	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
3	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X
					<i>High angle yoke</i>
3	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X
					<i>High angle yoke</i>
G400-S					
1	1610	2.364-36	3.000	5.156	EY 5-4-8651-1X
1	1710	2.364-36	3.000	5.438	EY 6-4-8721-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1561-1X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4441-1X
2	1610	1.989-30	3.000	6.000	EY 5-4-8661-1
					<i>High angle yoke</i>
2	1710	1.989-30	3.000	6.281	EY 6-4-8731-1
					<i>High angle yoke</i>
3	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X
					<i>High angle yoke</i>
3	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X
					<i>High angle yoke</i>
G401-S					
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
3	1610	2.114-32	3.000	5.375	EY 5-4-7221X
J340-S, J380-S					
1	1610	2.114-32	3.000	5.375	EY 5-4-7221X
1	1610	2.364-36	3.000	5.156	EY 5-4-8651-1X
1	1710	2.364-36	3.000	5.438	EY 6-4-8721-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1551-1
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1561-1X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4441-1X


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
J340-S, J380-S (Continued)					
2	1610	1.989-30	3.000	6.000	EY 5-4-8661-1
					<i>High angle yoke</i>
2	1710	1.989-30	3.000	6.281	EY 6-4-8731-1
					<i>High angle yoke</i>
3	1610	2.114-32	3.000	5.375	EY 5-4-7221X
3	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
3	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X
					<i>High angle yoke</i>
3	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X
					<i>High angle yoke</i>
J400-S					
1	SPL250	2.364-36	3.000	5.680	EY 250-4-361-1
1	SPL250	2.364-36	3.000	5.680	EY 250-4-371-1X
1	1610	2.364-36	3.000	5.156	EY 5-4-8641-1
1	1610	2.364-36	3.000	5.156	EY 5-4-8651-1X
1	1710	2.364-36	3.000	5.438	EY 6-4-8711-1
1	1710	2.364-36	3.000	5.438	EY 6-4-8721-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1551-1
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1561-1X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4431-1
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4441-1X
2	SPL170	1.989-30	3.000	6.580	EY 170-4-771-1
					<i>High angle yoke</i>
2	1610	1.989-30	3.000	6.000	EY 5-4-8661-1
					<i>High angle yoke</i>
2	1710	1.989-30	3.000	6.281	EY 6-4-8731-1
					<i>High angle yoke</i>
3	1610	2.114-32	3.000	2.844	CF 5-1-6691
					<i>.424 deep counterbore at hub end</i>
3	1610	2.114-32	3.000	2.844	CF 5-1-6701X
					<i>.424 deep counterbore at hub end</i>
3	SPL140	2.114-32	3.000	4.810	EY 140-4-921-1
3	SPL140	2.114-32	3.000	4.810	EY 140-4-931-1X
3	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
3	SPL170	2.114-32	3.000	5.000	EY 170-4-901-1X
3	SPL170	2.114-32	3.000	6.312	EY 170-4-951-1
					<i>High angle yoke</i>
3	SPL170	2.114-32	3.000	6.312	EY 170-4-961-1X
					<i>High angle yoke</i>
3	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1
					<i>Counterbore at hub end.</i>
3	SPL250	2.114-32	3.000	5.240	EY 250-4-421-1X
					<i>Counterbore at hub end.</i>
3	SPL90	2.114-32	3.000	4.375	EY 90-4-581-1
3	SPL90	2.114-32	3.000	4.375	EY 90-4-591-1X
3	1480	2.114-32	3.000	4.281	EY 3-4-13341-1
3	1480	2.114-32	3.000	4.281	EY 3-4-13351-1X
3	1550	2.114-32	3.000	4.312	EY 4-4-6991-1

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

J400-S (Continued)

3	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
3	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
3	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
3	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 <i>High angle yoke</i>
3	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X <i>High angle yoke</i>
3	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
3	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
3	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 <i>High angle yoke</i>
3	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X <i>High angle yoke</i>
3	1760	2.114-32	3.000	5.000	EY 6-3-4-1511-1
3	1760	2.114-32	3.000	5.000	EY 6-3-4-1521-1X
3	1810	2.114-32	3.000	5.000	EY 6-5-4-4451-1
3	1810	2.114-32	3.000	5.000	EY 6-5-4-4461-1X

M460-S

1	1610	2.364-36	3.000	5.156	EY 5-4-8651-1X
1	1710	2.364-36	3.000	5.438	EY 6-4-8721-1X
1	1760	2.364-36	3.000	5.438	EY 6-3-4-1561-1X
1	1810	2.364-36	3.000	5.438	EY 6-5-4-4441-1X
2	1610	1.989-30	3.000	6.000	EY 5-4-8661-1 <i>High angle yoke</i>
2	1710	1.989-30	3.000	6.281	EY 6-4-8731-1 <i>High angle yoke</i>
3	1710	2.364-36	3.000	6.500	EY 6-4-8781-1X <i>High angle yoke</i>

N340-S

1	1610	2.114-32	3.000	2.844	CF 5-1-6691 <i>.424 deep counterbore at hub end</i>
1	1610	2.114-32	3.000	2.844	CF 5-1-6701X <i>.424 deep counterbore at hub end</i>
1	SPL140	2.114-32	3.000	4.810	EY 140-4-921-1
1	SPL140	2.114-32	3.000	4.810	EY 140-4-931-1X
1	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
1	SPL170	2.114-32	3.000	5.000	EY 170-4-901-1X
1	SPL170	2.114-32	3.000	6.312	EY 170-4-951-1 <i>High angle yoke</i>
1	SPL170	2.114-32	3.000	6.312	EY 170-4-961-1X <i>High angle yoke</i>
1	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1 <i>Counterbore at hub end.</i>
1	SPL250	2.114-32	3.000	5.240	EY 250-4-421-1X <i>Counterbore at hub end.</i>
1	SPL90	2.114-32	3.000	4.375	EY 90-4-581-1
1	SPL90	2.114-32	3.000	4.375	EY 90-4-591-1X
1	1480	2.114-32	3.000	4.281	EY 3-4-13341-1
1	1480	2.114-32	3.000	4.281	EY 3-4-13351-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

N340-S (Continued)

1	1550	2.114-32	3.000	4.312	EY 4-4-6991-1
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 <i>High angle yoke</i>
1	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 <i>High angle yoke</i>
1	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X <i>High angle yoke</i>
1	1760	2.114-32	3.000	5.000	EY 6-3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6-3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6-5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6-5-4-4461-1X
2	SPL170	1.790-34	2.500	5.030	EY 170-4-921-1
2	1610	1.790-34	2.500	5.438	EY 5-4-8911-1
2	1710	1.790-34	2.500	4.875	EY 6-4-9021-1
3	1610	2.114-32	3.000	2.844	CF 5-1-6691 <i>.424 deep counterbore at hub end</i>
3	1610	2.114-32	3.000	2.844	CF 5-1-6701X <i>.424 deep counterbore at hub end</i>
3	SPL140	2.114-32	3.000	4.810	EY 140-4-921-1
3	SPL140	2.114-32	3.000	4.810	EY 140-4-931-1X
3	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
3	SPL170	2.114-32	3.000	5.000	EY 170-4-901-1X
3	SPL170	2.114-32	3.000	6.312	EY 170-4-951-1 <i>High angle yoke</i>
3	SPL170	2.114-32	3.000	6.312	EY 170-4-961-1X <i>High angle yoke</i>
3	SPL90	2.114-32	3.000	4.375	EY 90-4-581-1
3	SPL90	2.114-32	3.000	4.375	EY 90-4-591-1X
3	1480	2.114-32	3.000	4.281	EY 3-4-13341-1
3	1480	2.114-32	3.000	4.281	EY 3-4-13351-1X
3	1550	2.114-32	3.000	4.312	EY 4-4-6991-1
3	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
3	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
3	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
3	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 <i>High angle yoke</i>
3	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X <i>High angle yoke</i>
3	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
3	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
3	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 <i>High angle yoke</i>

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
N340-S (Continued)					
3	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X <i>High angle yoke</i>
3	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
3	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
3	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
3	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
N400-S					
1	1610	2.114-32	3.000	2.844	CF 5-1-6691 .424 deep counterbore at hub end
1	1610	2.114-32	3.000	2.844	CF 5-1-6701X .424 deep counterbore at hub end
1	SPL140	2.114-32	3.000	4.810	EY 140-4-921-1
1	SPL140	2.114-32	3.000	4.810	EY 140-4-931-1X
1	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
1	SPL170	2.114-32	3.000	5.000	EY 170-4-901-1X
1	SPL170	2.114-32	3.000	6.312	EY 170-4-951-1 <i>High angle yoke</i>
1	SPL170	2.114-32	3.000	6.312	EY 170-4-961-1X <i>High angle yoke</i>
1	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1 <i>Counterbore at hub end.</i>
1	SPL250	2.114-32	3.000	5.240	EY 250-4-421-1X <i>Counterbore at hub end.</i>
1	SPL90	2.114-32	3.000	4.375	EY 90-4-581-1
1	SPL90	2.114-32	3.000	4.375	EY 90-4-591-1X
1	1480	2.114-32	3.000	4.281	EY 3-4-13341-1
1	1480	2.114-32	3.000	4.281	EY 3-4-13351-1X
1	1550	2.114-32	3.000	4.312	EY 4-4-6991-1
1	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
1	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
1	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
1	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 <i>High angle yoke</i>
1	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X <i>High angle yoke</i>
1	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
1	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
1	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 <i>High angle yoke</i>
1	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X <i>High angle yoke</i>
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
2	SPL170	1.790-34	2.500	5.030	EY 170-4-921-1
2	1610	1.790-34	2.500	5.438	EY 5-4-8911-1
2	1710	1.790-34	2.500	4.875	EY 6-4-9021-1
3	1610	2.114-32	3.000	2.844	CF 5-1-6691 .424 deep counterbore at hub end
3	1610	2.114-32	3.000	2.844	CF 5-1-6701X .424 deep counterbore at hub end
3	SPL140	2.114-32	3.000	4.810	EY 140-4-921-1
3	SPL140	2.114-32	3.000	4.810	EY 140-4-931-1X
3	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
3	SPL170	2.114-32	3.000	5.000	EY 170-4-901-1X
3	SPL170	2.114-32	3.000	6.312	EY 170-4-951-1 <i>High angle yoke</i>
3	SPL170	2.114-32	3.000	6.312	EY 170-4-961-1X <i>High angle yoke</i>
3	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1 <i>Counterbore at hub end.</i>
3	SPL250	2.114-32	3.000	5.240	EY 250-4-421-1X <i>Counterbore at hub end.</i>


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
N400-S (Continued)					
3	SPL90	2.114-32	3.000	4.375	EY 90-4-581-1
3	SPL90	2.114-32	3.000	4.375	EY 90-4-591-1X
3	1480	2.114-32	3.000	4.281	EY 3-4-13341-1
3	1480	2.114-32	3.000	4.281	EY 3-4-13351-1X
3	1550	2.114-32	3.000	4.312	EY 4-4-6991-1
3	1550	2.114-32	3.000	4.312	EY 4-4-7001-1X
3	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
3	1610	2.114-32	3.000	5.375	EY 5-4-8611-1X
3	1610	2.114-32	3.000	6.000	EY 5-4-8681-1 <i>High angle yoke</i>
3	1610	2.114-32	3.000	6.000	EY 5-4-8691-1X <i>High angle yoke</i>
3	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
3	1710	2.114-32	3.000	4.562	EY 6-4-8681-1X
3	1710	2.114-32	3.000	6.062	EY 6-4-8751-1 <i>High angle yoke</i>
3	1710	2.114-32	3.000	6.062	EY 6-4-8761-1X <i>High angle yoke</i>
3	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
3	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
3	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
3	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
R170, R190					
3	1710	2.544-49	3.819	5.570	EY 6-4-10291
3	1710	2.544-49	3.819	5.570	EY 6-4-10291-1
3	1710	2.544-49	3.819	6.260	EY 6-4-10311
3	1710	2.544-49	3.819	6.260	EY 6-4-10311-1 <i>Counterbore at hub end.</i>
3	1760	2.544-49	3.818	5.200	EY 6.3-4-1861-1
3	1810	2.544-49	3.818	5.740	EY 6.5-4-5091
3	1810	2.544-49	3.818	5.740	EY 6.5-4-5091-1
S170					
3	SPL170	2.544-49	3.820	6.810	EY 5006714
3	1710	2.544-49	3.819	5.570	EY 6-4-10291
3	1710	2.544-49	3.819	5.570	EY 6-4-10291-1
S190					
3	SPL170	2.544-49	3.820	6.810	EY 5006714
3	1710	2.544-49	3.819	5.570	EY 6-4-10291
3	1710	2.544-49	3.819	5.570	EY 6-4-10291-1
3	1710	2.544-49	3.819	6.260	EY 6-4-10311
3	1710	2.544-49	3.819	6.260	EY 6-4-10311-1 <i>Counterbore at hub end.</i>
3	1760	2.544-49	3.818	5.200	EY 6.3-4-1861-1
S400					
1	SPL170	2.024-39	3.000	5.031	EY 170-4-841-1
1	SPL170	2.024-39	3.000	5.031	EY 170-4-851-1X
1	SPL250	2.024-39	3.000	5.240	EY 250-4-381-1
1	SPL250	2.024-39	3.000	5.240	EY 250-4-391-1X
1	1610	2.024-39	3.000	6.000	EY 5-4-9291-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	6.000	EY 6-4-9291-1 <i>High angle yoke</i>
1	1710	2.024-39	3.000	4.656	EY 6-4-9421-1
1	1710	2.024-39	3.000	4.656	EY 6-4-9441-1X
1	1760	2.024-39	3.000	5.625	EY 6.3-4-1701-1
1	1760	2.024-39	3.000	5.625	EY 6.3-4-1711-1X
1	1810	2.024-39	3.000	5.000	EY 6.5-4-4651-1
1	1810	2.024-39	3.000	5.000	EY 6.5-4-4661-1X
2	SPL170	2.024-39	3.000	5.280	EY 170-4-821-1

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

S400 (Continued)					
2	SPL170	2.024-39	3.000	6.500	EY 170-4-831-1 <i>High angle yoke</i>
2	1610	2.024-39	3.000	5.594	EY 5-4-9351-1
2	1710	2.024-39	3.000	6.120	EY 6-4-9281-1
2	1710	2.024-39	3.000	5.438	EY 6-4-9411-1
3	SPL170	2.024-39	3.000	6.250	EY 170-4-801-1 <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	6.250	EY 170-4-811-1X <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	5.031	EY 170-4-841-1
3	SPL170	2.024-39	3.000	5.031	EY 170-4-861-1X
3	1610	2.024-39	3.000	6.000	EY 5-4-9291-1 <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.000	EY 5-4-9311-1X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.000	EY 6-4-9291-1 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.000	EY 6-4-9301-1X <i>High angle yoke</i>
3	1710	2.024-39	3.000	4.656	EY 6-4-9421-1
3	1710	2.024-39	3.000	4.656	EY 6-4-9431-1X

W460-S					
1	SPL250	2.364-36	3.000	5.680	EY 250-4-361-1
1	SPL250	2.364-36	3.000	5.680	EY 250-4-371-1X
1	1610	2.364-36	3.000	5.156	EY 5-4-8641-1
1	1610	2.364-36	3.000	5.156	EY 5-4-8651-1X
1	1710	2.364-36	3.000	5.438	EY 6-4-8711-1
1	1710	2.364-36	3.000	5.438	EY 6-4-8721-1X
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1551-1
1	1760	2.364-36	3.000	5.438	EY 6.3-4-1561-1X
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4431-1
1	1810	2.364-36	3.000	5.438	EY 6.5-4-4441-1X
2	SPL170	1.989-30	3.000	6.580	EY 170-4-771-1 <i>High angle yoke</i>
2	1610	1.989-30	3.000	6.000	EY 5-4-8661-1 <i>High angle yoke</i>
2	1710	1.989-30	3.000	6.281	EY 6-4-8731-1 <i>High angle yoke</i>
3	SPL170	2.364-36	3.000	6.780	EY 170-4-781-1 <i>High angle yoke</i>
3	SPL170	2.364-36	3.000	6.780	EY 170-4-791-1X <i>High angle yoke</i>
3	1710	2.364-36	3.000	6.500	EY 6-4-8771-1 <i>High angle yoke</i>
3	1710	2.364-36	3.000	6.500	EY 6-4-8781-1X <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

22-MF, 22-MR, 28-MF, 28-MR					
1	1480/1550	1.750-10	2.375	2.812	CF 4-1-3171
1	1350	1.750-10	2.375	4.000	EY 3-4-2351-1
3	1480/1550	1.750-10	2.375	2.812	CF 4-1-3171
3	1350	1.750-10	2.375	4.000	EY 3-4-2351-1

280					
3	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>

30R					
1	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.964-10	2.625	4.500	EY 6-4-2211 .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X .250 deep spline chamfer
1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X .250 deep spline chamfer
2	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
2	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
2	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>High angle yoke</i>
2	1610	1.750-10	2.625	4.750	EY 5-4-5111X
2	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>Chamfered Counterbore; High angle yoke</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
3	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>All ratios except 3.70 & 4.11; .250 deep spline chamfer</i>
3	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
3	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
3	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>All ratios except 3.70 & 4.11; High angle yoke</i>

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

30R (Continued)

3	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1610	1.750-10	2.625	4.750	EY 5-4-5111X <i>All ratios except 3.70 & 4.11</i>
3	1610	1.962-10	2.625	4.719	EY 5-4-5121X <i>3.70 & 4.11 ratios only</i>
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore; High angle yoke</i>
3	1710	1.962-10	2.625	5.250	EY 6-4-5151X <i>3.70 & 4.11 ratios only</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>

32-MF, 32-MR

1	1480/1550	1.750-10	2.375	2.812	CF 4-1-3171
3	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>.250 deep spline chamfer</i>
3	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X <i>.250 deep spline chamfer</i>
3	1610	1.750-10	2.625	4.125	EY 5-4-781
3	1650	1.750-10	2.625	4.375	EY 5-4-4161X <i>Chamfered Counterbore</i>

34-MF, 34-MR

1	1480/1550	1.750-10	2.375	2.812	CF 4-1-3171
3	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>.250 deep spline chamfer</i>
3	1610	1.750-10	2.625	4.125	EY 5-4-781
3	1650	1.750-10	2.625	4.375	EY 5-4-4161X <i>Chamfered Counterbore</i>

34D

1	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.964-10	2.625	4.500	EY 6-4-2211 <i>.250 deep spline chamfer</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4721 <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X <i>.250 deep spline chamfer</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X <i>.250 deep spline chamfer</i>

34D (Continued)

1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X <i>.250 deep spline chamfer</i>
2	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>.250 deep spline chamfer</i>
2	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>High angle yoke</i>
2	1610	1.750-10	2.625	4.750	EY 5-4-5111X
2	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>Chamfered Counterbore; High angle yoke</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
3	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>All ratios except 3.70 & 4.11; .250 deep spline chamfer</i>
3	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>All ratios except 3.70 & 4.11; High angle yoke</i>
3	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1610	1.750-10	2.625	4.750	EY 5-4-5111X <i>All ratios except 3.70 & 4.11</i>
3	1610	1.962-10	2.625	4.719	EY 5-4-5121X <i>3.70 & 4.11 ratios only</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>All ratios except 3.70 & 4.11</i>
3	1710	1.962-10	2.625	5.250	EY 6-4-5151X <i>3.70 & 4.11 ratios only</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>

34R


1	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.964-10	2.625	4.500	EY 6-4-2211 <i>.250 deep spline chamfer</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4721 <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X <i>.250 deep spline chamfer</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

34R (Continued)

1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X .250 deep spline chamfer
1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X .250 deep spline chamfer
2	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
2	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
2	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
2	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>High angle yoke</i>
2	1610	1.750-10	2.625	4.750	EY 5-4-5111X
2	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>Chamfered Counterbore; High angle yoke</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
3	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>All ratios except 3.70 & 4.11; .250 deep spline chamfer</i>
3	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
3	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
3	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>All ratios except 3.70 & 4.11; High angle yoke</i>
3	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1610	1.750-10	2.625	4.750	EY 5-4-5111X <i>All ratios except 3.70 & 4.11</i>
3	1610	1.962-10	2.625	4.719	EY 5-4-5121X <i>3.70 & 4.11 ratios only</i>
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>All ratios except 3.70 & 4.11 Chamfered Counterbore; High angle yoke</i>
3	1710	1.962-10	2.625	5.250	EY 6-4-5151X <i>3.70 & 4.11 ratios only</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

34R (Continued)

3	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>

340

1	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.964-10	2.625	4.500	EY 6-4-2211 .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1710	2.149-16	2.938	5.188	EY 6-4-4961
1	1710	2.149-16	2.938	5.188	EY 6-4-5061X
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X .250 deep spline chamfer
1	1760	2.149-16	2.938	5.250	EY 6.3-4-231X
1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X .250 deep spline chamfer
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
2	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
2	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
2	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
2	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>High angle yoke</i>
2	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
2	1610	1.750-10	2.625	4.750	EY 5-4-5111X <i>Chamfered Counterbore</i>
2	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
2	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>Chamfered Counterbore; High angle yoke</i>

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
340 (Continued)					
2	1710	1.962-10	2.625	5.250	EY 6-4-5151X
2	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
3	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>All ratios except 3.70 & 4.11; .250 deep spline chamfer</i>
3	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X <i>.250 deep spline chamfer</i>
3	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X <i>.250 deep spline chamfer</i>
3	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>All ratios except 3.70 & 4.11; High angle yoke</i>
3	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1610	1.750-10	2.625	4.750	EY 5-4-5111X <i>All ratios except 3.70 & 4.11</i>
3	1610	1.962-10	2.625	4.719	EY 5-4-5121X <i>3.70 & 4.11 ratios only</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>All ratios except 3.70 & 4.11 Chamfered Counterbore; High angle yoke</i>
3	1710	1.962-10	2.625	5.250	EY 6-4-5141
3	1710	1.962-10	2.625	5.250	EY 6-4-5151X <i>3.70 & 4.11 ratios only</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
341					
1	1810	2.274-44	2.938	3.094	CF 6.5-1-2391
1	1810	2.274-44	2.938	3.094	CF 6.5-1-2401X
1	SPL170	2.274-44	2.938	5.281	EY 170-4-101-1X
1	SPL170	2.274-44	2.938	5.281	EY 170-4-91-1
1	SPL250	2.274-44	2.938	5.484	EY 250-4-51-1
1	SPL250	2.274-44	2.938	5.484	EY 250-4-61-1X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381-1X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381X
1	1610	2.274-44	2.938	5.000	EY 5-4-8321-1
1	1610	2.274-44	2.938	5.000	EY 5-4-8431-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041X
1	1710	2.274-44	2.938	5.188	EY 6-4-8461
1	1710	2.274-44	2.938	5.188	EY 6-4-8461-1
1	1710	2.274-44	2.938	5.188	EY 6-4-8551-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-8551X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421-1
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281X


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
341 (Continued)					
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4321
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4321-1
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351X
2	SPL170	1.790-34	2.625	5.600	EY 170-4-111-1
2	SPL170	1.790-34	2.625	5.600	EY 170-4-121-1X
2	SPL170	1.790-34	2.625	6.250	EY 170-4-131-1 <i>High angle yoke</i>
2	SPL170	1.790-34	2.625	6.250	EY 170-4-141-1X <i>High angle yoke</i>
2	1610	1.790-34	2.625	4.938	EY 5-4-6341
2	1610	1.790-34	2.625	6.188	EY 5-4-6351 <i>High angle yoke</i>
2	1610	1.790-34	2.625	6.188	EY 5-4-8001 <i>High angle yoke</i>
2	1610	1.790-34	2.625	6.188	EY 5-4-8441X <i>High angle yoke</i>
2	1610	1.790-34	2.625	4.938	EY 5-4-8491-1
2	1610	1.790-34	2.625	4.938	EY 5-4-8501-1X
2	1710	1.790-34	2.625	6.312	EY 6-4-6451 <i>High angle yoke</i>
2	1710	1.790-34	2.625	6.312	EY 6-4-6451-1 <i>High angle yoke</i>
2	1710	1.790-34	2.625	5.438	EY 6-4-6481
2	1710	1.790-34	2.625	6.312	EY 6-4-8001 <i>High angle yoke</i>
2	1710	1.790-34	2.625	6.312	EY 6-4-8001-1 <i>High angle yoke</i>
2	1710	1.790-34	2.625	5.438	EY 6-4-8081
2	1710	1.790-34	2.625	5.438	EY 6-4-8081-1
2	1710	1.790-34	2.625	6.312	EY 6-4-8521-1X <i>High angle yoke</i>
2	1710	1.790-34	2.625	6.312	EY 6-4-8521X <i>High angle yoke</i>
3	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1
3	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
3	SPL170	2.024-39	2.625	6.016	EY 170-4-171-1 <i>High angle yoke</i>
3	SPL170	2.024-39	2.625	6.016	EY 170-4-181-1X <i>High angle yoke</i>
3	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
3	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X
3	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
3	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
3	1610	2.024-39	2.625	6.000	EY 5-4-5971X <i>High angle yoke</i>
3	1610	2.024-39	2.625	5.312	EY 5-4-5991X
3	1610	2.024-39	2.625	5.312	EY 5-4-7971
3	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
3	1610	2.024-39	2.625	6.000	EY 5-4-7991 <i>High angle yoke</i>
3	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
3	1710	2.024-39	2.625	5.250	EY 6-4-6001X <i>.250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-6021-1X <i>High angle yoke; .250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-6021X <i>High angle yoke; .250 deep spline chamfer</i>

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
341 (Continued)					
3	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
3	1710	2.024-39	2.625	5.250	EY 6-4-7991
3	1710	2.024-39	2.625	5.250	EY 6-4-7991-1
3	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>
344					
1	SPL140	2.274-44	3.000	5.160	EY 140-4-1261-1
1	SPL140	2.274-44	3.000	5.160	EY 140-4-1271-1X
1	SPL140	2.274-44	3.000	2.160	EY 140-4-321-1 <i>Metric flanged yoke</i>
1	SPL140	2.274-44	3.000	2.160	EY 140-4-331-1X <i>Metric flanged yoke</i>
1	SPL170	2.274-44	3.000	5.270	EY 170-4-191-1
1	SPL170	2.274-44	3.000	5.270	EY 170-4-201-1X
1	SPL250	2.274-44	3.000	5.490	EY 250-4-71-1
1	SPL250	2.274-44	3.000	5.490	EY 250-4-81-1X
1	1610	2.274-44	3.000	5.000	EY 5-4-8311-1
1	1610	2.274-44	3.000	5.000	EY 5-4-9261-1X
1	1710	2.274-44	3.000	5.190	EY 6-4-8451
1	1710	2.274-44	3.000	5.190	EY 6-4-8451-1
1	1710	2.274-44	3.000	5.190	EY 6-4-8981-1X
1	1710	2.274-44	3.000	5.190	EY 6-4-8981X
1	1760	2.274-44	3.000	5.250	EY 6.3-4-1411
1	1760	2.274-44	3.000	5.250	EY 6.3-4-1411-1
1	1760	2.274-44	3.000	5.250	EY 6.3-4-5221-1X
1	1760	2.274-44	3.000	5.250	EY 6.3-4-5221X
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4311
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4311-1
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4571-1X
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4571X
2	SPL170	2.024-39	2.625	5.266	EY 170-4-211-1
2	SPL170	2.024-39	2.625	5.266	EY 170-4-221-1X
2	SPL170	2.024-39	2.625	6.500	EY 170-4-231-1 <i>High angle yoke</i>
2	SPL170	2.024-39	2.625	6.500	EY 170-4-241-1X <i>High angle yoke</i>
2	SPL170	2.024-39	2.625	5.750	EY 5001768
2	1610	2.024-39	2.625	6.000	EY 5-4-8301 <i>High angle yoke</i>
2	1610	2.024-39	2.625	6.000	EY 5-4-9271X <i>High angle yoke</i>
2	1710	2.024-39	2.625	6.125	EY 6-4-8431
2	1710	2.024-39	2.625	6.125	EY 6-4-8431-1
2	1710	2.024-39	2.625	5.250	EY 6-4-8441

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
344 (Continued)					
2	1710	2.024-39	2.625	5.250	EY 6-4-8441-1
2	1710	2.024-39	2.625	6.125	EY 6-4-9001-1X
2	1710	2.024-39	2.625	6.125	EY 6-4-9001X
2	1710	2.024-39	2.625	5.250	EY 6-4-9041-1X
2	1710	2.024-39	2.625	5.250	EY 6-4-9041X
3	SPL140	2.024-39	3.000	4.940	EY 140-4-1151-1
3	SPL140	2.024-39	3.000	4.940	EY 140-4-1161-1X
3	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
3	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X
3	SPL170	2.024-39	3.000	6.240	EY 170-4-1621-1
3	SPL170	2.024-39	3.000	6.240	EY 170-4-1631-1X
3	SPL170	2.024-39	2.625	6.500	EY 170-4-1641-1
3	SPL170	2.024-39	2.625	6.500	EY 170-4-1651-1X
3	SPL170	2.024-39	3.000	5.156	EY 170-4-251-1
3	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X
3	SPL170	2.024-39	3.000	6.240	EY 170-4-271-1 <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	5.540	EY 5001766
3	SPL250	2.274-44	3.000	5.490	EY 250-4-81-1X
3	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1
3	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X
3	1480	2.024-39	3.000	4.344	EY 3-4-13071-1
3	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X
3	1550	2.024-39	3.000	4.281	EY 4-4-7561-1
3	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X
3	1610	2.024-39	3.000	6.000	EY 5-4-8261 <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.000	EY 5-4-8261-1 <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-9221-1
3	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X
3	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.000	EY 5-4-9241X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.125	EY 6-4-8411 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.125	EY 6-4-8411-1
3	1710	2.024-39	3.000	5.250	EY 6-4-8421
3	1710	2.024-39	3.000	5.250	EY 6-4-8421-1
3	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X
3	1710	2.024-39	3.000	6.125	EY 6-4-8991X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.250	EY 6-4-9031-1X
3	1710	2.024-39	3.000	5.250	EY 6-4-9031X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
355					
1	SPL140	2.274-44	3.000	2.160	EY 140-4-321-1 <i>Metric flanged yoke</i>
1	SPL140	2.274-44	3.000	2.160	EY 140-4-331-1X <i>Metric flanged yoke</i>
36-MF, 36-MR					
1	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
1	1610	1.962-10	2.625	4.719	EY 5-4-5121-1X
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.964-10	2.625	4.500	EY 6-4-2211 .250 deep spline chamfer
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
38D					
1	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.964-10	2.625	4.500	EY 6-4-2211 .250 deep spline chamfer
1	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4721 <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X .250 deep spline chamfer
1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X .250 deep spline chamfer
2	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
2	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>High angle yoke</i>
2	1610	1.750-10	2.625	4.750	EY 5-4-5111X
2	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>Chamfered Counterbore; High angle yoke</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
3	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>All ratios except 3.70 & 4.11; .250 deep spline chamfer</i>
3	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>All ratios except 3.70 & 4.11; High angle yoke</i>
3	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1610	1.750-10	2.625	4.750	EY 5-4-5111X <i>All ratios except 3.70 & 4.11</i>
3	1610	1.962-10	2.625	4.719	EY 5-4-5121X <i>3.70 & 4.11 ratios only</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
38D (Continued)					
3	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>All ratios except 3.70 & 4.11</i>
3	1710	1.962-10	2.625	5.250	EY 6-4-5151X <i>Chamfered Counterbore; High angle yoke</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>3.70 & 4.11 ratios only</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
38R					
1	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.964-10	2.625	4.500	EY 6-4-2211 .250 deep spline chamfer
1	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4721 <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4721 <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1710	1.962-10	2.625	4.500	EY 6.3-4-221X .250 deep spline chamfer
1	1710	1.962-10	2.625	6.125	EY 6.5-4-2351X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X .250 deep spline chamfer
1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X .250 deep spline chamfer
2	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
2	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>High angle yoke</i>
2	1610	1.750-10	2.625	4.750	EY 5-4-5111X
2	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>Chamfered Counterbore; High angle yoke</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
2	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>All ratios except 3.70 & 4.11; .250 deep spline chamfer</i>
2	1610	1.750-10	2.625	4.750	EY 5-4-5111X
2	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>Chamfered Counterbore; High angle yoke</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
380 (Continued)					
3	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1610	1.750-10	2.625	4.750	EY 5-4-5111X <i>All ratios except 3.70 & 4.11</i>
3	1610	1.962-10	2.625	4.719	EY 5-4-5121X <i>3.70 & 4.11 ratios only</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>All ratios except 3.70 & 4.11 Chamfered Counterbore; High angle yoke</i>
3	1710	1.962-10	2.625	5.250	EY 6-4-5141
3	1710	1.962-10	2.625	5.250	EY 6-4-5151X <i>3.70 & 4.11 ratios only</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
381					
1	1810	2.274-44	2.938	3.094	CF 6.5-1-2401X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381-1X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041X
1	1710	2.274-44	2.938	5.188	EY 6-4-8461
1	1710	2.274-44	2.938	5.188	EY 6-4-8461-1
1	1710	2.274-44	2.938	5.188	EY 6-4-8551-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-8551X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421-1
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351X
2	1610	1.790-34	2.625	4.938	EY 5-4-6341
2	1610	1.790-34	2.625	6.188	EY 5-4-6351 <i>High angle yoke</i>
2	1610	1.790-34	2.625	6.188	EY 5-4-8441X <i>High angle yoke</i>
2	1610	1.790-34	2.625	4.938	EY 5-4-8501-1X
2	1710	1.790-34	2.625	6.312	EY 6-4-6451 <i>High angle yoke</i>
2	1710	1.790-34	2.625	5.438	EY 6-4-6481
2	1710	1.790-34	2.625	5.438	EY 6-4-8081
2	1710	1.790-34	2.625	5.438	EY 6-4-8081-1
2	1710	1.790-34	2.625	5.438	EY 6-4-8511-1X
2	1710	1.790-34	2.625	5.438	EY 6-4-8511X
2	1710	1.790-34	2.625	6.312	EY 6-4-8521-1X <i>High angle yoke</i>


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
381 (Continued)					
2	1710	1.790-34	2.625	6.312	EY 6-4-8521X <i>High angle yoke</i>
3	1610	2.024-39	2.625	6.000	EY 5-4-5971X <i>High angle yoke</i>
3	1610	2.024-39	2.625	5.312	EY 5-4-5991X
3	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
3	1610	2.024-39	2.625	5.312	EY 5-4-8411X
3	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
3	1710	2.024-39	2.625	5.250	EY 6-4-6001X <i>.250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-6021-1X <i>High angle yoke; .250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-6021X <i>High angle yoke; .250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
3	1710	2.024-39	2.625	5.250	EY 6-4-7991
3	1710	2.024-39	2.625	5.250	EY 6-4-8531X
3	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>
400					
1	1710	2.149-16	2.938	5.188	EY 6-4-4961
1	1710	2.149-16	2.938	5.188	EY 6-4-5061X
1	1760	2.149-16	2.938	5.250	EY 6.3-4-231X
2	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
2	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
2	1710	1.962-10	2.625	5.250	EY 6-4-5151X
3	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>High angle yoke</i>
3	1610	2.024-39	2.625	6.000	EY 5-4-5971X <i>High angle yoke</i>
3	1610	2.024-39	2.625	5.312	EY 5-4-5991X
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>Chamfered Counterbore; High angle yoke</i>
3	1710	2.024-39	2.625	5.250	EY 6-4-6001X <i>.250 deep spline chamfer</i>
401					
1	1810	2.274-44	2.938	3.094	CF 6.5-1-2401X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381-1X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041X
1	1710	2.114-32	3.000	4.562	EY 6-4-7221X
1	1710	2.274-44	2.938	5.188	EY 6-4-8461
1	1710	2.274-44	2.938	5.188	EY 6-4-8461-1
1	1710	2.274-44	2.938	5.188	EY 6-4-8551-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-8551X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421-1
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481X

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

401 (Continued)

1	1760	2.114-32	3.000	5.000	EY 6.3-4-1511-1
1	1760	2.114-32	3.000	5.000	EY 6.3-4-1521-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351X
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4461-1X
2	1610	1.790-34	2.625	4.938	EY 5-4-6341
2	1610	1.790-34	2.625	6.188	EY 5-4-6351
					<i>High angle yoke</i>
2	1610	1.790-34	2.625	6.188	EY 5-4-8441X
					<i>High angle yoke</i>
2	1610	1.790-34	2.625	4.938	EY 5-4-8501-1X
2	1710	1.790-34	2.625	6.312	EY 6-4-6451
					<i>High angle yoke</i>
2	1710	1.790-34	2.625	5.438	EY 6-4-6481
2	1710	1.790-34	2.625	5.438	EY 6-4-8081
2	1710	1.790-34	2.625	5.438	EY 6-4-8081-1
2	1710	1.790-34	2.625	5.438	EY 6-4-8511-1X
2	1710	1.790-34	2.625	5.438	EY 6-4-8511X
2	1710	1.790-34	2.625	6.312	EY 6-4-8521-1X
					<i>High angle yoke</i>
2	1710	1.790-34	2.625	6.312	EY 6-4-8521X
					<i>High angle yoke</i>
3	1610	2.024-39	2.625	6.000	EY 5-4-5971X
					<i>High angle yoke</i>
3	1610	2.024-39	2.625	5.312	EY 5-4-5991X
3	1610	2.024-39	2.625	5.312	EY 5-4-8411-1X
3	1610	2.024-39	2.625	5.312	EY 5-4-8411X
3	1610	2.024-39	2.625	6.000	EY 5-4-8421X
					<i>High angle yoke</i>
3	1710	2.024-39	2.625	5.250	EY 6-4-6001X
					<i>.250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-6021-1X
					<i>High angle yoke; .250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-6021X
					<i>High angle yoke; .250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-7981
					<i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-7981-1
					<i>High angle yoke</i>
3	1710	2.024-39	2.625	5.250	EY 6-4-7991
3	1710	2.024-39	2.625	5.250	EY 6-4-8531X
3	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X
					<i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-8541X
					<i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	-----------------	-------------------------

402

1	1810	2.274-44	2.938	3.094	CF 6.5-1-2391
1	SPL170	2.274-44	2.938	5.281	EY 170-4-101-1X
1	SPL170	2.274-44	2.938	5.281	EY 170-4-91-1
1	SPL250	2.274-44	2.938	5.484	EY 250-4-51-1
1	SPL250	2.274-44	2.938	5.484	EY 250-4-61-1X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381-1X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381X
1	1610	2.274-44	2.938	5.000	EY 5-4-8321-1
1	1610	2.274-44	2.938	5.000	EY 5-4-8431-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041X
1	1710	2.274-44	2.938	5.188	EY 6-4-8461
1	1710	2.274-44	2.938	5.188	EY 6-4-8461-1
1	1710	2.274-44	2.938	5.188	EY 6-4-8551-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421-1
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4321
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4321-1
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351X
2	SPL170	1.790-34	2.625	5.600	EY 170-4-111-1
2	SPL170	1.790-34	2.625	5.600	EY 170-4-121-1X
2	SPL170	1.790-34	2.625	6.250	EY 170-4-131-1
					<i>High angle yoke</i>
2	SPL170	1.790-34	2.625	6.250	EY 170-4-141-1X
					<i>High angle yoke</i>
2	1610	1.790-34	2.625	4.938	EY 5-4-6341
2	1610	1.790-34	2.625	6.188	EY 5-4-6351
					<i>High angle yoke</i>
2	1610	1.790-34	2.625	6.188	EY 5-4-8001
					<i>High angle yoke</i>
2	1610	1.790-34	2.625	6.188	EY 5-4-8441X
					<i>High angle yoke</i>
2	1610	1.790-34	2.625	4.938	EY 5-4-8491-1
2	1610	1.790-34	2.625	4.938	EY 5-4-8501-1X
2	1710	1.790-34	2.625	6.312	EY 6-4-6451
					<i>High angle yoke</i>
2	1710	1.790-34	2.625	6.312	EY 6-4-6451-1
					<i>High angle yoke</i>
2	1710	1.790-34	2.625	5.438	EY 6-4-6481
2	1710	1.790-34	2.625	6.312	EY 6-4-8001
					<i>High angle yoke</i>

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
402 (Continued)					
2	1710	1.790-34	2.625	6.312	EY 6-4-8001-1 <i>High angle yoke</i>
2	1710	1.790-34	2.625	5.438	EY 6-4-8081
2	1710	1.790-34	2.625	5.438	EY 6-4-8081-1
2	1710	1.790-34	2.625	6.312	EY 6-4-8521-1X <i>High angle yoke</i>
3	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1
3	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
3	SPL170	2.024-39	2.625	6.016	EY 170-4-171-1 <i>High angle yoke</i>
3	SPL170	2.024-39	2.625	6.016	EY 170-4-181-1X <i>High angle yoke</i>
3	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
3	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X
3	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
3	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
3	1610	2.024-39	2.625	6.000	EY 5-4-5971X <i>High angle yoke</i>
3	1610	2.024-39	2.625	5.312	EY 5-4-5991X
3	1610	2.024-39	2.625	5.312	EY 5-4-7971
3	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
3	1610	2.024-39	2.625	6.000	EY 5-4-7991 <i>High angle yoke</i>
3	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
3	1710	2.024-39	2.625	5.250	EY 6-4-6001X <i>.250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-6021X <i>High angle yoke; .250 deep spline chamfer</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
3	1710	2.024-39	2.625	5.250	EY 6-4-7991
3	1710	2.024-39	2.625	5.250	EY 6-4-7991-1
3	1710	2.024-39	2.625	5.250	EY 6-4-8531-1X
3	1710	2.024-39	2.625	5.250	EY 6-4-8531X
3	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>
404					
1	SPL140	2.274-44	3.000	5.160	EY 140-4-1261-1
1	SPL140	2.274-44	3.000	5.160	EY 140-4-1271-1X
1	SPL140	2.274-44	3.000	2.160	EY 140-4-321-1 <i>Metric flanged yoke</i>
1	SPL140	2.274-44	3.000	2.160	EY 140-4-331-1X <i>Metric flanged yoke</i>
1	SPL170	2.274-44	3.000	5.270	EY 170-4-191-1
1	SPL170	2.274-44	3.000	5.270	EY 170-4-201-1X
1	SPL250	2.274-44	3.000	5.490	EY 250-4-71-1
1	SPL250	2.274-44	3.000	5.490	EY 250-4-81-1X
1	1610	2.274-44	3.000	5.000	EY 5-4-8311-1
1	1610	2.274-44	3.000	5.000	EY 5-4-9261-1X
1	1710	2.274-44	3.000	5.190	EY 6-4-8451
1	1710	2.274-44	3.000	5.190	EY 6-4-8451-1
1	1710	2.274-44	3.000	5.190	EY 6-4-8981-1X
1	1710	2.274-44	3.000	5.190	EY 6-4-8981X
1	1760	2.274-44	3.000	5.250	EY 6.3-4-1411
1	1760	2.274-44	3.000	5.250	EY 6.3-4-1411-1


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
404 (Continued)					
1	1760	2.274-44	3.000	5.250	EY 6.3-4-5221-1X
1	1760	2.274-44	3.000	5.250	EY 6.3-4-5221X
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4311
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4311-1
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4571-1X
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4571X
2	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
2	SPL170	2.024-39	2.625	5.266	EY 170-4-211-1
2	SPL170	2.024-39	2.625	5.266	EY 170-4-221-1X
2	SPL170	2.024-39	2.625	6.500	EY 170-4-231-1 <i>High angle yoke</i>
2	SPL170	2.024-39	2.625	6.500	EY 170-4-241-1X <i>High angle yoke</i>
2	SPL170	2.024-39	2.625	5.750	EY 5001768
2	1610	2.024-39	2.625	6.000	EY 5-4-8301 <i>High angle yoke</i>
2	1610	2.024-39	2.625	6.000	EY 5-4-9271X <i>High angle yoke</i>
2	1710	2.024-39	2.625	6.125	EY 6-4-8431
2	1710	2.024-39	2.625	6.125	EY 6-4-8431-1
2	1710	2.024-39	2.625	5.250	EY 6-4-8441
2	1710	2.024-39	2.625	5.250	EY 6-4-8441-1
2	1710	2.024-39	2.625	6.125	EY 6-4-9001-1X
2	1710	2.024-39	2.625	6.125	EY 6-4-9001X
2	1710	2.024-39	2.625	5.250	EY 6-4-9041-1X
2	1710	2.024-39	2.625	5.250	EY 6-4-9041X
3	SPL100	2.024-39	3.000	7.295	EY 100-4-1361-1 <i>Flanged end yoke</i>
3	SPL100	2.024-39	3.000	7.295	EY 100-4-1371-1X <i>Flanged end yoke</i>
3	SPL140	2.024-39	3.000	4.940	EY 140-4-1151-1
3	SPL140	2.024-39	3.000	4.940	EY 140-4-1161-1X
3	SPL140	2.274-44	3.000	2.160	EY 140-4-331-1X <i>Metric flanged yoke</i>
3	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
3	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X
3	SPL170	2.024-39	3.000	6.240	EY 170-4-1621-1
3	SPL170	2.024-39	3.000	6.240	EY 170-4-1631-1X
3	SPL170	2.024-39	2.625	6.500	EY 170-4-1641-1
3	SPL170	2.024-39	2.625	6.500	EY 170-4-1651-1X
3	SPL170	2.274-44	3.000	5.270	EY 170-4-201-1X
3	SPL170	2.024-39	3.000	5.156	EY 170-4-251-1
3	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X
3	SPL170	2.024-39	3.000	6.240	EY 170-4-271-1 <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X <i>High angle yoke</i>
3	SPL170	2.024-39	3.000	5.540	EY 5001766
3	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1
3	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X
3	1480	2.024-39	3.000	4.344	EY 3-4-13071-1
3	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X
3	1550	2.024-39	3.000	4.281	EY 4-4-7561-1
3	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X
3	1610	2.024-39	3.000	6.000	EY 5-4-8261 <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.000	EY 5-4-8261-1 <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-9221-1

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
404 (Continued)					
3	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X
3	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.000	EY 5-4-9241X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.125	EY 6-4-8411 <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.125	EY 6-4-8411-1
3	1710	2.024-39	3.000	5.250	EY 6-4-8421
3	1710	2.024-39	3.000	5.250	EY 6-4-8421-1
3	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X
3	1710	2.024-39	3.000	6.125	EY 6-4-8991X <i>High angle yoke</i>
405					
1	SPL140	2.274-44	3.000	5.160	EY 140-4-1261-1
1	SPL140	2.274-44	3.000	5.160	EY 140-4-1271-1X
1	SPL140	2.274-44	3.000	2.160	EY 140-4-321-1 <i>Metric flanged yoke</i>
1	SPL140	2.274-44	3.000	2.160	EY 140-4-331-1X <i>Metric flanged yoke</i>
1	1610	2.274-44	3.000	5.000	EY 5-4-9261-1X
1	1710	2.274-44	3.000	5.190	EY 6-4-8981-1X
1	1710	2.274-44	3.000	5.190	EY 6-4-8981X
1	1760	2.274-44	3.000	5.250	EY 6.3-4-5221-1X
1	1760	2.274-44	3.000	5.250	EY 6.3-4-5221X
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4571-1X
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4571X
2	1610	2.024-39	2.625	6.000	EY 5-4-9271X <i>High angle yoke</i>
2	1710	2.024-39	2.625	6.125	EY 6-4-8431
2	1710	2.024-39	2.625	6.125	EY 6-4-8431-1
2	1710	2.024-39	2.625	5.250	EY 6-4-8441
2	1710	2.024-39	2.625	5.250	EY 6-4-8441-1
2	1710	2.024-39	2.625	6.125	EY 6-4-9001-1X
2	1710	2.024-39	2.625	6.125	EY 6-4-9001X
2	1710	2.024-39	2.625	5.250	EY 6-4-9041-1X
2	1710	2.024-39	2.625	5.250	EY 6-4-9041X
3	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1
3	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X
3	SPL170	2.274-44	3.000	5.270	EY 170-4-201-1X
3	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X
3	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X <i>High angle yoke</i>
3	SPL250	2.274-44	3.000	5.490	EY 250-4-81-1X
3	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1
3	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X
3	1480	2.024-39	3.000	4.344	EY 3-4-13071-1
3	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X
3	1550	2.024-39	3.000	4.281	EY 4-4-7561-1

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
405 (Continued)					
3	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X
3	1610	2.024-39	3.000	6.000	EY 5-4-8261 <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.000	EY 5-4-8261-1 <i>High angle yoke</i>
3	1610	2.024-39	3.000	4.875	EY 5-4-9221-1
3	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X
3	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X <i>High angle yoke</i>
3	1610	2.024-39	3.000	6.000	EY 5-4-9241X <i>High angle yoke</i>
3	1710	2.024-39	3.000	6.125	EY 6-4-8411-1
3	1710	2.024-39	3.000	5.250	EY 6-4-8421
3	1710	2.024-39	3.000	5.250	EY 6-4-8421-1
3	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X
3	1710	2.024-39	3.000	6.125	EY 6-4-8991X <i>High angle yoke</i>
3	1710	2.024-39	3.000	5.250	EY 6-4-9031-1X
3	1710	2.024-39	3.000	5.250	EY 6-4-9031X
410					
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
42-MF, 42-MR					
2	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
2	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
2	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
2	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
2	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X .250 deep spline chamfer
3	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
3	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
3	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
3	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X .250 deep spline chamfer
42D, 42R					
1	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1710	1.964-10	2.625	4.500	EY 6-4-2211 .250 deep spline chamfer
1	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))




Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
42D, 42R (Continued)					
1	1710	1.962-10	2.625	4.500	EY 6-4-4721 <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X <i>.250 deep spline chamfer</i>
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>High angle yoke</i>
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X <i>.250 deep spline chamfer</i>
1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X <i>.250 deep spline chamfer</i>
2	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>.250 deep spline chamfer</i>
2	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X <i>.250 deep spline chamfer</i>
2	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X <i>.250 deep spline chamfer</i>
2	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>High angle yoke</i>
2	1610	1.750-10	2.625	4.750	EY 5-4-5111X
2	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>Chamfered Counterbore; High angle yoke</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>Chamfered Counterbore</i>
2	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>Chamfered Counterbore</i>
3	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 <i>All ratios except 3.70 & 4.11; .250 deep spline chamfer</i>
3	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X <i>.250 deep spline chamfer</i>
3	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X <i>.250 deep spline chamfer</i>
3	1610	1.750-10	2.625	6.000	EY 5-4-4761X <i>All ratios except 3.70 & 4.11; High angle yoke</i>
3	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1610	1.750-10	2.625	4.750	EY 5-4-5111X <i>All ratios except 3.70 & 4.11</i>
3	1610	1.962-10	2.625	4.719	EY 5-4-5121X
3	1710	1.962-10	2.625	6.125	EY 6-4-4151 <i>High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 <i>High angle yoke</i>
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>3.70 & 4.11 ratios only; High angle yoke</i>
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X <i>All ratios except 3.70 & 4.11</i>
3	1710	1.962-10	2.625	5.250	EY 6-4-5151X <i>Chamfered Counterbore; High angle yoke</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X <i>3.70 & 4.11 ratios only</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>
3	1710	1.750-10	2.625	4.500	EY 6-4-5581X <i>All ratios except 3.70 & 4.11; Chamfered Counterbore</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
433					
3	1710	2.024-39	3.000	6.125	EY 6-4-8411-1
44-DP, 44-DS, 44-DT, 44-RP, 44-RS, 44O					
1	1610	2.422-18	3.375	6.125	EY 5-4-5491-1X
1	1710	2.422-18	3.375	5.250	EY 6-4-3161
1	1710	2.422-18	3.375	5.812	EY 6-4-4581
1	1710	2.422-18	3.375	5.812	EY 6-4-4581-1
1	1710	2.422-18	3.375	5.812	EY 6-4-4751-1X
1	1710	2.422-18	3.375	5.812	EY 6-4-4751X
1	1760	2.422-18	3.375	6.000	EY 6.3-4-241-1X
1	1760	2.422-18	3.375	6.000	EY 6.3-4-241X
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991-1
1	1810	2.422-18	3.375	5.812	EY 6.5-4-2361-1X
1	1810	2.422-18	3.375	5.812	EY 6.5-4-2361X
2	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
2	1610	2.149-16	2.938	6.250	EY 5-4-5161X
2	1610	2.149-16	2.938	6.500	EY 5-4-5511X <i>High angle yoke</i>
2	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
2	1710	2.149-16	2.938	5.500	EY 6-4-4171X
2	1710	2.149-16	2.938	6.625	EY 6-4-4591 <i>High angle yoke</i>
2	1710	2.149-16	2.938	6.625	EY 6-4-5481X <i>High angle yoke</i>
2	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
2	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
2	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
2	1810	2.149-16	2.938	5.812	EY 6.5-4-2291
2	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
2	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
2	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
3	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
3	1610	2.149-16	2.938	6.250	EY 5-4-5161X
3	1610	2.149-16	2.938	6.500	EY 5-4-5511X <i>High angle yoke</i>
3	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
3	1710	2.149-16	2.938	5.500	EY 6-4-4171X
3	1710	2.149-16	2.938	6.625	EY 6-4-5481X <i>High angle yoke</i>
3	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
3	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
3	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
3	1810	2.149-16	2.938	5.812	EY 6.5-4-2291
3	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
3	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
3	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
45-MR					
2	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
2	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
2	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
2	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
2	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X <i>.250 deep spline chamfer</i>
3	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
3	1610	1.962-10	2.625	5.312	EY 5-4-4471-1

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
45-MR (Continued)					
3	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>Chamfered Counterbore</i>
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X <i>High angle yoke</i>
3	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X <i>.250 deep spline chamfer</i>
451					
1	1810	2.274-44	2.938	3.094	CF 6.5-1-2391
1	SPL170	2.274-44	2.938	5.281	EY 170-4-101-1X
1	SPL170	2.274-44	2.938	5.281	EY 170-4-91-1
1	SPL250	2.274-44	2.938	5.484	EY 250-4-51-1
1	SPL250	2.274-44	2.938	5.484	EY 250-4-61-1X
1	1610	2.274-44	2.938	5.000	EY 5-4-8321-1
1	1610	2.274-44	2.938	5.000	EY 5-4-8431-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-8461
1	1710	2.274-44	2.938	5.188	EY 6-4-8461-1
1	1710	2.274-44	2.938	5.188	EY 6-4-8551-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-8551X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1421-1
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-1481X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4321
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4321-1
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-4351X
2	SPL170	1.790-34	2.625	5.600	EY 170-4-111-1
2	SPL170	1.790-34	2.625	5.600	EY 170-4-121-1X
2	SPL170	1.790-34	2.625	6.250	EY 170-4-131-1 <i>High angle yoke</i>
2	SPL170	1.790-34	2.625	6.250	EY 170-4-141-1X <i>High angle yoke</i>
2	1610	1.790-34	2.625	6.188	EY 5-4-8001 <i>High angle yoke</i>
2	1610	1.790-34	2.625	6.188	EY 5-4-8441X <i>High angle yoke</i>
2	1610	1.790-34	2.625	4.938	EY 5-4-8491-1
2	1610	1.790-34	2.625	4.938	EY 5-4-8501-1X
2	1710	1.790-34	2.625	6.312	EY 6-4-8001 <i>High angle yoke</i>
2	1710	1.790-34	2.625	6.312	EY 6-4-8001-1 <i>High angle yoke</i>
2	1710	1.790-34	2.625	5.438	EY 6-4-8081
2	1710	1.790-34	2.625	5.438	EY 6-4-8081-1
2	1710	1.790-34	2.625	6.312	EY 6-4-8521-1X <i>High angle yoke</i>
2	1710	1.790-34	2.625	6.312	EY 6-4-8521X <i>High angle yoke</i>
3	SPL170	2.024-39	2.625	4.938	EY 170-4-151-1

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
451 (Continued)					
3	SPL170	2.024-39	2.625	4.938	EY 170-4-161-1X
3	SPL170	2.024-39	2.625	6.016	EY 170-4-171-1 <i>High angle yoke</i>
3	SPL170	2.024-39	2.625	6.016	EY 170-4-181-1X <i>High angle yoke</i>
3	1480	2.024-39	2.625	4.344	EY 3-4-13051-1
3	1480	2.024-39	2.625	4.344	EY 3-4-13061-1X
3	1550	2.024-39	2.625	4.266	EY 4-4-6471-1
3	1550	2.024-39	2.625	4.266	EY 4-4-7551-1X
3	1610	2.024-39	2.625	5.312	EY 5-4-7971
3	1610	2.024-39	2.625	5.312	EY 5-4-7971-1
3	1610	2.024-39	2.625	6.000	EY 5-4-7991 <i>High angle yoke</i>
3	1610	2.024-39	2.625	6.000	EY 5-4-8421X <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-7981 <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-7981-1 <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-8541-1X <i>High angle yoke</i>
3	1710	2.024-39	2.625	6.125	EY 6-4-8541X <i>High angle yoke</i>
454					
1	SPL140	2.274-44	3.000	5.160	EY 140-4-1261-1
1	SPL140	2.274-44	3.000	5.160	EY 140-4-1271-1X
1	SPL140	2.274-44	3.000	2.160	EY 140-4-321-1 <i>Metric flanged yoke</i>
1	SPL140	2.274-44	3.000	2.160	EY 140-4-331-1X <i>Metric flanged yoke</i>
1	SPL170	2.274-44	3.000	5.270	EY 170-4-191-1
1	SPL170	2.274-44	3.000	5.270	EY 170-4-201-1X
1	SPL250	2.274-44	3.000	5.490	EY 250-4-71-1
1	SPL250	2.274-44	3.000	5.490	EY 250-4-81-1X
1	1610	2.274-44	3.000	5.000	EY 5-4-8311-1
1	1610	2.274-44	3.000	5.000	EY 5-4-9261-1X
1	1710	2.274-44	3.000	5.190	EY 6-4-8451
1	1710	2.274-44	3.000	5.190	EY 6-4-8451-1
1	1710	2.274-44	3.000	5.190	EY 6-4-8981-1X
1	1710	2.274-44	3.000	5.190	EY 6-4-8981X
1	1760	2.274-44	3.000	5.250	EY 6.3-4-1411
1	1760	2.274-44	3.000	5.250	EY 6.3-4-1411-1
1	1760	2.274-44	3.000	5.250	EY 6.3-4-5221-1X
1	1760	2.274-44	3.000	5.250	EY 6.3-4-5221X
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4311
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4311-1
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4571-1X
1	1810	2.274-44	3.000	5.250	EY 6.5-4-4571X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))




Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number	Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
454 (Continued)						460					
2	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1	1	1610	2.422-18	3.375	6.125	EY 5-4-5491-1X
2	SPL170	2.024-39	2.625	5.266	EY 170-4-211-1	1	1710	2.422-18	3.375	5.250	EY 6-4-3161
2	SPL170	2.024-39	2.625	5.266	EY 170-4-221-1X	1	1710	2.422-18	3.375	5.812	EY 6-4-4581
2	SPL170	2.024-39	2.625	6.500	EY 170-4-231-1	1	1710	2.422-18	3.375	5.812	EY 6-4-4581-1
					<i>High angle yoke</i>	1	1710	2.422-18	3.375	5.812	EY 6-4-4751-1X
2	SPL170	2.024-39	2.625	6.500	EY 170-4-241-1X	1	1710	2.422-18	3.375	5.812	EY 6-4-4751X
					<i>High angle yoke</i>	1	1760	2.422-18	3.375	6.000	EY 6.3-4-241-1X
2	SPL170	2.024-39	2.625	5.750	EY 5001768	1	1760	2.422-18	3.375	6.000	EY 6.3-4-241X
2	1610	2.024-39	2.625	6.000	EY 5-4-8301	1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
					<i>High angle yoke</i>	1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991-1
2	1610	2.024-39	2.625	6.000	EY 5-4-9271X	1	1810	2.422-18	3.375	5.812	EY 6.5-4-2361-1X
					<i>High angle yoke</i>	1	1810	2.422-18	3.375	5.812	EY 6.5-4-2361X
2	1710	2.024-39	2.625	6.125	EY 6-4-8431	2	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
2	1710	2.024-39	2.625	6.125	EY 6-4-8431-1	2	1610	2.149-16	2.938	6.250	EY 5-4-5161X
2	1710	2.024-39	2.625	5.250	EY 6-4-8441	2	1610	2.149-16	2.938	6.500	EY 5-4-5511X
2	1710	2.024-39	2.625	5.250	EY 6-4-8441-1						<i>High angle yoke</i>
2	1710	2.024-39	2.625	6.125	EY 6-4-9001-1X	2	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
2	1710	2.024-39	2.625	6.125	EY 6-4-9001X	2	1710	2.149-16	2.938	5.500	EY 6-4-4171X
2	1710	2.024-39	2.625	5.250	EY 6-4-9041-1X	2	1710	2.149-16	2.938	6.625	EY 6-4-4591
2	1710	2.024-39	2.625	5.250	EY 6-4-9041X						<i>High angle yoke</i>
3	SPL140	2.024-39	3.000	4.940	EY 140-4-1151-1	2	1710	2.149-16	2.938	6.625	EY 6-4-5481X
3	SPL140	2.024-39	3.000	4.940	EY 140-4-1161-1X						<i>High angle yoke</i>
3	SPL140	2.024-39	3.000	4.940	EY 140-4-361-1	2	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
3	SPL140	2.024-39	3.000	4.940	EY 140-4-371-1X	2	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
3	SPL170	2.024-39	3.000	6.240	EY 170-4-1621-1	2	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
3	SPL170	2.024-39	3.000	6.240	EY 170-4-1631-1X	2	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
3	SPL170	2.024-39	2.625	6.500	EY 170-4-1641-1	2	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
3	SPL170	2.024-39	2.625	6.500	EY 170-4-1651-1X	2	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
3	SPL170	2.274-44	3.000	5.270	EY 170-4-201-1X	2	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
3	SPL170	2.024-39	3.000	5.156	EY 170-4-251-1	3	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
3	SPL170	2.024-39	3.000	5.156	EY 170-4-261-1X	3	1610	2.149-16	2.938	6.250	EY 5-4-5161X
3	SPL170	2.024-39	3.000	6.240	EY 170-4-271-1	3	1610	2.149-16	2.938	6.500	EY 5-4-5511X
					<i>High angle yoke</i>	3	1610	2.149-16	2.938	6.500	EY 5-4-5511X
3	SPL170	2.024-39	3.000	6.240	EY 170-4-281-1X						<i>High angle yoke</i>
					<i>High angle yoke</i>	3	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
3	SPL170	2.024-39	3.000	5.540	EY 5001766	3	1710	2.149-16	2.938	5.500	EY 6-4-4171X
3	SPL250	2.274-44	3.000	5.490	EY 250-4-81-1X	3	1710	2.149-16	2.938	6.625	EY 6-4-5481X
3	SPL90	2.024-39	3.000	4.750	EY 90-4-241-1						<i>High angle yoke</i>
3	SPL90	2.024-39	3.000	4.750	EY 90-4-251-1X	3	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
3	1480	2.024-39	3.000	4.344	EY 3-4-13071-1	3	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
3	1480	2.024-39	3.000	4.344	EY 3-4-13081-1X	3	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
3	1550	2.024-39	3.000	4.281	EY 4-4-7561-1	3	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
3	1550	2.024-39	3.000	4.281	EY 4-4-7571-1X	3	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
3	1610	2.024-39	3.000	6.000	EY 5-4-8261	3	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
					<i>High angle yoke</i>	3	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
3	1610	2.024-39	3.000	6.000	EY 5-4-8261-1						<i>High angle yoke</i>
					<i>High angle yoke</i>	461					
3	1610	2.024-39	3.000	4.875	EY 5-4-9221-1	1	SPL140	2.390-46	3.375	6.440	EY 140-4-381-1
3	1610	2.024-39	3.000	4.875	EY 5-4-9231-1X	1	SPL140	2.390-46	3.375	6.440	EY 140-4-391-1X
3	1610	2.024-39	3.000	6.000	EY 5-4-9241-1X	1	SPL170	2.390-46	3.375	6.531	EY 170-4-291-1
					<i>High angle yoke</i>	1	SPL170	2.390-46	3.375	6.531	EY 170-4-301-1X
3	1610	2.024-39	3.000	6.000	EY 5-4-9241X	1	SPL250	2.390-46	3.375	6.760	EY 250-4-101-1X
					<i>High angle yoke</i>	1	SPL250	2.390-46	3.375	6.760	EY 250-4-91-1
3	1710	2.024-39	3.000	6.125	EY 6-4-8411-1	1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
3	1710	2.024-39	3.000	5.250	EY 6-4-8421	1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
3	1710	2.024-39	3.000	5.250	EY 6-4-8421-1	1	1610	2.143-41	2.938	6.000	EY 5-4-7561
3	1710	2.024-39	3.000	6.125	EY 6-4-8991-1X	1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
3	1710	2.024-39	3.000	6.125	EY 6-4-8991X	1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
					<i>High angle yoke</i>	1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
3	1710	2.024-39	3.000	5.250	EY 6-4-9031-1X						
3	1710	2.024-39	3.000	5.250	EY 6-4-9031X						

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
461 (Continued)					
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X
1	1710	2.390-46	3.375	6.000	EY 6-4-7511
1	1710	2.390-46	3.375	6.000	EY 6-4-7511-1
1	1710	2.390-46	3.375	6.000	EY 6-4-7531-1X
1	1710	2.390-46	3.375	6.000	EY 6-4-7531X
1	1710	2.390-46	3.375	6.000	EY 6-4-9201-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1651-1X
1	1760	2.390-46	3.375	6.203	EY 6.3-4-1651X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911-1
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611X
2	SPL170	2.143-41	2.938	7.190	EY 170-4-311-1 <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	7.190	EY 170-4-321-1X <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	5.800	EY 170-4-331-1
2	SPL170	2.143-41	2.938	5.800	EY 170-4-341-1X
2	1610	2.143-41	2.938	6.500	EY 5-4-7551-1
2	1610	2.143-41	2.938	6.500	EY 5-4-9131-1X
2	1710	2.149-16	2.938	6.625	EY 6-4-4591 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-7541 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-7541-1 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191-1X <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191X <i>High angle yoke</i>
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1171
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1641X
2	1810	2.143-41	2.938	5.812	EY 6.5-4-3931
2	1810	2.143-41	2.938	5.812	EY 6.5-4-4621X
3	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
3	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
3	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
3	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
3	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
461 (Continued)					
3	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
3	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
3	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
3	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
3	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
3	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
3	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
3	1550	2.143-41	2.938	4.500	EY 4-4-5701-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-7571-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-7571X
3	1710	2.143-41	2.938	5.190	EY 6-4-7311
3	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
3	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
3	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7561-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7561X <i>High angle yoke</i>
3	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
3	1710	2.143-41	2.938	5.190	EY 6-4-9171X
3	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681-1
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
462					
1	SPL140	2.390-46	3.375	6.440	EY 140-4-381-1
1	SPL140	2.390-46	3.375	6.440	EY 140-4-391-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
462 (Continued)					
1	1710	2.390-46	3.375	6.000	EY 6-4-7511
1	1710	2.390-46	3.375	6.000	EY 6-4-7511-1
1	1710	2.390-46	3.375	6.000	EY 6-4-9201-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1651-1X
1	1760	2.390-46	3.375	6.203	EY 6.3-4-1651X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911-1
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611X
2	1610	2.143-41	2.938	6.500	EY 5-4-7551-1
2	1610	2.143-41	2.938	6.500	EY 5-4-9131-1X
2	1710	2.143-41	2.938	6.625	EY 6-4-7541-1 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191-1X <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191X <i>High angle yoke</i>
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1641X
2	1810	2.143-41	2.938	5.812	EY 6.5-4-4621X
3	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
3	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
3	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
3	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
3	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
3	1610	2.143-41	2.938	6.000	EY 5-4-7571-1X
3	1710	2.143-41	2.938	5.190	EY 6-4-7311
3	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
3	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
3	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
3	1710	2.143-41	2.938	5.190	EY 6-4-9171X
3	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681-1
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
466					
1	1710	2.390-46	3.375	6.000	EY 6-4-7531-1X
1	1710	2.390-46	3.375	6.000	EY 6-4-7531X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921X
2	1710	2.143-41	2.938	6.625	EY 6-4-7541 <i>High angle yoke</i>
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1171
2	1810	2.143-41	2.938	5.812	EY 6.5-4-3931
3	1550	2.143-41	2.938	4.500	EY 4-4-5701-1X
3	1610	2.143-41	2.938	5.250	EY 5-4-7311-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
466 (Continued)					
3	1610	2.143-41	2.938	6.000	EY 5-4-7571X
3	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
3	1710	2.143-41	2.938	6.125	EY 6-4-7561X <i>High angle yoke</i>
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691X
480					
1	1610	2.422-18	3.375	6.125	EY 5-4-5491-1X
1	1710	2.422-18	3.375	5.250	EY 6-4-3161
1	1710	2.422-18	3.375	5.812	EY 6-4-4581
1	1710	2.422-18	3.375	5.812	EY 6-4-4581-1
1	1710	2.422-18	3.375	5.812	EY 6-4-4751-1X
1	1710	2.422-18	3.375	5.812	EY 6-4-4751X
1	1760	2.422-18	3.375	6.000	EY 6.3-4-241-1X
1	1760	2.422-18	3.375	6.000	EY 6.3-4-241X
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991-1
1	1810	2.422-18	3.375	5.812	EY 6.5-4-2361-1X
1	1810	2.422-18	3.375	5.812	EY 6.5-4-2361X
2	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
2	1610	2.149-16	2.938	6.250	EY 5-4-5161X
2	1610	2.149-16	2.938	6.500	EY 5-4-5511X <i>High angle yoke</i>
2	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
2	1710	2.149-16	2.938	5.500	EY 6-4-4171X
2	1710	2.149-16	2.938	6.625	EY 6-4-4591 <i>High angle yoke</i>
2	1710	2.149-16	2.938	6.625	EY 6-4-5481X <i>High angle yoke</i>
2	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
2	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
2	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
2	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
2	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
2	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
2	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
3	1610	2.149-16	2.938	6.250	EY 5-4-5161-1X
3	1610	2.149-16	2.938	6.250	EY 5-4-5161X
3	1610	2.149-16	2.938	6.500	EY 5-4-5511X <i>High angle yoke</i>
3	1710	2.149-16	2.938	5.500	EY 6-4-4171-1X
3	1710	2.149-16	2.938	5.500	EY 6-4-4171X
3	1710	2.149-16	2.938	6.625	EY 6-4-5481X <i>High angle yoke</i>
3	1760	2.149-16	2.938	5.812	EY 6.3-4-141-1
3	1760	2.149-16	2.938	5.812	EY 6.3-4-251-1X
3	1760	2.149-16	2.938	5.812	EY 6.3-4-251X
3	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
3	1810	2.149-16	2.938	5.812	EY 6.5-4-2291-1
3	1810	2.149-16	2.938	5.812	EY 6.5-4-2401-1X
3	1810	2.149-16	2.938	5.812	EY 6.5-4-2401X
481					
1	SPL140	2.390-46	3.375	6.440	EY 140-4-381-1
1	SPL140	2.390-46	3.375	6.440	EY 140-4-391-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL170	2.390-46	3.375	6.531	EY 170-4-291-1
1	SPL170	2.390-46	3.375	6.531	EY 170-4-301-1X


Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)

TANDEM AXLES



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
481 (Continued)					
1	SPL250	2.390-46	3.375	6.760	EY 250-4-101-1X
1	SPL250	2.390-46	3.375	6.760	EY 250-4-91-1
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X
1	1710	2.390-46	3.375	6.000	EY 6-4-7511
1	1710	2.390-46	3.375	6.000	EY 6-4-7511-1
1	1710	2.390-46	3.375	6.000	EY 6-4-9201-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1651-1X
1	1760	2.390-46	3.375	6.203	EY 6.3-4-1651X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911-1
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611X
2	SPL170	2.143-41	2.938	7.190	EY 170-4-311-1 <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	7.190	EY 170-4-321-1X <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	5.800	EY 170-4-331-1
2	SPL170	2.143-41	2.938	5.800	EY 170-4-341-1X
2	1610	2.143-41	2.938	6.500	EY 5-4-7551-1
2	1610	2.143-41	2.938	6.500	EY 5-4-9131-1X
2	1710	2.143-41	2.938	6.625	EY 6-4-7541 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-7541-1 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191-1X <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191X <i>High angle yoke</i>
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1171
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1641X
2	1810	2.143-41	2.938	5.812	EY 6.5-4-3931
2	1810	2.143-41	2.938	5.812	EY 6.5-4-4621X
3	1810	2.143-41	2.939	3.500	CF 6.5-1-2941

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
481 (Continued)					
3	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
3	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
3	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
3	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
3	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
3	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
3	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
3	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
3	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
3	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
3	1610	2.143-41	2.938	6.000	EY 5-4-7571-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-7571X
3	1710	2.143-41	2.938	5.190	EY 6-4-7311
3	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
3	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
3	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7561-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7561X <i>High angle yoke</i>
3	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
3	1710	2.143-41	2.938	5.190	EY 6-4-9171X
3	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681-1
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
50D					
1	1550	1.962-10	2.625	4.266	EY 4-4-4071-1X
1	1610	1.962-10	2.625	5.312	EY 5-4-4471-1
1	1610	1.962-10	2.625	6.000	EY 5-4-4771X <i>High angle yoke</i>
1	1610	1.962-10	2.625	4.719	EY 5-4-5121X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381-1X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381X
1	1710	1.964-10	2.625	4.500	EY 6-4-2211 <i>.250 deep spline chamfer</i>

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
50D (Continued)					
1	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X .250 deep spline chamfer
1	1710	1.962-10	2.625	4.500	EY 6-4-4731X Chamfered Counterbore
1	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X High angle yoke
1	1710	1.962-10	2.625	6.125	EY 6-4-4851X High angle yoke
1	1710	2.149-16	2.938	5.188	EY 6-4-4961
1	1710	2.149-16	2.938	5.188	EY 6-4-5061X
1	1710	1.962-10	2.625	5.250	EY 6-4-5151X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041X
1	1760	1.964-10	2.625	5.625	EY 6.3-4-221X .250 deep spline chamfer
1	1760	2.149-16	2.938	5.250	EY 6.3-4-231X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331X
1	1810	1.964-10	2.625	5.625	EY 6.5-4-2351X .250 deep spline chamfer
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281X
2	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 .250 deep spline chamfer
2	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
2	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
2	1610	1.750-10	2.625	6.000	EY 5-4-4761X High angle yoke
2	1610	1.962-10	2.625	6.000	EY 5-4-4771X High angle yoke
2	1610	1.750-10	2.625	4.750	EY 5-4-5111X
2	1610	1.790-34	2.625	4.938	EY 5-4-6341
2	1610	1.790-34	2.625	6.188	EY 5-4-6351 High angle yoke
2	1710	1.750-10	2.625	5.250	EY 6-4-4301X Chamfered Counterbore
2	1710	1.962-10	2.625	6.125	EY 6-4-4851X High angle yoke
2	1710	1.750-10	2.625	6.125	EY 6-4-4861X Chamfered Counterbore; High angle yoke
2	1710	1.962-10	2.625	5.250	EY 6-4-5151X
2	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X Chamfered Counterbore
2	1710	1.750-10	2.625	4.500	EY 6-4-5581X Chamfered Counterbore
2	1710	1.790-34	2.625	6.312	EY 6-4-6451 High angle yoke
2	1710	1.790-34	2.625	5.438	EY 6-4-6481
3	1410	1.750-10	2.625	4.250	EY 3-4-2511-1 All ratios except 3.70 & 4.11; .250 deep spline chamfer
3	1480	1.750-10	2.625	4.281	EY 3-4-5791-1X .250 deep spline chamfer
3	1550	1.750-10	2.625	4.672	EY 4-4-3581-1X .250 deep spline chamfer
3	1610	1.750-10	2.625	6.000	EY 5-4-4761X All ratios except 3.70 & 4.11; High angle yoke
3	1610	1.962-10	2.625	6.000	EY 5-4-4771X 3.70 & 4.11 ratios only; High angle yoke
3	1610	1.750-10	2.625	4.750	EY 5-4-5111X All ratios except 3.70 & 4.11
3	1610	1.962-10	2.625	4.719	EY 5-4-5121X 3.70 & 4.11 ratios only


Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
50D (Continued)					
3	1710	1.962-10	2.625	6.125	EY 6-4-4151-1 High angle yoke
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X All ratios except 3.70 & 4.11; Chamfered Counterbore
3	1710	1.962-10	2.625	6.125	EY 6-4-4851-1X 3.70 & 4.11 ratios only; High angle yoke
3	1710	1.962-10	2.625	6.125	EY 6-4-4851X 3.70 & 4.11 ratios only; High angle yoke
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X All ratios except 3.70 & 4.11 Chamfered Counterbore; High angle yoke
3	1710	1.962-10	2.625	5.250	EY 6-4-5141
3	1710	1.962-10	2.625	5.250	EY 6-4-5151X 3.70 & 4.11 ratios only
3	1710	1.750-10	2.625	4.500	EY 6-4-5581-1X All ratios except 3.70 & 4.11; Chamfered Counterbore
3	1710	1.750-10	2.625	4.500	EY 6-4-5581X All ratios except 3.70 & 4.11; Chamfered Counterbore
50R					
1	1610	2.274-44	2.938	5.000	EY 5-4-6381-1X
1	1610	2.274-44	2.938	5.000	EY 5-4-6381X
1	1710	2.149-16	2.938	5.188	EY 6-4-5061X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041-1X
1	1710	2.274-44	2.938	5.188	EY 6-4-6041X
1	1760	2.149-16	2.938	5.250	EY 6.3-4-231X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331-1X
1	1760	2.274-44	2.938	5.250	EY 6.3-4-331X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281-1X
1	1810	2.274-44	2.938	5.250	EY 6.5-4-3281X
2	1610	1.962-10	2.625	6.000	EY 5-4-4771X High angle yoke
2	1610	1.790-34	2.625	4.938	EY 5-4-6341
2	1610	1.790-34	2.625	6.188	EY 5-4-6351 High angle yoke
2	1710	1.962-10	2.625	6.125	EY 6-4-4851X High angle yoke
2	1710	1.962-10	2.625	5.250	EY 6-4-5151X
2	1710	1.790-34	2.625	6.312	EY 6-4-6451 High angle yoke
2	1710	1.790-34	2.625	5.438	EY 6-4-6481
3	1610	1.750-10	2.625	6.000	EY 5-4-4761X High angle yoke
3	1610	2.024-39	2.625	6.000	EY 5-4-5971X High angle yoke
3	1610	2.024-39	2.625	5.312	EY 5-4-5991X
3	1710	1.750-10	2.625	5.250	EY 6-4-4301X Chamfered Counterbore
3	1710	1.750-10	2.625	6.125	EY 6-4-4861X Chamfered Counterbore; High angle yoke
3	1710	2.024-39	2.625	5.250	EY 6-4-6001X .250 deep spline chamfer
3	1710	2.024-39	2.625	6.125	EY 6-4-6021X High angle yoke; .250 deep spline chamfer
521					
1	SPL140	2.390-46	3.375	6.440	EY 140-4-381-1
1	SPL140	2.390-46	3.375	6.440	EY 140-4-391-1X
1	SPL170	2.390-46	3.375	6.531	EY 170-4-291-1
1	SPL170	2.390-46	3.375	6.531	EY 170-4-301-1X
1	SPL250	2.390-46	3.375	6.760	EY 250-4-101-1X
1	SPL250	2.390-46	3.375	6.760	EY 250-4-91-1

Continued on next page

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
521 (Continued)					
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X
1	1710	2.390-46	3.375	6.000	EY 6-4-7511
1	1710	2.390-46	3.375	6.000	EY 6-4-7511-1
1	1710	2.390-46	3.375	6.000	EY 6-4-7531-1X
1	1710	2.390-46	3.375	6.000	EY 6-4-7531X
1	1710	2.390-46	3.375	6.000	EY 6-4-9201-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1651-1X
1	1760	2.390-46	3.375	6.203	EY 6.3-4-1651X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911-1
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611X
2	SPL170	2.143-41	2.938	7.190	EY 170-4-311-1 <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	7.190	EY 170-4-321-1X <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	5.800	EY 170-4-331-1
2	SPL170	2.143-41	2.938	5.800	EY 170-4-341-1X
2	1610	2.143-41	2.938	6.500	EY 5-4-7551-1
2	1610	2.143-41	2.938	6.500	EY 5-4-9131-1X
2	1710	2.143-41	2.938	6.625	EY 6-4-7541 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-7541-1 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191-1X <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191X <i>High angle yoke</i>
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1171
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1641X
2	1810	2.143-41	2.938	5.812	EY 6.5-4-3931
2	1810	2.143-41	2.938	5.812	EY 6.5-4-4621X
3	1810	2.143-41	2.939	3.500	CF 6.5-1-2941

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
521 (Continued)					
3	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
3	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
3	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
3	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
3	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
3	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
3	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
3	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
3	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
3	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
3	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
3	1550	2.143-41	2.938	4.500	EY 4-4-5701-1X
3	1610	2.143-41	2.938	5.250	EY 5-4-7311-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-7571-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-7571X
3	1710	2.143-41	2.938	5.190	EY 6-4-7311
3	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
3	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
3	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7561-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7561X <i>High angle yoke</i>
3	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
3	1710	2.143-41	2.938	5.190	EY 6-4-9171X
3	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681-1
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
580					
1	1710	2.422-18	3.375	5.812	EY 6-4-4581
1	1710	2.422-18	3.375	5.812	EY 6-4-4581-1
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991-1

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))




Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
581, 601					
1	SPL140	2.390-46	3.375	6.440	EY 140-4-381-1
1	SPL140	2.390-46	3.375	6.440	EY 140-4-391-1X
1	SPL170	2.390-46	3.375	6.531	EY 170-4-291-1
1	SPL170	2.390-46	3.375	6.531	EY 170-4-301-1X
1	SPL250	2.390-46	3.375	6.760	EY 250-4-101-1X
1	SPL250	2.390-46	3.375	6.760	EY 250-4-91-1
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X
1	1710	2.390-46	3.375	6.000	EY 6-4-7511
1	1710	2.390-46	3.375	6.000	EY 6-4-7511-1
1	1710	2.390-46	3.375	6.000	EY 6-4-7531-1X
1	1710	2.390-46	3.375	6.000	EY 6-4-7531X
1	1710	2.390-46	3.375	6.000	EY 6-4-9201-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1651-1X
1	1760	2.390-46	3.375	6.203	EY 6.3-4-1651X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911-1
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611X
2	SPL170	2.143-41	2.938	7.190	EY 170-4-311-1 <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	7.190	EY 170-4-321-1X <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	5.800	EY 170-4-331-1
2	SPL170	2.143-41	2.938	5.800	EY 170-4-341-1X
2	1610	2.143-41	2.938	6.500	EY 5-4-7551-1
2	1610	2.143-41	2.938	6.500	EY 5-4-9131-1X
2	1710	2.143-41	2.938	6.625	EY 6-4-7541 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-7541-1 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191-1X <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191X <i>High angle yoke</i>
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1171
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1641X
2	1810	2.143-41	2.938	5.812	EY 6.5-4-3931
2	1810	2.143-41	2.938	5.812	EY 6.5-4-4621X
3	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
3	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
3	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
3	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
3	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
3	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
581, 601 (Continued)					
3	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
3	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
3	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
3	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
3	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
3	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
3	1610	2.143-41	2.938	5.250	EY 5-4-7311-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-7571-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-7571X
3	1710	2.143-41	2.938	5.190	EY 6-4-7311
3	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
3	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
3	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7561-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7561X <i>High angle yoke</i>
3	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
3	1710	2.143-41	2.938	5.190	EY 6-4-9171X
3	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681-1
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X
650					
1	1710	2.422-18	3.375	5.812	EY 6-4-4581
1	1710	2.422-18	3.375	5.812	EY 6-4-4581-1
1	1710	2.390-46	3.375	6.000	EY 6-4-7531-1X
1	1710	2.390-46	3.375	6.000	EY 6-4-7531X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161X
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991
1	1810	2.422-18	3.375	5.812	EY 6.5-4-1991-1
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921X
2	1710	2.143-41	2.938	6.625	EY 6-4-7541 <i>High angle yoke</i>
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1171
2	1810	2.143-41	2.938	5.812	EY 6.5-4-3931
3	1550	2.143-41	2.938	4.500	EY 4-4-5701-1X
3	1610	2.143-41	2.938	5.250	EY 5-4-7311-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-7571X
3	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
3	1710	2.143-41	2.938	6.125	EY 6-4-7561X <i>High angle yoke</i>
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
651					
1	SPL140	2.390-46	3.375	6.440	EY 140-4-381-1
1	SPL140	2.390-46	3.375	6.440	EY 140-4-391-1X
1	SPL170	2.390-46	3.375	6.531	EY 170-4-291-1
1	SPL170	2.390-46	3.375	6.531	EY 170-4-301-1X
1	SPL250	2.390-46	3.375	6.760	EY 250-4-101-1X
1	SPL250	2.390-46	3.375	6.760	EY 250-4-91-1
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X
1	1710	2.390-46	3.375	6.000	EY 6-4-7511
1	1710	2.390-46	3.375	6.000	EY 6-4-7511-1
1	1710	2.390-46	3.375	6.000	EY 6-4-9201-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1651-1X
1	1760	2.390-46	3.375	6.203	EY 6.3-4-1651X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911-1
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611X
2	SPL170	2.143-41	2.938	7.190	EY 170-4-311-1 <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	7.190	EY 170-4-321-1X <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	5.800	EY 170-4-331-1
2	SPL170	2.143-41	2.938	5.800	EY 170-4-341-1X
2	1610	2.143-41	2.938	6.500	EY 5-4-7551-1
2	1610	2.143-41	2.938	6.500	EY 5-4-9131-1X
2	1710	2.143-41	2.938	6.625	EY 6-4-7541-1 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191-1X <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191X <i>High angle yoke</i>
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1641X
2	1810	2.143-41	2.938	5.812	EY 6.5-4-4621X
3	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
3	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
3	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
3	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
3	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
651 (Continued)					
3	SPL170	2.143-41	2.938	6.680	EY 170-4-371-1 <i>High angle yoke</i>
3	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
3	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
3	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
3	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
3	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
3	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
3	1610	2.143-41	2.938	6.000	EY 5-4-7571-1X
3	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-9121X
3	1710	2.143-41	2.938	5.190	EY 6-4-7311
3	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
3	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
3	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
3	1710	2.143-41	2.938	5.190	EY 6-4-9171X
3	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1631-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681-1
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
701					
1	SPL140	2.390-46	3.375	6.440	EY 140-4-381-1
1	SPL140	2.390-46	3.375	6.440	EY 140-4-391-1X
1	SPL140	2.143-41	2.938	5.560	EY 140-4-421-1
1	SPL170	2.390-46	3.375	6.531	EY 170-4-291-1
1	SPL250	2.390-46	3.375	6.760	EY 250-4-101-1X
1	SPL250	2.390-46	3.375	6.760	EY 250-4-91-1
1	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
1	1610	2.143-41	2.938	5.250	EY 5-4-7271-1
1	1610	2.143-41	2.938	6.000	EY 5-4-7561
1	1610	2.143-41	2.938	6.000	EY 5-4-7561-1
1	1610	2.143-41	2.938	5.250	EY 5-4-9111-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121-1X
1	1610	2.143-41	2.938	6.000	EY 5-4-9121X
1	1710	2.390-46	3.375	6.000	EY 6-4-7511
1	1710	2.390-46	3.375	6.000	EY 6-4-7511-1

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))




Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
701 (Continued)					
1	1710	2.143-41	2.938	6.625	EY 6-4-7541-1 <i>High angle yoke</i>
1	1710	2.390-46	3.375	6.000	EY 6-4-9201-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1061-1
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1071-1X
1	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1151-1
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161-1X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1161X
1	1760	2.390-46	3.375	6.000	EY 6.3-4-1651-1X
1	1760	2.390-46	3.375	6.203	EY 6.3-4-1651X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3911-1
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-3921X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611-1X
1	1810	2.390-46	3.375	6.000	EY 6.5-4-4611X
2	SPL170	2.143-41	2.938	7.190	EY 170-4-311-1 <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	7.190	EY 170-4-321-1X <i>High angle yoke</i>
2	SPL170	2.143-41	2.938	5.800	EY 170-4-331-1
2	SPL170	2.143-41	2.938	5.800	EY 170-4-341-1X
2	SPL250	2.143-41	2.938	5.490	EY 250-4-131-1
2	SPL250	2.143-41	2.938	5.490	EY 250-4-141-1X
2	1610	2.143-41	2.938	6.500	EY 5-4-7551-1
2	1610	2.143-41	2.938	6.500	EY 5-4-9131-1X
2	1710	2.143-41	2.938	6.625	EY 6-4-7541 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-7541-1 <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191-1X <i>High angle yoke</i>
2	1710	2.143-41	2.938	6.625	EY 6-4-9191X <i>High angle yoke</i>
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1171
2	1760	2.143-41	2.938	5.812	EY 6.3-4-1641X
2	1810	2.143-41	2.938	5.812	EY 6.5-4-3931
2	1810	2.143-41	2.938	5.812	EY 6.5-4-4621X
3	1810	2.143-41	2.939	3.500	CF 6.5-1-2941
3	SPL140	2.143-41	2.938	5.560	EY 140-4-431-1X
3	SPL170	2.143-41	2.938	5.320	EY 170-4-351-1
3	SPL170	2.143-41	2.938	5.320	EY 170-4-361-1X
3	SPL170	2.143-41	2.938	6.680	EY 170-4-381-1X <i>High angle yoke</i>
3	SPL90	2.141-41	2.938	4.562	EY 90-4-471-1
3	SPL90	2.141-41	2.938	4.562	EY 90-4-691-1X
3	1550	2.143-41	2.938	4.500	EY 4-4-5581-1
3	1610	2.143-41	2.938	6.000	EY 5-4-7571-1X
3	1610	2.143-41	2.938	6.000	EY 5-4-7571X
3	1710	2.143-41	2.938	5.190	EY 6-4-7311
3	1710	2.143-41	2.938	5.190	EY 6-4-7311-1
3	1710	2.143-41	2.938	5.190	EY 6-4-7321-1X
3	1710	2.143-41	2.938	6.125	EY 6-4-7551 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7551-1 <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-7561-1X <i>High angle yoke</i>

Pos	Series	Spline Data	Hub Dia	* to End of Hub	End Fitting Part Number
701 (Continued)					
3	1710	2.143-41	2.938	6.125	EY 6-4-7561X <i>High angle yoke</i>
3	1710	2.143-41	2.938	5.190	EY 6-4-9171-1X
3	1710	2.143-41	2.938	5.190	EY 6-4-9171X
3	1710	2.143-41	2.938	6.125	EY 6-4-9181-1X <i>High angle yoke</i>
3	1710	2.143-41	2.938	6.125	EY 6-4-9181X <i>High angle yoke</i>
3	1760	2.143-41	2.938	5.250	EY 6.3-4-1071X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3681-1
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-3691X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601-1X
3	1810	2.143-41	2.938	5.250	EY 6.5-4-4601X

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

AT-1542, AT-1543, AT-1545

1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4471 <i>Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4481X <i>Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4491 <i>Assembly includes plug 231059</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4501X <i>Assembly includes plug 231059</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-11 <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-21X <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-461-1 <i>Contains plug/washer #231059</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-501-1X <i>Contains plug/washer #231059</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11551-1 <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11621-1X <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9231-1 <i>Attaching hardware by OEM</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9241-1X <i>Attaching hardware by OEM</i>
1	1550	1.790-34	2.562	5.156	EY 4-4-4791-1
1	1550	1.790-34	2.562	5.156	EY 4-4-4801-1X
1	1610	1.790-34	2.562	5.312	EY 5-4-7781-1 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-8061-1X <i>Contains plug/washer #231059</i>

AT-540

1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4471 <i>Can be used w/brake Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4481X <i>Can be used w/brake Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4491 <i>Can be used w/brake Assembly includes plug 231059</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4501X <i>Assembly includes plug 231059</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-11 <i>Can be used w/brake Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-21X <i>Can be used w/brake Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	SPL70	1.790-34	2.564	5.530	EY 70-4-181-1 <i>Can be used w/brake; Flanged yoke W/eight, 7-73-620 bolts</i>
1	SPL70	1.790-34	2.564	5.530	EY 70-4-191-1X <i>Can be used w/brake; Flanged yoke W/eight, 7-73-620 bolts</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

AT-540 (Continued)

1	SPL90	1.790-34	2.562	5.625	EY 90-4-461-1 <i>Can be used w/brake; Contains plug/washer #231059</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-501-1X <i>Can be used w/brake; Contains plug/washer #231059</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11551-1 <i>Can be used w/brake Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11621-1X <i>Can be used w/brake Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9231-1 <i>Can be used w/brake; Attaching hardware by OEM</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9241-1X <i>Can be used w/brake; Attaching hardware by OEM</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9241-2X <i>Attaching hardware by OEM</i>
1	1550	1.790-34	2.562	5.156	EY 4-4-4791-1 <i>Can be used w/brake</i>
1	1550	1.790-34	2.562	5.156	EY 4-4-4801-1X <i>Can be used w/brake</i>
1	1610	1.790-34	2.567	5.310	EY 5-4-5231X <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-7781-1 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-8061-1X <i>Contains plug/washer #231059</i>

AT-542

1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4471 <i>Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4481X <i>Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4491 <i>Assembly includes plug 231059</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4501X <i>Assembly includes plug 231059</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-11 <i>Can be used w/brake Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-21X <i>Can be used w/brake Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-461-1 <i>Contains plug/washer #231059</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-501-1X <i>Contains plug/washer #231059</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11551-1 <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11621-1X <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9231-1 <i>Attaching hardware by OEM</i>

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
AT-542 (Continued)					
1	1480	1.790-34	2.562	5.125	EY 3-4-9241-1X <i>Attaching hardware by OEM</i>
1	1550	1.790-34	2.562	5.156	EY 4-4-4791-1
1	1550	1.790-34	2.562	5.156	EY 4-4-4801-1X
1	1610	1.790-34	2.562	5.312	EY 5-4-7781-1 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-8061-1X <i>Contains plug/washer #231059</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
AT-543					
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4471 <i>Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4481X <i>Can be used w/brake Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4491 <i>Assembly includes plug 231059</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4501X <i>Assembly includes plug 231059</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-11 <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-21X <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-461-1 <i>Contains plug/washer #231059</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-501-1X <i>Contains plug/washer #231059</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11551-1 <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11621-1X <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9231-1 <i>Attaching hardware by OEM</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9241-1X <i>Attaching hardware by OEM</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9241-2X <i>Attaching hardware by OEM</i>
1	1550	1.790-34	2.562	5.156	EY 4-4-4791-1
1	1550	1.790-34	2.562	5.156	EY 4-4-4801-1X
1	1610	1.790-34	2.567	5.310	EY 5-4-5231X <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-7781-1 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-8061-1X <i>Contains plug/washer #231059</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
AT-545					
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4471 <i>Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4481X <i>Can be used w/brake Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4491 <i>Assembly includes plug 231059</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4501X <i>Assembly includes plug 231059</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-11 <i>Can be used w/brake Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1610/SPL90	1.790-34	2.562	3.719	CF 90-1-21X <i>Can be used w/brake Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	SPL55	1.790-34	2.564	4.870	EY 5001480 <i>Contains plug/washer #231059</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
AT-545 (Continued)					
1	SPL55	1.790-34	2.564	4.870	EY 55-4-101-1X <i>For 9" x 3" Brake</i>
1	SPL55	1.790-34	2.564	4.870	EY 55-4-91-1 <i>For 9" x 3" Brake</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-461-1 <i>Contains plug/washer #231059</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-501-1X <i>Contains plug/washer #231059</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11551-1 <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11621-1X <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9231-1 <i>Attaching hardware by OEM</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9241-1X <i>Attaching hardware by OEM</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9241-2X <i>Attaching hardware by OEM</i>
1	1550	1.790-34	2.562	5.156	EY 4-4-4791-1
1	1550	1.790-34	2.562	5.156	EY 4-4-4801-1X
1	1610	1.790-34	2.567	5.310	EY 5-4-5231X <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-7781-1 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-8061-1X <i>Contains plug/washer #231059</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
B-300, B-400					
1	SPL140	2.178-43	3.539	5.100	EY 140-4-761-1
1	SPL170	2.178-43	3.540	5.340	EY 170-4-1081-1
1	SPL90	2.178-43	3.547	4.625	EY 90-4-791-1
1	1610	2.178-43	3.531	5.406	EY 5-4-9141
1	1610	2.178-43	3.531	5.406	EY 5-4-9141-1
1	1710	2.178-43	3.539	4.875	EY 6-4-9221-1
1	1760	2.178-43	3.539	5.500	EY 6.3-4-1591-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLBT-5000					
1	1610	2.359-18	3.000	5.219	EY 5-4-2341

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLBT-5961, CLBT-5962					
1	1610	1.962-10	3.000	4.750	EY 5-4-2531

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLBT-6000					
1	1610	2.359-18	3.000	5.219	EY 5-4-2341

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLBT-6061, CLBT-6062					
1	1610	1.962-10	3.000	4.750	EY 5-4-2531

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLBT-7000					
1	1610	2.359-18	3.000	5.219	EY 5-4-2341

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLBT-750					
1	1810	2.560-20	3.500	4.000	CF 6.5-1-2161
1	1810	2.560-20	3.500	6.125	EY 6.5-4-3361
1	1810	2.560-20	3.500	6.125	EY 6.5-4-3361-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLT-5000, CLT-6000					
1	1610	2.359-18	3.000	5.219	EY 5-4-2341

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLT-700					
1	1810	2.560-20	3.500	4.000	CF 6.5-1-2161
1	1810	2.560-20	3.500	6.125	EY 6.5-4-3361
1	1810	2.560-20	3.500	6.125	EY 6.5-4-3361-1


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLT-7000, CLT-750					
1	1610	2.359-18	3.000	5.219	EY 5-4-2341

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CLT-750HD					
1	1810	2.560-20	3.500	4.000	CF 6.5-1-2161
1	1810	2.560-20	3.500	6.125	EY 6.5-4-3361

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 •Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
CRT-5000, CRT-6000, CRT-7000					
1	1610	2.359-18	3.000	5.219	EY 5-4-2341
HD (ALL)					
1	SPL140	2.795-55	4.725	4.980	EY 140-4-771-1
1	SPL170	2.795-55	4.725	5.200	EY 170-4-1091-1
1	SPL250	2.795-55	4.725	5.413	EY 250-4-501-1
HT-700CT					
1	1650/1710	2.364-18	3.500	4.031	CF 6-1-4541
1	1810	2.364-18	3.500	4.031	CF 6.5-1-1801
1	SPL170	2.364-18	3.500	6.350	EY 170-4-1061-1
1	1710	2.364-18	3.500	5.750	EY 6-4-4561
1	1710	2.364-18	3.500	5.750	EY 6-4-4561-1
1	1760	2.364-18	3.500	6.125	EY 6.3-4-271-1
1	1810	2.364-18	3.500	6.125	EY 6.5-4-2581
1	1810	2.364-18	3.500	6.125	EY 6.5-4-2581-1
HT-704D					
1	SPL170	2.364-18	3.500	6.350	EY 170-4-1061-1
1	1810	2.364-18	3.500	6.125	EY 6.5-4-2581
HT-740					
1	1650/1710	2.364-18	3.500	4.031	CF 6-1-4541
1	1810	2.364-18	3.500	4.031	CF 6.5-1-1801
1	SPL170	2.364-18	3.500	6.350	EY 170-4-1061-1
1	1710	2.364-18	3.500	5.750	EY 6-4-4561
1	1710	2.364-18	3.500	5.750	EY 6-4-4561-1
1	1760	2.364-18	3.500	6.125	EY 6.3-4-271
1	1760	2.364-18	3.500	6.125	EY 6.3-4-271-1
1	1810	2.364-18	3.500	6.125	EY 6.5-4-2581
1	1810	2.364-18	3.500	6.125	EY 6.5-4-2581-1
HT-740D					
1	1650/1710	2.364-18	3.500	4.031	CF 6-1-4541
1	1810	2.364-18	3.500	4.031	CF 6.5-1-1801
1	SPL170	2.364-18	3.500	6.350	EY 170-4-1061-1
HT-750					
1	1650/1710	2.364-18	3.500	4.031	CF 6-1-4541
1	1810	2.364-18	3.500	4.031	CF 6.5-1-1801
1	SPL170	2.364-18	3.500	6.350	EY 170-4-1061-1
1	1710	2.364-18	3.500	5.750	EY 6-4-4561
1	1710	2.364-18	3.500	5.750	EY 6-4-4561-1
1	1760	2.364-18	3.500	6.125	EY 6.3-4-271
1	1760	2.364-18	3.500	6.125	EY 6.3-4-271-1
1	1810	2.364-18	3.500	6.125	EY 6.5-4-2581
1	1810	2.364-18	3.500	6.125	EY 6.5-4-2581-1
HT-750D					
1	1650/1710	2.364-18	3.500	4.031	CF 6-1-4541
1	1810	2.364-18	3.500	4.031	CF 6.5-1-1801
1	SPL170	2.364-18	3.500	6.350	EY 170-4-1061-1
1	1710	2.364-18	3.500	5.750	EY 6-4-4561
1	1810	2.364-18	3.500	6.125	EY 6.5-4-2581

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
HTB-700, HTB-740					
1	1810	2.364-18	2.750	3.000	CF 6.5-1-2301
1	1710	2.364-18	3.750	5.094	EY 6-4-6971•
1	1710	2.364-18	3.750	5.094	EY 6-4-6971-1•
HTB-741					
1	1810	2.364-18	2.750	3.000	CF 6.5-1-2301
1	1710	2.364-18	3.750	5.094	EY 6-4-6971•
1	1710	2.364-18	3.750	5.094	EY 6-4-6971-1•
1	1810	2.364-18	3.750	5.625	EY 6.5-4-4211-1• <i>Fits trans w/retarder</i>
HTB-745, HTB-746					
1	1810	2.364-18	2.750	3.000	CF 6.5-1-2301
1	1710	2.364-18	3.750	5.094	EY 6-4-6971•
1	1710	2.364-18	3.750	5.094	EY 6-4-6971-1•
HTB-781					
1	1810	2.364-18	2.750	3.000	CF 6.5-1-2301
1	1710	2.364-18	3.750	5.094	EY 6-4-6971•
1	1710	2.364-18	3.750	5.094	EY 6-4-6971-1•
1	1810	2.364-18	3.750	5.625	EY 6.5-4-4211-1• <i>Fits trans w/retarder</i>
LCT1000 ALL, LCT2000 ALL					
1	SPL90	1.790-34	2.562	3.719	CF 90-1-21X <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4471 <i>Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4481X <i>Assembly includes plug 231059 and 4 studs 231016</i>
1	1480/1550	1.790-34	2.562	3.344	CF 4-1-4501X <i>Assembly includes plug 231059</i>
1	SPL90	1.790-34	2.562	5.625	EY 90-4-501-1X <i>Contains plug/washer #231059</i>
1	1480	1.790-34	2.567	4.885	EY 3-4-11621-1X <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.790-34	2.562	5.125	EY 3-4-9241-1X <i>Attaching hardware by OEM</i>
1	1550	1.790-34	2.562	5.156	EY 4-4-4801-1X
1	1610	1.790-34	2.562	5.312	EY 5-4-8061-1X <i>Contains plug/washer #231059</i>
MD (ALL)					
1	SPL140	2.178-43	3.541	5.100	EY 140-4-1231-1
1	SPL140	2.178-43	3.539	5.100	EY 140-4-761-1
1	SPL170	2.178-43	3.540	5.340	EY 170-4-1081-1
1	SPL90	2.178-43	3.547	4.625	EY 90-4-791-1
1	1610	2.178-43	3.531	5.406	EY 5-4-9141
1	1610	2.178-43	3.531	5.406	EY 5-4-9141-1
1	1710	2.178-43	3.539	4.875	EY 6-4-9221
1	1710	2.178-43	3.539	4.875	EY 6-4-9221-1
MT-545					
1	1710	1.790-34	2.562	5.594	EY 6-4-5031-1 <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	5.594	EY 6-4-5041-1X <i>Contains plug/washer #231059</i>

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Main Transmissions — Allison



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

MT-63

1	SPL55	1.790-34	2.564	4.870	EY 5001480 <i>Contains plug/washer #231059</i>
---	-------	----------	-------	-------	---

MT-640

1	1610	1.790-34	2.562	3.938	CF 5-1-5111 <i>Can be used w/brake; Assembly includes plug 231059</i>
1	1610	1.790-34	2.562	3.938	CF 5-1-5121X <i>Assembly includes plug 231059</i>
1	1610	1.790-34	2.562	4.250	CF 5-1-5141 <i>Can be used w/brake</i>
					<i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1610	1.790-34	2.562	4.250	CF 5-1-5151X <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1650/1710	1.790-34	2.562	3.903	CF 6-1-4691 <i>Can be used w/brake; Assembly includes plug 231059</i>
1	1710	1.790-34	2.562	3.903	CF 6-1-4701X <i>Assembly includes plug 231059</i>
1	SPL90	1.790-34	2.562	5.609	EY 90-4-181-1 <i>Contains plug/washer #231059</i>
1	SPL90	1.790-34	2.562	5.609	EY 90-4-191-1X <i>Contains plug/washer #231059</i>
1	1550	1.790-34	2.562	5.125	EY 4-4-3851-1 <i>Contains plug/washer #231059</i>
1	1550	1.790-34	2.562	5.125	EY 4-4-3861-1X <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4831 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4831-1 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4841-1X <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4841X <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	5.594	EY 6-4-5031-1 <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	5.594	EY 6-4-5041-1X <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	7.188	EY 6-4-5041X <i>High angle yoke</i>

MT-643, MT-644

1	1610	1.790-34	2.562	3.938	CF 5-1-5111 <i>Assembly includes plug 231059</i>
1	1610	1.790-34	2.562	3.938	CF 5-1-5121X <i>Assembly includes plug 231059</i>
1	1610	1.790-34	2.562	4.250	CF 5-1-5141 <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1610	1.790-34	2.562	4.250	CF 5-1-5151X <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1710	1.790-34	2.562	3.903	CF 6-1-4691 <i>Assembly includes plug 231059</i>
1	1710	1.790-34	2.562	3.903	CF 6-1-4701X <i>Assembly includes plug 231059</i>
1	SPL90	1.790-34	2.562	5.609	EY 90-4-181-1 <i>Contains plug/washer #231059</i>
1	SPL90	1.790-34	2.562	5.609	EY 90-4-191-1X <i>Contains plug/washer #231059</i>
1	1550	1.790-34	2.562	5.125	EY 4-4-3851-1 <i>Contains plug/washer #231059</i>
1	1550	1.790-34	2.562	5.125	EY 4-4-3861-1X <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4831 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4831-1 <i>Contains plug/washer #231059</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

MT-643, MT-644 (Continued)

1	1610	1.790-34	2.562	5.312	EY 5-4-4841-1X <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4841X <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	5.594	EY 6-4-5031-1 <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	5.594	EY 6-4-5041-1X <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	7.188	EY 6-4-5041X <i>High angle yoke</i>

MT-646

1	1610	1.790-34	2.562	5.312	EY 5-4-4841-1X <i>Contains plug/washer #231059</i>
---	------	----------	-------	-------	---

MT-647, MT-648

1	1610	1.790-34	2.562	3.938	CF 5-1-5111 <i>Assembly includes plug 231059</i>
1	1610	1.790-34	2.562	3.938	CF 5-1-5121X <i>Assembly includes plug 231059</i>
1	1610	1.790-34	2.562	4.250	CF 5-1-5141 <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1610	1.790-34	2.562	4.250	CF 5-1-5151X <i>Assembly includes plug 231059 and eight 6-73-725 bolts</i>
1	1710	1.790-34	2.562	3.903	CF 6-1-4691 <i>Assembly includes plug 231059</i>
1	1710	1.790-34	2.562	3.903	CF 6-1-4701X <i>Assembly includes plug 231059</i>
1	SPL90	1.790-34	2.562	5.609	EY 90-4-181-1 <i>Contains plug/washer #231059</i>
1	SPL90	1.790-34	2.562	5.609	EY 90-4-191-1X <i>Contains plug/washer #231059</i>
1	1550	1.790-34	2.562	5.125	EY 4-4-3851-1 <i>Contains plug/washer #231059</i>
1	1550	1.790-34	2.562	5.125	EY 4-4-3861-1X <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4831 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4831-1 <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4841-1X <i>Contains plug/washer #231059</i>
1	1610	1.790-34	2.562	5.312	EY 5-4-4841X <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	5.594	EY 6-4-5031-1 <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	5.594	EY 6-4-5041-1X <i>Contains plug/washer #231059</i>
1	1710	1.790-34	2.562	7.188	EY 6-4-5041X <i>High angle yoke</i>


MT-650, MT-653

1	1710	2.390-46	3.500	4.547	CF 6-1-4671
1	SPL140	2.390-46	3.500	5.920	EY 140-4-751-1
1	SPL250	2.390-46	3.500	6.560	EY 250-4-471-1
1	1610	2.390-46	3.500	6.125	EY 5-4-4861 <i>Can be used w/brake</i>
1	1610	2.390-46	3.500	6.125	EY 5-4-4861-1
1	1710	2.390-46	3.500	5.750	EY 6-4-4771
1	1710	2.390-46	3.500	5.750	EY 6-4-4771-1
1	1760	2.390-46	3.500	6.000	EY 6.3-4-381
1	1760	2.390-46	3.500	6.000	EY 6.3-4-381-1
1	1810	2.390-46	3.500	6.156	EY 6.5-4-2541
1	1810	2.390-46	3.500	6.156	EY 6.5-4-2541-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 •Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Allison

MT-654					
1	1710	2.390-46	3.500	4.547	CF 6-1-4671
1	SPL140	2.390-46	3.500	5.920	EY 140-4-751-1
1	SPL250	2.390-46	3.500	6.560	EY 250-4-471-1
1	1610	2.390-46	3.500	6.125	EY 5-4-4861
1	1610	2.390-46	3.500	6.125	EY 5-4-4861-1
1	1710	2.390-46	3.500	5.750	EY 6-4-4771-1
1	1760	2.390-46	3.500	6.000	EY 6-3-4-381
1	1760	2.390-46	3.500	6.000	EY 6-3-4-381-1
1	1810	2.390-46	3.500	6.156	EY 6-5-4-2541
1	1810	2.390-46	3.500	6.156	EY 6-5-4-2541-1

MT-654CR					
1	1710	2.390-46	3.500	4.547	CF 6-1-4671
1	1610	2.390-46	3.500	6.125	EY 5-4-4861
<i>Can be used w/brake</i>					
1	1710	2.390-46	3.500	5.750	EY 6-4-4771
1	1810	2.390-46	3.500	6.156	EY 6-5-4-2541

MTB-644, MTB-654					
1	1810	2.364-18	3.750	5.625	EY 6-5-4-4211-1
<i>Fits trans w/retarder*</i>					

1000					
1	SPL55	1.790-34	2.564	4.870	EY 5001480
<i>Contains plug/washer #231059</i>					

10001					
1	SPL70	1.790-34	2.564	5.530	EY 70-4-181-1
<i>Can be used w/brake; Flanged yoke W/eight, 7-73-620 bolts</i>					
1	SPL70	1.790-34	2.564	5.530	EY 70-4-191-1X
<i>Can be used w/brake; Flanged yoke W/eight, 7-73-620 bolts</i>					

2000					
1	SPL55	1.790-34	2.564	4.870	EY 5001480
<i>Contains plug/washer #231059</i>					

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Clark

CL-450					
1	1480/1550	1.750-10	2.500	2.734	CF 4-1-5131
1	1480/1550	1.750-10	2.500	3.547	CF 4-1-5211X
<i>Assembly includes four 8-73-226 bolts</i>					
1	1480/1550	1.750-10	2.500	3.547	CF 4-1-7001
1	SPL70	1.750-10	2.500	5.750	EY 70-4-161-1
1	SPL70	1.750-10	2.500	5.750	EY 70-4-171-1X
<i>Flanged yoke W/eight, 7-73-620 bolts</i>					
1	SPL90	1.750-10	2.500	4.125	EY 90-4-371-1
1	1480	1.750-10	2.500	5.109	EY 3-4-11561-1
<i>Flanged end yoke, strap kit not furnished by Dana</i>					
1	1480	1.750-10	2.500	4.000	EY 3-4-11871-2
<i>Attaching hardware by OEM</i>					
1	1480	1.750-10	2.500	4.000	EY 3-4-9271-1
1	1550	1.750-10	2.500	4.125	EY 4-4-4781-1
1	1550	1.750-10	2.500	4.125	EY 4-4-4781-2
<i>Attaching hardware by OEM</i>					
1	1550	1.750-10	2.500	4.115	EY 4-4-6791-2
<i>Attaching hardware by OEM</i>					
1	1610	1.750-10	2.500	4.125	EY 5-4-7631-1

CL-550					
1	SPL140	1.962-10	2.750	5.810	EY 140-4-181-1
1	SPL90	1.962-10	2.750	4.984	EY 90-4-381-1
1	1550	1.962-10	2.750	5.000	EY 4-4-4771-2
<i>Attaching hardware by OEM</i>					
1	1550	1.750-10	2.500	4.290	EY 4-4-5251-1
1	1550	1.962-10	2.750	5.000	EY 4-4-6781-2
<i>Attaching hardware by OEM</i>					
1	1610	1.962-10	2.750	5.281	EY 5-4-7041-1
1	1610	1.750-10	2.500	4.720	EY 5-4-7581-1
1	1610	1.962-10	2.750	5.281	EY 5-4-8361-1
1	1710	1.962-10	2.750	5.156	EY 6-4-3831
1	1710	1.962-10	2.750	5.156	EY 6-4-3831-1

204-V, 204-VO, 205-V, 205-VO, 207-VO, 208-V, 230-F, 231-F, 233-F, 264-V, 264-VO, 265-V, 265-VO					
1	1350/1410	1.500-10	2.125	2.562	CF 3-1-1151
1	1480/1550	1.500-10	2.125	2.625	CF 4-1-2701

270-V, 270-VO					
1	1480/1550	1.750-10	2.250	2.750	CF 4-1-1381

271-T					
1	1350/1410	1.500-10	2.125	2.562	CF 3-1-1151
1	1480/1550	1.500-10	2.125	2.625	CF 4-1-2701

280-V, 282-V, 285-V, 288-V, 289-V, 290-V, 290-VO, 291-V, 303-X, 320-V, 320-VO, 325-V, 327-V, 328-V, 330-F, 330-FO, 331-F, 332-F, 333-F, 334-F					
1	1480/1550	1.750-10	2.250	2.750	CF 4-1-1381


390					
1	1550	1.962-10	2.750	5.000	EY 4-4-4771-2
<i>Attaching hardware by OEM</i>					
1	1610	1.962-10	2.750	5.281	EY 5-4-7041-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Main Transmissions — Fuller



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

AR					
1	62	2.000-10	3.250	3.625	CF 5-1-931

C-2000					
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>

FR-11210, FR-12210, FR-13210, FR-14210, FR-15210, FR-16210					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>

FRO-15210C					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>

FRO-16210C, FRO-17210C, FRO-18210C					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

FRO-16210C, FRO-17210C, FRO-18210C (Con't)					
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>


FS-3005, FS-3205					
1	1480/1550	1.750-10	2.500	2.734	CF 4-1-5131
1	1480/1550	1.750-10	2.500	3.547	CF 4-1-5211X <i>Assembly includes four 8-73-226 bolts</i>
1	1480/1550	1.750-10	2.500	3.547	CF 4-1-7001
1	SPL70	1.750-10	2.500	5.750	EY 70-4-161-1
1	SPL70	1.750-10	2.500	5.750	EY 70-4-171-1X <i>Flanged yoke Weight, 7-73-620 bolts</i>
1	SPL90	1.750-10	2.500	4.125	EY 90-4-371-1
1	1480	1.750-10	2.500	5.109	EY 3-4-11561-1 <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.750-10	2.500	4.000	EY 3-4-11871-2 <i>Attaching hardware by OEM</i>
1	1480	1.750-10	2.500	4.000	EY 3-4-9271-1
1	1550	1.750-10	2.500	4.125	EY 4-4-4781-1
1	1550	1.750-10	2.500	4.115	EY 4-4-6791-2 <i>Attaching hardware by OEM</i>
1	1610	1.750-10	2.500	4.125	EY 5-4-7631-1

FS-4005, FS-4205					
1	1480/1550	1.750-10	2.500	2.734	CF 4-1-5131
1	1480/1550	1.750-10	2.500	3.547	CF 4-1-5211X <i>Assembly includes four 8-73-226 bolts</i>
1	1480/1550	1.750-10	2.500	3.547	CF 4-1-7001
1	SPL70	1.750-10	2.500	5.750	EY 70-4-161-1
1	SPL70	1.750-10	2.500	5.750	EY 70-4-171-1X <i>Flanged yoke Weight, 7-73-620 bolts</i>
1	SPL90	1.750-10	2.500	4.125	EY 90-4-371-1
1	1480	1.750-10	2.500	5.109	EY 3-4-11561-1 <i>Flanged end yoke, strap kit not furnished by Dana</i>
1	1480	1.750-10	2.500	4.000	EY 3-4-11871-2 <i>Attaching hardware by OEM</i>
1	1480	1.750-10	2.500	4.000	EY 3-4-9271-1
1	1550	1.750-10	2.500	4.125	EY 4-4-4781-1
1	1550	1.750-10	2.500	4.125	EY 4-4-4781-2 <i>Attaching hardware by OEM</i>
1	1550	1.750-10	2.500	4.115	EY 4-4-6791-2 <i>Attaching hardware by OEM</i>
1	1610	1.750-10	2.500	4.125	EY 5-4-7631-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 •Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-5005					
1	SPL140	1.962-10	2.750	5.810	EY 140-4-181-1
1	SPL90	1.962-10	2.750	4.984	EY 90-4-381-1
1	1550	1.962-10	2.750	5.000	EY 4-4-6781-2
<i>Attaching hardware by OEM</i>					
1	1610	1.750-10	2.500	4.720	EY 5-4-7581-1
1	1610	1.962-10	2.750	5.281	EY 5-4-8361-1
1	1710	1.962-10	2.750	5.156	EY 6-4-3831
1	1710	1.962-10	2.750	5.156	EY 6-4-3831-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-5106A					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	1610	1.998-38	2.750	4.688	CF 5-1-6471X
<i>Assembly includes eight 6-73-725 bolts</i>					
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.830	EY 140-4-1131-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	1550	1.998-38	2.750	4.141	EY 4-4-7341-1
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.000	EY 5-4-8971-1
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-5205					
1	SPL140	1.962-10	2.750	5.810	EY 140-4-181-1
1	SPL90	1.962-10	2.750	4.984	EY 90-4-381-1
1	1550	1.962-10	2.750	5.000	EY 4-4-6781-2
<i>Attaching hardware by OEM</i>					
1	1610	1.962-10	2.750	5.281	EY 5-4-8361-1
1	1710	1.962-10	2.750	5.156	EY 6-4-3831
1	1710	1.962-10	2.750	5.156	EY 6-4-3831-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-5306A, FS-6005, FS-6105, FS-6106					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	1610	1.998-38	2.750	4.688	CF 5-1-6471X
<i>Assembly includes eight 6-73-725 bolts</i>					
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.830	EY 140-4-1131-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	1550	1.998-38	2.750	4.141	EY 4-4-7341-1
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.000	EY 5-4-8971-1
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-6205					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	1610	1.998-38	2.750	4.688	CF 5-1-6471X
<i>Assembly includes eight 6-73-725 bolts</i>					

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-6205 (Continued)					
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	1550	1.998-38	2.750	4.141	EY 4-4-7341-1
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-8971-1
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-6206A					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	1610	1.998-38	2.750	4.688	CF 5-1-6471X
<i>Assembly includes eight 6-73-725 bolts</i>					
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.830	EY 140-4-1131-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	1550	1.998-38	2.750	4.141	EY 4-4-7341-1
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.000	EY 5-4-8971-1
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-6305					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	1610	1.998-38	2.750	4.688	CF 5-1-6471X
<i>Assembly includes eight 6-73-725 bolts</i>					
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	1550	1.998-38	2.750	4.141	EY 4-4-7341-1
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-8971-1
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-6306A					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	1610	1.998-38	2.750	4.688	CF 5-1-6471X
<i>Assembly includes eight 6-73-725 bolts</i>					
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	1550	1.998-38	2.750	4.141	EY 4-4-7341-1
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.000	EY 5-4-8971-1
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Main Transmissions — Fuller



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
FS-7206A					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	1610	1.998-38	2.750	4.688	CF 5-1-6471X
<i>Assembly includes eight 6-73-725 bolts</i>					
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.830	EY 140-4-1131-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	1550	1.998-38	2.750	4.141	EY 4-4-7341-1
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.000	EY 5-4-8971-1
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

FS-8109A					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL140	2.250-10	3.500	6.000	EY 140-4-1091-1
1	SPL140	2.250-10	3.500	6.000	EY 140-4-1101-1X
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	SPL90	2.250-10	3.750	5.219	EY 90-4-161-1
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7381-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7371-1
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1091-1
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1101-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

FS-8206					
1	1610	2.343-45	3.750	5.750	EY 5-4-7651-1X
1	1710	2.343-45	3.750	5.250	EY 6-4-7251
1	1710	2.343-45	3.750	5.250	EY 6-4-7251-1
1	1710	2.343-45	3.750	5.250	EY 6-4-7271-1X
1	1710	2.343-45	3.750	5.250	EY 6-4-7271X
1	1760	2.343-45	3.750	5.656	EY 6.3-4-841-1

FSB-5305					
1	SPL140	1.962-10	2.750	5.810	EY 140-4-181-1
1	SPL90	1.962-10	2.750	4.984	EY 90-4-381-1
1	1550	1.962-10	2.750	5.000	EY 4-4-6781-2
<i>Attaching hardware by OEM</i>					
1	1610	1.962-10	2.750	5.281	EY 5-4-8361-1
1	1710	1.962-10	2.750	5.156	EY 6-4-3831
1	1710	1.962-10	2.750	5.156	EY 6-4-3831-1

MRT-11609, MRT-11610					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
MRT-11609, MRT-11610 (Continued)					
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

MRT-11613, MRT-11615					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

MT-11605					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL90	2.250-10	3.750	5.219	EY 90-4-161-1
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X
<i>Change seal to service older trans.</i>					
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7381-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7371-1
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
<i>Change seal to service older trans.</i>					
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1091-1
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1101-1X
<i>Change seal to service older trans.</i>					
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
MT-11605 (Continued)					
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

MT-905					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1 <i>Change seal to service older trans.</i>
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X <i>Change seal to service older trans.</i>
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X <i>Change seal to service older trans.</i>
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X <i>Change seal to service older trans.</i>
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
2	1610	2.250-10	3.500	3.625	CF 5-1-6331
2	1810	2.250-10	3.500	3.688	CF 6.5-1-151
2	1610	2.250-10	3.500	5.750	EY 5-4-4961
2	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
2	1610	2.250-10	3.500	5.250	EY 6-4-6861-1
2	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

MT-9509-A					
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

R-1150, R-1160					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
R-1550					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

R-510, R-610					
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X

R-910					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X

R-96T					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

R-960					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Main Transmissions — Fuller



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RA-96T					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X
<i>Change seal to service older trans.</i>					
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
<i>Change seal to service older trans.</i>					
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1101-1X
<i>Change seal to service older trans.</i>					
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

RA-960					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X
<i>Change seal to service older trans.</i>					
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
<i>Change seal to service older trans.</i>					
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

RAO-11710					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X

RT-1110					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11109					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RT-11509					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•


RT-11608					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-1111-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-1121-1X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 •Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11608 (Continued)					
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11609, RT-11609A					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11610, RT-11613					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-1111-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-1121-1X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11610, RT-11613 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11615					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11618					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11618 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11709, RT-11710, RT-11715					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-1111-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-1121-1X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-11908LL					
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681
					<i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1
					<i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-12109					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-12109 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-1213, RT-12509, RT-12510, RT-12513, RT-12515					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-12609, RT-12610, RT-12709, RT-12710, RT-13609, RT-13709, RT-13710					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 •Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-14109					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-14209, RT-14210					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1
					<i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1
					<i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681
					<i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1
					<i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-14608					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-14608 (Continued)					
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-14609					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.794-54	3.750	5.970	EY 6.3-4-1051-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-14610, RT-14610B, RT-14613, RT-14615, RT-14709, RT-14710, RT-14715					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Main Transmissions — Fuller



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-14610, RT-14610B, RT-14613, RT-14615, RT-14709, RT-14710, RT-14715 (Continued)					
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-15210					
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-15610, RT-15610B, RT-15613, RT-15615, RT-15715					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-16210					
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-16610, RT-16610B					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-16915					
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-2008					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-510, RT-610					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-613					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-613 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-6609, RT-6610					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL140	2.250-10	3.500	6.000	EY 140-4-1091-1
1	SPL140	2.250-10	3.500	6.000	EY 140-4-1101-1X
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	SPL90	2.250-10	3.750	5.219	EY 90-4-161-1
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7381-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7371-1
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1091-1
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1101-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-6613					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-1111-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-1121-1X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-6613 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-7608LL, RT-8608LL					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-8609					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	SPL90	2.250-10	3.750	5.219	EY 90-4-161-1
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7381-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7371-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-8609 (Continued)					
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1091-1
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1101-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

RT-8709					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RT-8908					
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681
					<i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1
					<i>Hub diameter not ground.</i>

RT-8908LL					
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631
					<i>Hub diameter not ground.</i>

RT-8909LL					
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681
					<i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1
					<i>Hub diameter not ground.</i>

RT-906					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-906 (Continued)					
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RT-909A					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.225-6	3.000	6.000	EY 6.5-4-2271X
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•
1	1860	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1860	2.500-10	3.750	5.875	EY 6.5-4-3451-1•


RT-910, RT-9109					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-910, RT-9109 (Continued)					
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-912					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-913, RT-915					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-913, RT-915 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-9508					
1	1650/1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1650/1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-9508 (Continued)					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-9509A, RT-9509B, RT-9513					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-958LL					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RT-958LL (Continued)					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTAO-11710, RTAO-12710, RTAO-13710					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTAO-14710, RTAO-15710, RTAO-16710					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTAO-14710, RTAO-15710, RTAO-16710 (Con't)					
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTE-12609					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTF-909A					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTLCL-16609B					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTL-16609B (Continued)					
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTLO-11610, RTLO-1210A, RTLO-12610					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTLO-12610A					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTLO-12610A (Continued)					
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTLO-12610B, RTLO-12613					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTLO-12613B					
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Main Transmissions — Fuller



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTLO-12713, RTLO-12713A					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTLO-12713B					
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•

RTLO-13610					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTLO-13610B					
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTLO-13610B (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTLO-14610A, RTLO-14613, RTLO-14613B, RTLO-14618					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTLO-14618A					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTLO-14713					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

RTLO-14713 (Continued)

1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTLO-14713A, RTLO-14718, RTLO-14718B

1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTLO-14918A

1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1
					<i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1
					<i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681
					<i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1
					<i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

RTLO-15610B, RTLO-16609B, RTLO-16610B, RTLO-16613B, RTLO-16618, RTLO-16618A

1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTLO-16713

1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTLO-16713A, RTLO-16718, RTLO-16718B

1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTLO-16713A, RTLO-16718, RTLO-16718B (Con't)					
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X
RTLO-16913					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>
RTLO-16918					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>
RTLO-18718, RTLO-18718B					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTLO-18718, RTLO-18718B (Continued)					
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X
RTLO-18913					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>
RTLO-18918, RTLO-20918					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>
RTO-1110					
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•
RTO-11109					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

RTO-1109 (Continued)

1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTO-11509

1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTO-1157

1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X <i>Can be used w/brake</i>
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X <i>Can be used w/brake</i>
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1 <i>Can be used w/brake</i>
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X <i>Can be used w/brake</i>
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1 <i>Can be used w/brake</i>
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X <i>Can be used w/brake</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

RTO-1157 (Continued)

1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X <i>Can be used w/brake</i>
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X <i>Can be used w/brake</i>
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711 <i>Can be used w/brake</i>
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1 <i>Can be used w/brake</i>
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X <i>Can be used w/brake</i>
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X <i>Can be used w/brake</i>
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X <i>Can be used w/brake</i>
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X <i>Can be used w/brake</i>

RTO-1157-DL, RTO-1157-DLL

1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTO-11607-L, RTO-11607-LL, RTO-11607L, RTO-11607LL

1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11607-L, RTO-11607-LL, RTO-11607L, RTO-11607LL (Continued)					
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11608LL					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11609, RTO-11610					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11613					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11613 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11615					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11618					
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11707L					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11707L (Continued)					
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11708L, RTO-11708LL					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1*
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X*
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1*
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X*
1	1710	2.500-10	3.750	5.625	EY 6-4-6611*
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1*
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X*
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X*
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651*
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1*
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X*
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X*
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451*
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1*
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X*
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X*

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11709M, RTO-11709MLL					
1	SPL170	2.750-10	.000	5.850	EY 170-4-531-1 <i>Hub diameter not ground.</i>
1	SPL250	2.750-10	.000	6.310	EY 250-4-251-1
1	1710	2.750-10	3.812	5.750	EY 6-4-7661-1 <i>Hub diameter not ground.</i>
1	1810	2.750-10	3.875	6.062	EY 6.5-4-3801-1 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11909M, RTO-11909MLL					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-11909M, RTO-11909MLL (Continued)					
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-1213					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-12509, RTO-12510, RTO-12513, RTO-12515					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	1810	2.750-10	3.500	4.062	CF 6.5-1-741
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-1258LL					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-12609, RTO-12610					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1*
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X*
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1*
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X*
1	1710	2.500-10	3.750	5.625	EY 6-4-6611*
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1*
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X*
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X*
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651*
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1*
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X*
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X*
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451*
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1*
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X*
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X*

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-13109, RTO-14109					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-13109, RTO-14109 (Continued)					
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-14209, RTO-14209MLL, RTO-14210					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1
					<i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1
					<i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681
					<i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631
					<i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1
					<i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-14608L, RTO-14608LL, RTO-14609, RTO-14610					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-14613					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.794-54	3.750	5.970	EY 6.3-4-1051-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 *Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-14613 (Continued)					
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-14708L, RTO-14708LL					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-14709M, RTO-14709MLL					
1	SPL170	2.750-10	.000	5.850	EY 170-4-531-1 <i>Hub diameter not ground.</i>
1	SPL250	2.750-10	.000	6.310	EY 250-4-251-1
1	1710	2.750-10	3.812	5.750	EY 6-4-7661-1 <i>Hub diameter not ground.</i>
1	1810	2.750-10	3.875	6.062	EY 6.5-4-3801-1 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-14908L, RTO-14908LL, RTO-14909M, RTO-14909MLL, RTO-15210					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-14908L, RTO-14908LL, RTO-14909M, RTO-14909MLL, RTO-15210 (Continued)					
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-15613, RTO-15618, RTO-15813, RTO-16109					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-16210, RTO-16908L, RTO-16908LL, RTO-16910C					
1	SPL140	2.794-54	.000	6.320	EY 140-4-201-1
1	SPL170	2.794-54	.000	5.600	EY 170-4-561-1 <i>Hub diameter not ground.</i>
1	SPL250	2.794-54	.000	5.703	EY 250-4-271-1 <i>Hub diameter not ground.</i>
1	1710	2.794-54	.000	5.625	EY 6-4-9231
1	1710	2.794-54	.000	5.625	EY 6-4-9231-1
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681 <i>Hub diameter not ground.</i>
1	1760	2.794-54	.000	5.625	EY 6.3-4-1681-1 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631 <i>Hub diameter not ground.</i>
1	1810	2.794-54	.000	5.625	EY 6.5-4-4631-1 <i>Hub diameter not ground.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-2008					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

+Hub machined for speedometer gear



Main Transmissions — Fuller



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-2008 (Continued)					
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTO-6610					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7381-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7371-1
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1091-1
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1101-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

RTO-6613, RTO-910, RTO-913, RTO-915, RTO-9509A, RTO-9509B, RTO-9513					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTO-958LL					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTO-958LL (Continued)					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTOF-11607					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X


RTOF-11707					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTOO-11613					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTOO-14613					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RTOO-913					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTOO-9513, RTOO-958LL, RTT-12609, RTX-11609, RTX-12609					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RTX-13710, RTX-14609B, RTX-14710B, RTX-15710, RTX-16709, RTX-16709H, RTX-16710					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Main Transmissions — Fuller



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RTX-7609					
1	1710	2.544-49	3.755	5.625	EY 6-4-7041-1X•
1	1710	2.544-49	3.755	5.625	EY 6-4-7041X•
1	1710	2.544-49	3.755	5.625	EY 6-4-7051•
1	1760	2.544-49	3.750	6.031	EY 6.3-4-771-1X•
1	1760	2.544-49	3.750	6.031	EY 6.3-4-771X•
1	1760	2.544-49	3.750	6.031	EY 6.3-4-811•
1	1760	2.544-49	3.750	6.031	EY 6.3-4-811-1•
1	1810	2.544-49	3.750	5.875	EY 6.5-4-3611•
1	1810	2.544-49	3.750	5.875	EY 6.5-4-3611-1•
1	1810	2.544-49	3.750	5.875	EY 6.5-4-3621-1X•
1	1810	2.544-49	3.750	5.875	EY 6.5-4-3621X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-1056A					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-1056AA					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-11605					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL140	2.250-10	3.500	6.000	EY 140-4-1091-1
1	SPL140	2.250-10	3.500	6.000	EY 140-4-1101-1X
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	SPL90	2.250-10	3.750	5.219	EY 90-4-161-1
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7381-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7371-1
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1091-1
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1101-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-11606					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-11607					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-11607 (Continued)					
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

T-11609					
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X

T-11610					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•

T-11610 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

T-14607					
1	SPL140	2.544-49	3.750	5.570	EY 140-4-141-1
1	SPL140	2.544-49	3.750	5.570	EY 140-4-151-1X
1	SPL170	2.544-49	3.750	6.000	EY 170-4-411-1•
1	SPL170	2.544-49	3.750	6.000	EY 170-4-421-1X•
1	SPL250	2.544-49	3.750	6.250	EY 250-4-151-1•
1	SPL250	2.544-49	3.750	6.250	EY 250-4-161-1X•
1	1710	2.544-49	3.755	5.625	EY 6-4-7041-1X•
1	1710	2.544-49	3.755	5.625	EY 6-4-7041X•
1	1710	2.544-49	3.755	5.625	EY 6-4-7051•
1	1710	2.544-49	3.755	5.625	EY 6-4-7051-1•
1	1760	2.544-49	3.750	6.031	EY 6.3-4-771-1X•
1	1760	2.544-49	3.750	6.031	EY 6.3-4-771X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-14607 (Continued)					
1	1760	2.544-49	3.750	6.031	EY 6.3-4-811•
1	1760	2.544-49	3.750	6.031	EY 6.3-4-811-1•
1	1810	2.024-39	3.000	5.188	EY 6.5-4-2471
1	1810	2.544-49	3.750	5.875	EY 6.5-4-3611•
1	1810	2.544-49	3.750	5.875	EY 6.5-4-3611-1•
1	1810	2.544-49	3.750	5.875	EY 6.5-4-3621-1X•
1	1810	2.544-49	3.750	5.875	EY 6.5-4-3621X•

T-8607					
1	1610	2.343-45	3.750	5.750	EY 5-4-7641-1
1	1610	2.343-45	3.750	5.750	EY 5-4-7651-1X
1	1710	2.343-45	3.750	5.250	EY 6-4-7251
1	1710	2.343-45	3.750	5.250	EY 6-4-7251-1
1	1710	2.343-45	3.750	5.250	EY 6-4-7271-1X
1	1710	2.343-45	3.750	5.250	EY 6-4-7271X
1	1760	2.343-45	3.750	5.656	EY 6.3-4-841-1
1	1760	2.343-45	3.750	5.656	EY 6.3-4-901-1X

T-904					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X
<i>Change seal to service older trans.</i>					
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
<i>Change seal to service older trans.</i>					
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1101-1X
<i>Change seal to service older trans.</i>					
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

T-905					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

T-955-AL, T-955-ALL					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-955-AL, T-955-ALL (Continued)					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-955-GL					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TA-11606					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TA-11606 (Continued)					
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•
1	1860	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1860	2.500-10	3.750	5.875	EY 6.5-4-3451-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TA-4510					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1860	2.500-10	3.750	5.875	EY 6.5-4-3551•
1	1860	2.500-10	3.750	5.875	EY 6.5-4-3551-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TO-905					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL90	2.250-10	3.750	5.219	EY 90-4-171-1X
<i>Change seal to service older trans.</i>					
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1610	2.250-10	3.750	5.750	EY 5-4-7391-1X
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1710	2.250-10	3.750	5.250	EY 6-4-7381-1X
<i>Change seal to service older trans.</i>					
1	1760	2.250-10	3.750	5.625	EY 6.3-4-1101-1X
<i>Change seal to service older trans.</i>					
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TO-955-AL, TO-955-ALL					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1710	2.500-10	3.750	3.625	CF 6-1-5651X
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1610	2.500-10	3.750	6.125	EY 5-4-4971•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TO-955-AL, TO-955-ALL (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TS-11612					
1	1760	2.794-54	3.750	5.970	EY 6.3-4-1051-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TS-1308-A					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TS-1312-A					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
10-A-1120, 10-B-1120, 10-C-1120, 10-F-1120, 10-FA-65, 10-FA-650, 10-FB-65, 10-FB-650					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
10-SPEED-1120, 10-SPEED-65, 10-SPEED-650					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
15-G-1120, 15-H-1120					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
15-SPEED-1120, 2 SPEED 92, 3 SPEED 65, 3 SPEED 92					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
4 SPEED 75					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear




Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
4 SPEED 75 (Continued)					
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
4-A-112, 4-A-86, 4-A-860					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	SPL170	2.250-10	3.500	5.750	EY 170-4-451-1
1	SPL170	2.250-10	3.500	5.750	EY 170-4-461-1X
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
4-F-1440					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2311
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X
4-FS-1440					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X
4-MS-1440					
1	1810	2.750-10	3.750	4.062	CF 6.5-1-2361X <i>Can be used w/brake</i>
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1 <i>Can be used w/brake</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
4-MS-1440 (Continued)					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X <i>Can be used w/brake</i>
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1 <i>Can be used w/brake</i>
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X <i>Can be used w/brake</i>
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1 <i>Can be used w/brake</i>
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X <i>Can be used w/brake</i>
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X <i>Can be used w/brake</i>
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X <i>Can be used w/brake</i>
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X <i>Can be used w/brake</i>
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X <i>Can be used w/brake</i>
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X <i>Can be used w/brake</i>
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X <i>Can be used w/brake</i>
5-A-1120					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
5-A-65, 5-A-650, 5-AW-65, 5-AW-650, 5-C-65, 5-C-650, 5-C-72, 5-C-720, 5-CW-65, 5-CW-650					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
5-F-1220, 5-G-1220					
1	1610	2.250-10	3.500	3.625	CF 5-1-6331
1	1710	2.250-10	3.500	3.688	CF 6-1-951
1	1810	2.250-10	3.500	3.688	CF 6.5-1-151
1	1550	2.250-10	3.500	5.125	EY 4-4-3501-1
1	1610	2.250-10	3.500	5.750	EY 5-4-4961
1	1610	2.250-10	3.500	5.750	EY 5-4-4961-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6861-1
1	1710	2.250-10	3.500	5.250	EY 6-4-6901-1X
1	1810	2.250-10	3.500	5.844	EY 6.5-4-2021
5-H-74T, 5-H-740T, 5-H-75T, 5-HA-75T, 5-SPEED-65, 5-SPEED-650, 5-SPEED-74, 5-SPEED-740, 5-SPEED-75, 5-W-74					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001
5106					
1	1610	1.998-38	2.750	4.688	CF 5-1-6471X <i>Can be used w/brake; Assembly includes eight 6-73-725 bolts</i>
62, 65/650, 72/720, 74/740, 75					
1	1610	2.000-10	3.250	3.625	CF 5-1-931
1	1710	2.000-10	3.250	5.625	EY 6-4-2001

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 •Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)




Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
T-200, T-2050, T-2060					
1	1810	2.374-46	3.750	3.109	CF 6.5-1-2441•
1	SPL170	2.374-46	3.750	5.190	EY 170-4-1171-1
1	SPL170	2.374-46	3.750	5.190	EY 170-4-1191-1X
1	SPL250	2.374-46	3.750	5.410	EY 250-4-601-1•
1	SPL250	2.374-46	3.750	5.410	EY 250-4-621-1X•
1	SPL250	2.374-46	3.750	6.650	EY 250-4-791-1
1	SPL250	2.374-46	3.750	6.650	EY 250-4-801-1X
1	1710	2.374-46	3.752	4.938	EY 6-4-6601•
1	1710	2.374-46	3.752	4.938	EY 6-4-6601-1•
1	1710	2.374-46	3.752	4.938	EY 6-4-7881-1X•
					<i>W/mechancial speedo pickup</i>
1	1710	2.374-46	3.752	4.938	EY 6-4-7881X•
					<i>W/mechancial speedo pickup</i>
1	1710	2.374-46	3.752	4.938	EY 6-4-7891-1X•
					<i>W/mechancial speedo pickup</i>
1	1760	2.374-46	3.750	5.406	EY 6.3-4-1271-1X
					<i>W/mech. speedo pickup; Inc. speedometer drive gear #231527</i>
1	1760	2.374-46	3.750	5.406	EY 6.3-4-1281-1X
					<i>W/mech. speedo pickup; Inc. Electronic Pickup Rotor #231528</i>
1	1760	2.374-46	3.750	5.406	EY 6.3-4-1281X
					<i>W/mech. speedo pickup; Inc. Electronic Pickup Rotor #231528</i>
1	1760	2.374-46	3.750	5.406	EY 6.3-4-641•
1	1760	2.374-46	3.750	5.406	EY 6.3-4-641-1•
1	1810	2.374-46	3.750	5.219	EY 6.5-4-3441•
1	1810	2.374-46	3.750	5.219	EY 6.5-4-3441-1•
1	1810	2.374-46	3.750	5.219	EY 6.5-4-4001-1X
					<i>W/mech. speedo pickup; Inc. speedometer drive gear #231527</i>
1	1810	2.374-46	3.750	5.219	EY 6.5-4-4001X
					<i>W/mech. speedo pickup; Inc. Electronic Pickup Rotor #231528</i>
1	1810	2.374-46	3.750	5.219	EY 6.5-4-4011-1X
					<i>W/mech. speedo pickup; Inc. Electronic Pickup Rotor #231528</i>
1	1810	2.374-46	3.750	5.219	EY 6.5-4-4011X
					<i>W/Electronic speedo pickup; Inc. speedometer drive gear #231527</i>
1	1820	2.375-46	3.750	3.938	EY 8-4-1141
1	1820	2.375-46	3.750	3.938	EY 8-4-1151X
					<i>W/mech. speedo pickup; Inc. speedometer drive gear #231527</i>
1	1820	2.375-46	3.750	3.938	EY 8-4-1161X
					<i>W/mech. speedo pickup; Inc. Electronic Pickup Rotor #231528</i>
T-2090, T-2100					
1	1760	2.374-46	3.750	5.406	EY 6.3-4-641•
1	1810	2.374-46	3.750	5.219	EY 6.5-4-4001X
					<i>W/mech. speedo pickup; Inc. Electronic Pickup Rotor #231528</i>
1	1810	2.374-46	3.750	5.219	EY 6.5-4-4011X
					<i>W/Electronic speedo pickup; Inc. speedometer drive gear #231527</i>
TR-671, TR-6710					
1	1610	2.260-6	3.250	4.938	EY 5-4-1891
1	1610	2.260-6	3.250	4.938	EY 5-4-1891-1
1	1610	2.260-6	3.250	4.938	EY 5-4-8211-1X
TR-7220, TR-772					
1	1710	2.250-10	3.250	5.250	EY 6-4-1971

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
TRD-67, TRD-670, TRD-675					
1	1610	2.260-6	3.250	4.938	EY 5-4-1891
1	1610	2.260-6	3.250	4.938	EY 5-4-1891-1
1	1610	2.260-6	3.250	4.938	EY 5-4-8211-1X
TRD-722, TRD-7220, TRD-7225, TRD-72250					
1	1710	2.250-10	3.250	5.250	EY 6-4-1971
TRDL-1070					
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
TRDL-722, TRDL-7220, TRDL-7225, TRDL-72250					
1	1710	2.250-10	3.250	5.250	EY 6-4-1971
TRDLG-1070					
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X
TRDXL-1070					
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.500-10	3.500	5.156	EY 6-4-4421
1	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-5841-1
1	1710	2.374-46	3.500	5.156	EY 6-4-8341-1X
1	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Mack

New Process

TRDXL-1070 (Continued)

420

1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-4271-1X

1	1350/1410	1.500-10	2.125	2.562	CF 3-1-1151
---	-----------	----------	-------	-------	-------------

420-435, 540-542

TRL-***

1	1310	1.375-10	2.125	3.438	EY 2-4-1731 <i>Hub diameter not ground.</i>
---	------	----------	-------	-------	--

1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL170	2.374-46	3.500	5.880	EY 170-4-1221-1X
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-651-1X
1	1710	2.500-10	3.500	5.156	EY 6-4-4421
1	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-5841-1
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1

1	1350	1.375-10	2.125	3.688	EY 3-4-3291-1
1	1350	1.401-32	2.125	4.750	EY 3-4-7241
1	1350	1.401-32	2.125	4.750	EY 3-4-7241-1
1	1410	1.375-10	2.125	3.685	EY 3-4-2271-1
1	1410	1.500-10	2.125	3.688	EY 3-4-3961-1
1	1410	1.525-35	2.125	3.688	EY 3-4-5191-1
1	1410	1.525-35	2.500	5.750	EY 3-4-7151

*Can be used w/brake
Flanged end yoke, strap kit not furnished by Dana*

1	1480	1.375-10	2.125	4.031	EY 3-4-6701
1	1480	1.525-35	2.500	5.750	EY 3-4-7161

Can be used w/brake; Flanged end yoke.

TRQL-7220, TRT-722, TRT-7220, TRTL-722, TRTL-7220

1	1710	2.250-10	3.250	5.250	EY 6-4-1971
---	------	----------	-------	-------	-------------

TRTX-670

1	1610	2.260-6	3.250	4.938	EY 5-4-1891
1	1610	2.260-6	3.250	4.938	EY 5-4-1891-1
1	1610	2.260-6	3.250	4.938	EY 5-4-8211-1X

TRTXL-***

1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-5841-1
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1

TRXL-***


1	SPL170	2.374-46	3.500	5.880	EY 170-4-1211-1
1	SPL250	2.374-46	3.500	6.140	EY 250-4-641-1
1	1710	2.374-46	3.500	5.156	EY 6-4-5841
1	1710	2.374-46	3.500	5.156	EY 6-4-5841-1
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391-1X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-1391X
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391
1	1760	2.374-46	3.500	5.375	EY 6.3-4-391-1
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251
1	1810	2.374-46	3.500	5.406	EY 6.5-4-3251-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

M-11G10A-M11, M-11G9A-M11, M-12G10A-M12, M-12G9A-M12					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

M-13G10A-M13, M-13G9A-M13, M-14G10A-M14, M-14G9A-M14					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

MO-11G10A-M11, MO-12G10A-M12, MO-12G9A-M12					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

MO-11G10A-M11, MO-12G10A-M12, MO-12G9A-M12 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

MO-13G10A-M13, MO-13G9A-M13, MO-14G10A-M14, MO-14G9A-M14					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RM-10-115A					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 •Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

RM-10-115A (Continued)

1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RM-10-1150

1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RM-10-125A

1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

RM-10-1250

1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

RM-10-135A, RM-10-1350, RM-10-145A, RM-10-1450, RM-10-155A, RM-10-1550, RM-10-165, RM-13-145A

1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RM-13-1450, RM-13-1550

1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

RM-9-115A, RM-9-125A


1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RM-9-1250					
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RM-9-135A, RM-9-145A, RM-9-1450, RM-9-155A					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RMO-10-115A, RMO-10-125A					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RMO-10-115A, RMO-10-125A (Continued)					
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RMO-12-145A					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RMO-13-145A					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
RMO-9-115A, RMO-9-125A					
1	SPL140	2.500-10	3.750	5.960	EY 140-4-41-1
1	SPL140	2.500-10	3.750	5.960	EY 140-4-51-1X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL170	2.500-10	3.750	5.750	EY 170-4-481-1X•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-191-1•
1	SPL250	2.500-10	3.750	6.062	EY 250-4-201-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Meritor/Rockwell

RMX-10-165A					
1	SPL140	2.750-10	3.750	6.570	EY 140-4-81-1
1	SPL140	2.750-10	3.750	6.570	EY 140-4-91-1X
1	SPL170	2.750-10	3.750	5.850	EY 170-4-511-1
1	SPL170	2.750-10	3.750	5.850	EY 170-4-521-1X
1	SPL250	2.750-10	3.750	6.297	EY 250-4-231-1
1	SPL250	2.750-10	3.750	6.297	EY 250-4-241-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6821
1	1710	2.750-10	3.750	5.750	EY 6-4-6821-1
1	1710	2.750-10	3.750	5.750	EY 6-4-6931-1X
1	1710	2.750-10	3.750	5.750	EY 6-4-6931X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711
1	1760	2.750-10	3.750	5.969	EY 6.3-4-711-1
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791-1X
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3491-1
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561-1X
1	1810	2.750-10	3.750	6.062	EY 6.5-4-3561X
RMX-13-145A					
1	1760	2.750-10	3.750	5.969	EY 6.3-4-791X

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Spicer®


AMO1000-4, APO1000-4					
1	SPL250	2.750-10	4.000	6.370	EY 250-4-551-1•
ASO125-10, ASO140-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
ASO150-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL250	2.500-10	3.750	6.250	EY 250-4-561-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
ASO165-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
ATO1000-4					
1	SPL250	2.750-10	4.000	6.370	EY 250-4-551-1•
CM40, CM49					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	7.728	EY 140-4-1021-1 <i>Can be used w/brake</i>
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1 <i>Flanged end yoke.</i>
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1 <i>Can be used w/brake</i>
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1 <i>Can be used w/brake</i>

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

CM40, CM49 (Continued)

1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2
<i>Attaching hardware by OEM</i>					
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1
<i>Can be used w/brake; Flanged end yoke.</i>					
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1
<i>Flanged end yoke.</i>					
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

CM50

1	1480/1550	1.750-10	2.500	3.000	CF 4-1-3891
1	1610	1.750-10	2.500	4.125	EY 5-4-1051

CM55

1	1610	1.998-38	2.750	4.688	CF 5-1-6271
<i>Can be used w/brake</i>					
1	SPL140	1.998-38	2.750	7.728	EY 140-4-1021-1
<i>Flanged end yoke.</i>					
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1
<i>Can be used w/brake; Flanged end yoke.</i>					
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2
<i>Attaching hardware by OEM</i>					
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1
<i>Can be used w/brake; Flanged end yoke.</i>					
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1
<i>Flanged end yoke.</i>					
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

CM59

1	1610	1.998-38	2.750	4.688	CF 5-1-6271
<i>Can be used w/brake</i>					
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

CM59 (Continued)

1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1
<i>Can be used w/brake; Flanged end yoke.</i>					
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2
<i>Attaching hardware by OEM</i>					
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1
<i>Can be used w/brake; Flanged end yoke.</i>					
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1
<i>Can be used w/brake; Flanged end yoke.</i>					
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

CM60

1	1550	2.000-10	2.750	3.625	CF 4-1-3781
1	1610	2.000-10	2.750	3.625	CF 5-1-3141
1	1710	2.000-10	2.750	3.688	CF 6-1-2221
1	1610	2.000-10	2.750	5.188	EY 5-4-1661
1	1610	2.000-10	2.750	5.469	EY 5-4-1661-1
1	1610	1.962-10	2.750	5.281	EY 5-4-7041-1
1	1710	1.962-10	2.750	5.156	EY 6-4-3831
1	1710	1.962-10	2.750	5.156	EY 6-4-3831-1

ESO65-7

1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1
<i>Can be used w/brake; Flanged end yoke.</i>					
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2
<i>Attaching hardware by OEM</i>					
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1
<i>Flanged end yoke.</i>					
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

ESO65-7 (Continued)

1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

ESO66-7

1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2 <i>Attaching hardware by OEM</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	5.250	EY 6-4-7301
1	1610	1.998-38	2.750	5.250	EY 6-4-7301-1

ES42-5

1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2 <i>Attaching hardware by OEM</i>
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1 <i>Flanged end yoke.</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

ES43-5

1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1 <i>Flanged end yoke.</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

ES49-5

1	1480/1550	1.998-38	2.750	2.875	CF 4-1-5021
1	1480/1550	1.998-38	2.750	3.875	CF 4-1-6051X <i>Can be used w/brake; Assembly includes four 8-73-226 studs</i>
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2 <i>Attaching hardware by OEM</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

ES52-5

1	1480/1550	1.998-38	2.750	2.875	CF 4-1-5021
1	1480/1550	1.998-38	2.750	3.875	CF 4-1-6051X <i>Can be used w/brake; Assembly includes four 8-73-226 studs</i>
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2 <i>Attaching hardware by OEM</i>
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1 <i>Flanged end yoke.</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

ES52-7

1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2 <i>Attaching hardware by OEM</i>
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1 <i>Flanged end yoke.</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1


Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES52-7 (Continued)					
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES53-5					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1 <i>Flanged end yoke.</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES60-5					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-1
1	1550	1.998-38	2.750	4.156	EY 4-4-4611-2 <i>Attaching hardware by OEM</i>
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1 <i>Flanged end yoke.</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES62-5					
1	1480/1550	1.998-38	2.750	3.875	CF 4-1-6051X <i>Can be used w/brake; Assembly includes four 8-73-226 studs</i>
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1 <i>Flanged end yoke.</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES65-5					
1	1480/1550	2.000-10	2.750	3.625	CF 4-1-3781
1	1610	2.000-10	2.750	3.625	CF 5-1-3141
1	1710	2.000-10	2.750	3.688	CF 6-1-2221
1	1610	2.000-10	2.750	5.188	EY 5-4-1661 <i>Can be used w/brake</i>
1	1610	2.000-10	2.750	5.469	EY 5-4-1661-1 <i>Can be used w/brake</i>
1	1610	1.962-10	2.750	5.281	EY 5-4-7041-1 <i>Can be used w/brake</i>
1	1710	1.962-10	2.750	5.156	EY 6-4-3831 <i>Can be used w/brake</i>
1	1710	1.962-10	2.750	5.156	EY 6-4-3831-1 <i>Can be used w/brake</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES65-7					
1	SPL140	1.998-38	2.750	4.730	EY 140-4-891-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES66-7					
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES66-7 (Continued)					
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1 <i>Flanged end yoke.</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
1	1610	1.998-38	2.750	4.156	EY 5-4-6481
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES67-5					
1	1480/1550	1.998-38	2.750	3.875	CF 4-1-6051X <i>Can be used w/brake; Assembly includes four 8-73-226 studs</i>
1	1610	1.998-38	2.750	4.688	CF 5-1-6271
1	SPL140	1.998-38	2.750	4.830	EY 140-4-111-1
1	SPL170	1.998-38	2.750	4.844	EY 170-4-541-1
1	SPL90	1.998-38	2.750	7.562	EY 90-4-111-1 <i>Can be used w/brake; Flanged end yoke.</i>
1	SPL90	1.998-38	2.750	4.250	EY 90-4-391-1
1	SPL90	1.998-38	2.750	4.000	EY 90-4-71-1
1	1550	1.998-38	2.750	4.047	EY 4-4-4491-1 <i>Can be used w/brake</i>
1	1550	1.998-38	2.750	7.031	EY 4-4-6101-1 <i>Flanged end yoke.</i>
1	1610	1.998-38	2.750	4.125	EY 5-4-6321 <i>Can be used w/brake</i>
1	1610	1.998-38	2.750	4.000	EY 5-4-6321-1 <i>Can be used w/brake</i>
1	1610	1.998-38	2.750	4.156	EY 5-4-6481 <i>Can be used w/brake</i>
1	1610	1.998-38	2.750	4.156	EY 5-4-6481-1 <i>Can be used w/brake</i>
1	1610	1.998-38	2.750	7.562	EY 5-4-7601-1 <i>Flanged end yoke.</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301 <i>Can be used w/brake</i>
1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1 <i>Can be used w/brake</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
ES70-5					
1	1550	2.000-10	2.750	3.625	CF 4-1-3781 <i>Can be used w/brake</i>
1	1610	2.000-10	2.750	3.625	CF 5-1-3141 <i>Can be used w/brake</i>
1	1710	2.000-10	2.750	3.688	CF 6-1-2221 <i>Can be used w/brake</i>
1	1610	2.000-10	2.750	5.188	EY 5-4-1661 <i>Can be used w/brake</i>
1	1610	2.000-10	2.750	5.469	EY 5-4-1661-1 <i>Can be used w/brake</i>
1	1610	1.962-10	2.750	5.281	EY 5-4-7041-1 <i>Can be used w/brake</i>
1	1710	1.962-10	2.750	5.156	EY 6-4-3831 <i>Can be used w/brake</i>
1	1710	1.962-10	2.750	5.156	EY 6-4-3831-1 <i>Can be used w/brake</i>

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
LPSO125-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL250	2.500-10	3.750	6.250	EY 250-4-561-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
LPSO125-10 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
LPSO140-10					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL250	2.500-10	3.750	6.250	EY 250-4-561-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
LPSO150-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL250	2.500-10	3.750	6.250	EY 250-4-561-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
LPSO25-10, LPS140-10, LPS150-10					
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO100-10, PSO115-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO120-8, PSO120-8LL					
1	SPL250	2.635-20	3.750	6.270	EY 250-4-511-1•
1	SPL250	2.635-20	3.750	6.270	EY 250-4-521-1X•
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO125-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO130-5, PSO130-6					
1	SPL250	2.635-20	3.750	6.270	EY 250-4-511-1•
1	SPL250	2.635-20	3.750	6.270	EY 250-4-521-1X•
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO140-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO140-10 (Continued)					
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO140-12, PSO140-6					
1	SPL250	2.635-20	3.750	6.270	EY 250-4-511-1•
1	SPL250	2.635-20	3.750	6.270	EY 250-4-521-1X•
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO140-9					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO150-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO150-16					
1	SPL250	2.635-20	3.750	6.270	EY 250-4-511-1•
1	SPL250	2.635-20	3.750	6.270	EY 250-4-521-1X•
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear




Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PSO150-16 (Continued)					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•
PSO170-18					
1	SPL250	2.635-20	3.750	6.270	EY 250-4-521-1X•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
		<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>			
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
		<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>			
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•
PSO175-18					
1	1810	2.422-18	3.375	5.812	CF 6.5-4-1991
1	SPL250	2.635-20	3.750	6.270	EY 250-4-511-1•
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
PS100-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
PS105-7					
1	1610	2.547-49	4.000	5.500	EY 5-4-7951-1
1	1710	2.544-49	4.000	5.188	EY 6-4-7691•
1	1710	2.544-49	4.000	5.188	EY 6-4-7691-1•
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1
1	1810	2.544-49	4.000	5.562	EY 6.5-4-3821-1
PS110-7					
1	SPL140	2.544-49	4.000	6.060	EY 140-4-881-1
1	SPL170	2.544-49	4.000	6.050	EY 170-4-1161-1
1	1610	2.547-49	4.000	5.500	EY 5-4-7951-1
1	1710	2.544-49	4.000	5.188	EY 6-4-7691•
1	1710	2.544-49	4.000	5.188	EY 6-4-7691-1•
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1
1	1810	2.544-49	4.000	5.562	EY 6.5-4-3821-1
PS125-10					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL250	2.500-10	3.750	6.250	EY 250-4-561-1•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PS125-10 (Continued)					
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•
PS125-7					
1	SPL140	2.544-49	4.000	6.060	EY 140-4-881-1
1	SPL170	2.544-49	4.000	6.050	EY 170-4-1161-1
1	1610	2.547-49	4.000	5.500	EY 5-4-7951-1
1	1710	2.544-49	4.000	5.188	EY 6-4-7691•
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1
1	1810	2.544-49	4.000	5.562	EY 6.5-4-3821-1
PS125-7B					
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1
PS125-9					
1	1710	2.500-10	3.750	3.625	CF 6-1-5541
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL250	2.500-10	3.750	6.250	EY 250-4-561-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•
PS130-5, PS130-6					
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
		<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>			
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
		<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>			
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 •Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PS140-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL250	2.500-10	3.750	6.250	EY 250-4-561-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6-3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

PS140-7					
1	SPL140	2.544-49	4.000	6.060	EY 140-4-881-1
1	SPL170	2.544-49	4.000	6.050	EY 170-4-1161-1
1	1610	2.547-49	4.000	5.500	EY 5-4-7951-1
1	1710	2.544-49	4.000	5.188	EY 6-4-7691•
1	1710	2.544-49	4.000	5.188	EY 6-4-7691-1•
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1
1	1810	2.544-49	4.000	5.562	EY 6.5-4-3821-1

PS140-7A					
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1

PS140-9					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	SPL170	2.500-10	3.750	5.750	EY 170-4-471-1•
1	SPL250	2.500-10	3.750	6.250	EY 250-4-561-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921-1X•
1	1710	2.500-10	3.750	5.625	EY 6-4-6921X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-781-1X•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-781X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551-1X•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3551X•

PS145-7					
1	SPL140	2.544-49	4.000	6.060	EY 140-4-881-1
1	SPL170	2.544-49	4.000	6.050	EY 170-4-1161-1
1	1610	2.547-49	4.000	5.500	EY 5-4-7951-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
PS145-7 (Continued)					
1	1710	2.544-49	4.000	5.188	EY 6-4-7691•
1	1710	2.544-49	4.000	5.188	EY 6-4-7691-1•
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1
1	1810	2.544-49	4.000	5.562	EY 6.5-4-3821-1

PS86-10					
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2271
1	1810	2.500-10	3.750	3.625	CF 6.5-1-2351X
1	1710	2.500-10	3.750	5.625	EY 6-4-6611•
1	1710	2.500-10	3.750	5.625	EY 6-4-6611-1•
1	1760	2.500-10	3.750	6.000	EY 6.3-4-651•
1	1760	2.500-10	3.750	6.031	EY 6.3-4-651-1•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451•
1	1810	2.500-10	3.750	5.875	EY 6.5-4-3451-1•

PS97-7					
1	SPL140	2.544-49	4.000	6.060	EY 140-4-881-1
1	SPL170	2.544-49	4.000	6.050	EY 170-4-1161-1
1	1610	2.547-49	4.000	5.500	EY 5-4-7951-1
1	1710	2.544-49	4.000	5.188	EY 6-4-7691•
1	1710	2.544-49	4.000	5.188	EY 6-4-7691-1•
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1
1	1810	2.544-49	4.000	5.562	EY 6.5-4-3821-1

PS97-7A					
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1

P8516, P8716, R8516, R8716					
1	1610	2.225-6	3.000	3.875	CF 5-1-2541
1	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
1	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	1710	2.225-6	3.000	5.438	EY 6-4-3041-1X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X

1006, 1006-A					
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
1007, 1007-2A, 1007-2B, 1007-2C, 1007-2D, 1007-3A					
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1*
1	1710	2.635-20	3.750	5.188	EY 6-4-5351*
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X*
1010-2A					
1	1650/1710	2.351-16	3.750	3.000	CF 6-1-4571*
<i>no.3 woodruff keyway</i>					
1	1710	2.351-16	3.750	5.188	EY 6-4-4531*
1	1710	2.350-16	3.750	5.188	EY 6-4-5341*
1	1810	2.350-16	3.750	5.562	EY 6.5-4-3011*
1010-3A, 1010-3B, 1010-4A, 1010-5A					
1	1650/1710	2.351-16	3.750	3.000	CF 6-1-4571*
<i>no.3 woodruff keyway</i>					
1	1710	2.351-16	3.750	5.188	EY 6-4-4531*
1	1710	2.350-16	3.750	5.188	EY 6-4-5341*
1	1810	2.350-16	3.750	5.562	EY 6.5-4-3011*
1020, 1020-2A, 1020-3A, 1020-4A, 1020-5A					
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1*
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X*
1052, 1052A, 1054, 1054A, 1062, 1062A, 1062B, 1064, 1064A, 1064B					
1	1650/1710	2.351-16	3.750	3.000	CF 6-1-4571*
<i>no.3 woodruff keyway</i>					
1	1710	2.351-16	3.750	5.188	EY 6-4-4531*
1	1710	2.350-16	3.750	5.188	EY 6-4-5341*
1	1810	2.350-16	3.750	5.562	EY 6.5-4-3011*
1107-2A, 1107-3A, 1207					
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1*
1	1710	2.635-20	3.750	5.188	EY 6-4-5351*
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X*


Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
1107-2A, 1107-3A, 1207 (Continued)					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X*
1211, 1211-3A, 1211-5A, 1212					
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1*
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X*
1214					
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1*
1	1710	2.635-20	3.750	5.188	EY 6-4-5351*
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X*
1252, 1252A, 1253, 1253A, 1253B, 1254, 1254A, 1262, 1262A, 1263, 1263A, 1264, 1264A, 1265, 1265A					
1	1650/1710	2.351-16	3.750	3.000	CF 6-1-4571*
<i>no.3 woodruff keyway</i>					
1	1710	2.351-16	3.750	5.188	EY 6-4-4531*
1	1710	2.350-16	3.750	5.188	EY 6-4-5341*
1	1810	2.350-16	3.750	5.562	EY 6.5-4-3011*
1272, 1274-A, 1310					
1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1*
1	1710	2.635-20	3.750	5.188	EY 6-4-5351*
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X*
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021*
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1*

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
 *Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

1272, 1274-A, 1310 (Continued)

1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

1352

1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

1362, 1364

1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

1372

1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

1372 (Continued)

1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

1414

1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

1420

1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•

1420-3A, 1420-3B

1	1610	2.635-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•


1452, 1453, 1463

1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X
<i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>					

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

•Hub machined for speedometer gear





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Spicer®

Spicer®

1452, 1453, 1463 (Continued)

1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

7352, 7452, 7453

1	1550	2.000-10	2.750	3.625	CF 4-1-3781
1	1610	2.000-10	2.750	3.625	CF 5-1-3141
1	1650/1710	2.000-10	2.750	3.688	CF 6-1-2221
1	1610	2.000-10	2.750	5.188	EY 5-4-1661
1	1610	2.000-10	2.750	5.469	EY 5-4-1661-1

3152, 3153, 3556, 3853

1	1350/1410	1.500-10	2.250	2.375	CF 3-1-3191 <i>Can be used w/brake</i>
1	1480/1550	1.500-10	2.250	2.500	CF 4-1-3441 <i>Can be used w/brake</i>

8012, 8016, 8041, 8045, 8051, 8052, 8054, 8055, 8212, 8216, 8241, 8245, 8251, 8252, 8255, 8440, 8445, 8512, 8516, 8542, 8545, 8553, 8554, 8555, 8716, 8742, 8744, 8753, 8755

1	1610	2.225-6	3.000	3.875	CF 5-1-2541
1	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
1	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6-5-1-481
1	1710	2.225-6	3.000	5.438	EY 6-4-3041-1X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X

5510

1	1710	2.635-20	3.750	5.188	EY 6-4-5351•
1	1710	2.635-20	3.750	5.188	EY 6-4-5351-1•

9072

1	1610	2.625-20	3.750	5.062	EY 5-4-6531-1•
1	1710	2.635-20	3.000	5.188	EY 6-4-7071-1X <i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>
1	1710	2.635-20	3.000	5.188	EY 6-4-7071X <i>Hub Dia. 3.000 if used on Spicer 1241 Aux. Trans.</i>
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251
1	1760	2.544-49	4.000	5.562	EY 6.3-4-1251-1
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-41-1•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871-1X•
1	1760	2.635-20	3.750	5.562	EY 6.3-4-871X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-2011•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3021-1•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541-1X•
1	1810	2.635-20	3.750	5.562	EY 6.5-4-3541X•

5652, 5752, 5753, 5756, 5852, 5853

1	1610	1.750-10	2.500	4.125	EY 5-4-1051
---	------	----------	-------	-------	-------------

6241

1	1480/1550	1.961-6	2.750	3.625	CF 4-1-601
---	-----------	---------	-------	-------	------------

6352, 6354

1	1550	2.000-10	2.750	3.625	CF 4-1-3781
1	1610	2.000-10	2.750	3.625	CF 5-1-3141
1	1650/1710	2.000-10	2.750	3.688	CF 6-1-2221
1	1610	2.000-10	2.750	5.188	EY 5-4-1661
1	1610	2.000-10	2.750	5.469	EY 5-4-1661-1

6440

1	1480/1550	1.961-6	2.750	3.625	CF 4-1-601
---	-----------	---------	-------	-------	------------

6452, 6453, 6454, 6852, 6853, 6855

1	1550	2.000-10	2.750	3.625	CF 4-1-3781
1	1610	2.000-10	2.750	3.625	CF 5-1-3141
1	1650/1710	2.000-10	2.750	3.688	CF 6-1-2221
1	1610	2.000-10	2.750	5.188	EY 5-4-1661
1	1610	2.000-10	2.750	5.469	EY 5-4-1661-1

7016, 7216

1	1610	2.225-6	3.000	3.875	CF 5-1-2541
1	1650/1710	2.225-6	3.000	4.469	CF 6-1-1481
1	1650/1710	2.225-6	3.000	3.750	CF 6-1-1731
1	1810	2.225-6	3.000	3.750	CF 6.5-1-481
1	1710	2.225-6	3.000	5.438	EY 6-4-3041-1X
1	1710	2.225-6	3.000	5.312	EY 6-4-3041X

Warner


T-87-D, T-9, T-9L, T-97, T-98, T-98A

1	1350/1410	1.375-10	2.125	2.516	CF 3-1-2311
1	1350/1410	1.375-10	2.125	2.438	CF 3-1-751
1	1310	1.375-10	2.125	3.438	EY 2-4-1731 <i>Hub diameter not ground.</i>

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)
•Hub machined for speedometer gear



Important: See Safety Information in General Information Section (J300P-GI)



Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

TC-140					
2	1810	2.750-10	3.500	6.062	EY 6.5-4-2931X
3	1610	1.964-10	2.625	4.500	EY 6-4-2211
3	1710	1.962-10	2.625	4.500	EY 6-4-4731-1X <i>.250 deep spline chamfer</i>
3	1710	1.962-10	2.625	4.500	EY 6-4-4731X <i>.250 deep spline chamfer</i> <i>Chamfered Counterbore</i>

TC-142					
1	1710	2.750-10	3.500	5.750	EY 6-4-4551
1	1710	2.750-10	3.500	5.750	EY 6-4-4551-1
1	1810	2.750-10	3.500	6.062	EY 6.5-4-1901
2	1710	2.750-10	3.500	5.750	EY 6-4-4551
2	1710	2.750-10	3.500	5.750	EY 6-4-4551-1
2	1810	2.750-10	3.500	6.062	EY 6.5-4-1901
3	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
3	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1

TC-143					
1	SPL250	2.750-10	3.500	6.312	EY 250-4-761-1X
1	1710	2.750-10	3.500	5.750	EY 6-4-4551
1	1710	2.750-10	3.500	5.750	EY 6-4-4551-1
1	1810	2.750-10	3.500	6.062	EY 6.5-4-1901
2	SPL250	2.750-10	3.500	6.312	EY 250-4-751-1
2	SPL250	2.750-10	3.500	6.312	EY 250-4-761-1X
2	1710	2.750-10	3.500	5.750	EY 6-4-4551
2	1710	2.750-10	3.500	5.750	EY 6-4-4551-1
2	1810	2.750-10	3.500	6.062	EY 6.5-4-1901
3	SPL250	2.750-10	3.500	6.312	EY 250-4-761-1X
3	1710	2.750-10	3.500	5.750	EY 6-4-4551
3	1710	2.750-10	3.500	5.750	EY 6-4-4551-1
3	1810	2.750-10	3.500	6.062	EY 6.5-4-1901

TC-170					
1	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
1	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1
1	1710	2.500-10	3.500	5.156	EY 6-4-4421
1	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
2	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
2	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1
2	1710	2.500-10	3.500	5.156	EY 6-4-4421
2	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
2	1760	2.500-10	3.500	5.406	EY 6.3-4-151
2	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

TC-170 (Continued)					
2	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
2	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
3	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
3	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1
3	1710	2.500-10	3.500	5.156	EY 6-4-4421
3	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
3	1760	2.500-10	3.500	5.406	EY 6.3-4-151
3	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
3	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
3	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1


TC-1702					
1	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
1	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1
1	1710	2.500-10	3.500	5.156	EY 6-4-4421
1	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
2	SPL250	2.750-10	3.500	6.312	EY 250-4-751-1
2	1710	2.750-10	3.500	5.750	EY 6-4-4551
2	1710	2.750-10	3.500	5.750	EY 6-4-4551-1
2	1810	2.750-10	3.500	6.062	EY 6.5-4-1901
3	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
3	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1
3	1710	2.500-10	3.500	5.156	EY 6-4-4421
3	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
3	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
3	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
3	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1

TC-171					
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
2	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1

TC-200					
1	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
1	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1
<i>Counterbore at hub end.</i>					
1	1610	2.114-32	3.000	5.375	EY 5-4-5751
1	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
1	1710	2.114-32	3.000	4.562	EY 6-4-5811
1	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
1	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1
2	1710	2.364-36	3.000	5.438	EY 6-4-7201
2	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
2	1810	2.364-36	3.000	5.438	EY 6.5-4-3161
2	1810	2.364-36	3.000	5.438	EY 6.5-4-4411-1

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Fabco

Fabco

TC-200 (Continued)

3	SPL170	2.114-32	3.000	5.000	EY 170-4-891-1
3	SPL250	2.114-32	3.000	5.240	EY 250-4-411-1
<i>Counterbore at hub end.</i>					
3	1610	2.114-32	3.000	5.375	EY 5-4-5751
3	1610	2.364-36	3.000	5.156	EY 5-4-7191
3	1610	2.114-32	3.000	5.375	EY 5-4-8601-1
3	1710	2.114-32	3.000	4.562	EY 6-4-5811
3	1710	2.364-36	3.000	5.438	EY 6-4-7201
3	1710	2.500-10	3.500	5.156	EY 6-4-8321-1X
3	1710	2.114-32	3.000	4.562	EY 6-4-8671-1
3	1710	2.364-36	3.000	5.438	EY 6-4-8711-1
3	1810	2.114-32	3.000	5.000	EY 6.5-4-4451-1

TC-38 (Continued)

1	1710	1.998-38	2.750	5.250	EY 6-4-7301-1
2	1480	1.998-38	2.750	4.156	EY 3-4-8781-1
2	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
2	1610	1.998-38	2.750	4.125	EY 5-4-6321
2	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
2	1710	1.998-38	2.750	5.250	EY 6-4-7301
2	1710	1.998-38	2.750	5.250	EY 6-4-7301-1
3	1480	1.998-38	2.750	4.156	EY 3-4-8781-1
3	1550	1.998-38	2.750	4.047	EY 4-4-4491-1
3	1610	1.998-38	2.750	4.125	EY 5-4-6321
3	1610	1.998-38	2.750	4.000	EY 5-4-6321-1
3	1710	1.998-38	2.750	5.250	EY 6-4-7301
3	1710	1.998-38	2.750	5.250	EY 6-4-7301-1

TC-270

1	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
1	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1
1	SPL250	2.750-10	3.500	6.312	EY 250-4-761-1X
1	1710	2.500-10	3.500	5.156	EY 6-4-4421
1	1710	2.750-10	3.500	5.750	EY 6-4-4551
1	1710	2.750-10	3.500	5.750	EY 6-4-4551-1
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
1	1760	2.500-10	3.500	5.156	EY 6-4-4421-1
1	1810	2.750-10	3.500	6.062	EY 6.5-4-1901
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
2	SPL250	2.750-10	3.500	6.312	EY 250-4-751-1
2	1710	2.750-10	3.500	5.750	EY 6-4-4551
2	1710	2.750-10	3.500	5.750	EY 6-4-4551-1
2	1810	2.750-10	3.500	6.062	EY 6.5-4-1901
3	SPL250	2.750-10	3.500	6.312	EY 250-4-761-1X
3	1710	2.750-10	3.500	5.750	EY 6-4-4551
3	1710	2.750-10	3.500	5.750	EY 6-4-4551-1
3	1810	2.750-10	3.500	6.062	EY 6.5-4-1901

TC-44

	1410	1.750-10	2.375	4.188	EY 3-4-1161-1
	1550	1.750-10	2.375	4.000	EY 4-4-2041-1

203, 205

1	1310	1.400-32	2.125	3.438	EY 2-4-4191-1
1	1350	1.401-32	2.125	3.500	EY 3-4-6211-1
2	1310	1.326-30	1.750	3.375	EY 2-4-5421X

C-V yoke.

Mack


TC15, TC25

1	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
1	SPL170	2.500-10	3.500	5.188	EY 170-4-1351-1X
1	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1
1	SPL250	2.500-10	3.500	5.500	EY 250-4-711-1X
1	1710	2.500-10	3.500	5.156	EY 6-4-4421
1	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
1	1710	2.500-10	3.500	5.156	EY 6-4-8351-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401-1X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-1401X
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151
1	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
1	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
1	1810	2.500-10	3.500	5.406	EY 6.5-4-4291-1X
1	1810	2.500-10	3.500	5.406	EY 6.5-4-4291X
2	SPL170	2.500-10	3.500	5.188	EY 170-4-1341-1
2	SPL250	2.500-10	3.500	5.500	EY 250-4-701-1

Continued on next page

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)






Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

*(C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))



Transfer Case — Mack, New Process, Oshkosh & Meritor/Rockwell




Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange))





Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Pos	Series	Spline Data	Hub Dia	*C/L to End of Hub	End Fitting Part Number
-----	--------	-------------	---------	--------------------	-------------------------

Mack

TC15, TC25 (Continued)

2	1710	2.500-10	3.500	5.156	EY 6-4-4421
2	1710	2.500-10	3.500	5.156	EY 6-4-4421-1
2	1760	2.500-10	3.500	5.406	EY 6.3-4-151
2	1760	2.500-10	3.500	5.406	EY 6.3-4-151-1
2	1810	2.500-10	3.500	5.406	EY 6.5-4-2101
2	1810	2.500-10	3.500	5.406	EY 6.5-4-2101-1
3	1710	2.260-6	3.250	5.300	EY 6-4-3501-1
3	1710	2.260-6	3.250	5.300	EY 6-4-8291-1X

New Process

203, 205

2	1310	1.326-30	1.750	3.375	EY 2-4-5421X <i>C-V yoke.</i>
---	------	----------	-------	-------	----------------------------------

Oshkosh

30000

1	1710	2.390-46	3.250	5.125	EY 6-4-9531-1X
---	------	----------	-------	-------	----------------

Meritor/Rockwell

T-131, T-142

2	1410	1.375-10	1.938	3.688	EY 3-4-1481-1
---	------	----------	-------	-------	---------------

T-221

2	1280/1310	1.250-10	1.750	3.625	EY 2-4-1831
---	-----------	----------	-------	-------	-------------

T-223

1	1480	1.500-10	2.125	4.250	EY 3-4-6251
1	1480	1.500-10	2.125	4.250	EY 3-4-6261X
2	1350/1410	1.750-10	2.250	2.812	CF 3-1-3211
2	1410	1.750-10	2.250	4.188	EY 3-4-3351
2	1480	1.750-10	2.250	4.250	EY 3-4-6231-1
2	1480	1.750-10	2.250	4.250	EY 3-4-6241-1X
3	1480	1.500-10	2.125	4.250	EY 3-4-6251
3	1480	1.500-10	2.125	4.250	EY 3-4-6261X
4	1480	1.750-10	2.250	4.250	EY 3-4-6231-1
4	1480	1.750-10	2.250	4.250	EY 3-4-6241-1X

T-226

2	1480	2.000-10	2.938	3.625	CF 4-1-2361
2	1610	2.000-10	2.938	3.625	CF 5-1-3161
2	1610	2.000-10	2.938	5.625	EY 5-4-1391
2	1610	2.000-10	2.938	5.000	EY 5-4-1521
2	1710	2.000-10	2.938	5.625	EY 6-4-2191

*C/L to End of Hub for EY (End Yoke); Flange Face to End of Hub for CF (Companion Flange)

*Hub machined for speedometer gear



Companion Flange Parts Listing



Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
2-1-1881X	1310	1.146	26	1.554	1.500	2.594
3-1-1151	1350	1.500	10	2.125	2.000	2.562
3-1-1521	1350	1.750	10	2.625	2.250	3.125
3-1-2011	1350	1.375	10	2.125	2.000	2.438
3-1-2311	1350	1.375	10	2.125	2.000	2.516
3-1-2431	1350	1.500	10	2.125	2.000	2.438
3-1-3191	1350	1.500	10	2.250	2.000	2.375
3-1-3211	1350	1.750	10	2.250	2.188	2.812
3-1-3431	1350	1.500	10	2.000	2.188	2.906
3-1-3531	1350	1.625	10	2.375	2.125	3.000
3-1-3881	1350	1.375	10	1.750	1.688	2.250
3-1-4041X	1350	1.276	29	1.875	1.500	2.062
3-1-751	1350	1.375	10	2.125	2.000	2.438
4-1-1381	1480	1.750	10	2.250	2.000	2.750
4-1-2361	1480	2.000	10	2.938	3.000	3.625
4-1-2661	1480	1.960	10	2.750	2.625	3.375
4-1-2701	1480	1.500	10	2.125	2.000	2.625
4-1-2751	1480	1.625	10	2.375	2.125	2.750
4-1-3101	1480	1.750	10	2.625	2.250	2.875
4-1-3171	1480	1.750	10	2.375	2.188	2.812
4-1-3331X	1480	1.750	10	2.500	2.250	2.875
4-1-3441	1480	1.500	10	2.250	2.000	2.500
4-1-3761	1480	1.964	10	2.500	2.250	3.000
4-1-3781	1480	2.000	10	2.750	3.000	3.625
4-1-3891	1480	1.750	10	2.500	2.250	3.000
4-1-4471	1480	1.790	34	2.562	2.750	3.344
4-1-4481X	1480	1.790	34	2.562	2.750	3.344
4-1-4491	1480	1.790	34	2.562	2.750	3.344
4-1-4501X	1480	1.790	34	2.562	2.750	3.344
4-1-5021	1480	1.998	38	2.750	2.125	2.875
4-1-5131	1550	1.750	10	2.500	1.938	2.734
4-1-5211X	1550	1.750	10	2.500	2.000	3.547
4-1-601	1480	1.961	06	2.750	3.000	3.625
4-1-6051X	1480	1.998	38	2.750	2.062	3.875
4-1-7001	1550	1.750	10	2.500	2.000	3.547
5-1-2541	1610	2.225	06	3.000	3.250	3.875
5-1-3141	1610	2.000	10	2.750	3.000	3.625
5-1-3161	1610	2.000	10	2.938	3.000	3.625
5-1-4291	1610	1.964	10	2.500	2.250	3.000
5-1-4301	1610	1.962	10	2.500	2.625	3.250
5-1-5111	1610	1.790	34	2.562	2.781	3.938
5-1-5121X	1610	1.790	34	2.562	2.781	3.938
5-1-5141	1610	1.790	34	2.562	2.750	4.250
5-1-5151X	1610	1.790	34	2.562	2.750	4.250
5-1-6271	1610	1.998	38	2.750	2.125	4.688
5-1-6331	1610	2.250	10	3.500	3.000	3.625
5-1-6471X	1610	1.998	38	2.750	2.125	4.688
5-1-6691	1610	2.114	32	3.000	2.245	2.844
5-1-6701X	1610	2.114	32	3.000	2.245	2.844
5-1-811	1610	1.750	10	2.625	2.250	2.875
5-1-931	1610	2.000	10	3.250	3.000	3.625
6.5-1-151	1810	2.250	10	3.500	3.000	3.688
6.5-1-1801	1810	2.364	18	3.500	3.375	4.031
6.5-1-1871	1810	2.750	10	4.000	2.938	3.750
6.5-1-211	1810	2.250	10	3.000	3.000	3.750

Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
6.5-1-2161	1810	2.560	20	3.500	3.344	4.000
6.5-1-2271	1810	2.500	10	3.750	3.000	3.625
6.5-1-2301	1810	2.364	18	2.750	2.328	3.000
6.5-1-2311	1810	2.750	10	3.750	3.000	4.062
6.5-1-2351X	1810	2.500	10	3.750	3.000	3.625
6.5-1-2361X	1810	2.750	10	3.750	3.000	4.062
6.5-1-2391	1810	2.274	44	2.938	2.500	3.094
6.5-1-2401X	1810	2.274	44	2.938	2.500	3.094
6.5-1-2441	1810	2.374	46	3.750	2.391	3.109
6.5-1-2941	1810	2.143	41	2.939	2.495	3.500
6.5-1-481	1810	2.225	06	3.000	3.250	3.750
6.5-1-741	1810	2.750	10	3.500	3.000	4.062
6-1-1421	1710	2.250	10	3.000	3.000	3.750
6-1-1461	1710	1.960	10	2.750	2.625	3.312
6-1-1481	1710	2.225	06	3.000	3.250	4.469
6-1-1731	1710	2.225	06	3.000	3.250	3.750
6-1-1761	1710	1.750	10	2.750	2.250	2.938
6-1-2221	1710	2.000	10	2.750	3.000	3.688
6-1-4541	1710	2.364	18	3.500	3.375	4.031
6-1-4571	1710	2.351	16	3.750	2.750	3.000
6-1-4671	1710	2.390	46	3.500	3.375	4.547
6-1-4691	1710	1.790	34	2.562	2.688	3.903
6-1-4701X	1710	1.790	34	2.562	2.688	3.903
6-1-5541	1710	2.500	10	3.750	3.000	3.625
6-1-5651X	1710	2.500	10	3.750	3.000	3.625
6-1-951	1710	2.250	10	3.500	3.000	3.688
90-1-11	SPL90	1.790	34	2.562	2.750	3.719
90-1-21X	SPL90	1.790	34	2.562	2.750	3.719

PART DATA LISTING

Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
100-4-1071-1	SPL100	2.024	39	2.625	2.245	4.160
100-4-1081-1X	SPL100	2.024	39	2.625	2.245	4.160
100-4-1321-1	SPL100	2.024	39	2.625	2.245	7.295
100-4-1331-1X	SPL100	2.024	39	2.625	2.245	7.295
100-4-1361-1	SPL100	2.024	39	3.000	2.269	7.295
100-4-1371-1X	SPL100	2.024	39	3.000	2.269	7.295
100-4-1381-1X	SPL90	2.281	44	2.938	2.344	4.469
100-4-951-1	SPL100	2.024	39	3.000	2.284	4.750
100-4-961-1X	SPL100	2.024	39	3.000	2.284	4.750
140-4-1021-1	SPL140	1.998	38	2.750	2.125	7.728
140-4-1091-1	SPL140	2.250	10	3.500	3.000	6.000
140-4-1101-1X	SPL140	2.250	10	3.500	3.000	6.000
140-4-111-1	SPL140	1.998	38	2.750	2.125	4.830
140-4-1111-1	SPL140	2.500	10	3.750	3.000	5.960
140-4-1121-1X	SPL140	2.500	10	3.750	3.000	5.960
140-4-1131-1	SPL140	1.998	38	2.750	2.125	4.830
140-4-1151-1	SPL140	2.024	39	3.000	2.284	4.940
140-4-1161-1X	SPL140	2.024	39	3.000	2.284	4.940
140-4-1191-1	SPL140	2.274	44	2.938	2.344	5.190
140-4-1201-1X	SPL140	2.274	44	2.938	2.344	5.190
140-4-1231-1	SPL140	2.178	43	3.541	2.047	5.100
140-4-1261-1	SPL140	2.274	44	3.000	2.500	5.160
140-4-1271-1X	SPL140	2.274	44	3.000	2.500	5.160
140-4-141-1	SPL140	2.544	49	3.750	3.000	5.570
140-4-1421-1	SPL140	2.024	39	2.750	2.435	5.250
140-4-1431-1X	SPL140	2.024	39	2.750	2.435	5.250
140-4-151-1X	SPL140	2.544	49	3.750	3.000	5.570
140-4-181-1	SPL140	1.962	10	2.750	2.805	5.810
140-4-201-1	SPL140	2.794	54		2.745	6.320
140-4-211-1	SPL140	2.024	39	3.000	2.312	5.680
140-4-231-1X	SPL140	2.024	39	3.000	2.312	5.680
140-4-241-1X	SPL140	2.024	39	3.000	2.312	5.680
140-4-251-1	SPL140	1.774	34	2.500	2.500	4.950
140-4-261-1X	SPL140	1.774	34	2.500	2.500	4.950
140-4-271-1	SPL140	2.374	46	3.250	2.875	6.210
140-4-291-1X	SPL140	2.374	46	3.250	2.875	6.210
140-4-301-1	SPL140	2.390	46	3.250	2.323	5.660
140-4-311-1X	SPL140	2.390	46	3.250	2.323	5.660
140-4-321-1	SPL140	2.274	44	3.000	2.500	2.160
140-4-331-1X	SPL140	2.274	44	3.000	2.500	2.160
140-4-361-1	SPL140	2.024	39	3.000	2.284	4.940
140-4-371-1X	SPL140	2.024	39	3.000	2.284	4.940
140-4-381-1	SPL140	2.390	46	2.375	3.195	6.440
140-4-391-1X	SPL140	2.390	46	2.375	3.195	6.440
140-4-41-1	SPL140	2.500	10	3.750	3.000	5.960
140-4-421-1	SPL140	2.143	41	2.938	2.500	5.560
140-4-431-1X	SPL140	2.143	41	2.938	2.500	5.560
140-4-441-1	SPL140	2.274	44	2.938	2.350	5.190
140-4-451-1X	SPL140	2.274	44	2.938	2.350	5.190
140-4-51-1X	SPL140	2.500	10	3.750	3.000	5.960
140-4-61-1	SPL140	2.750	10	3.750	3.000	6.570
140-4-71-1X	SPL140	2.750	10	3.750	3.000	6.570
140-4-751-1	SPL140	2.390	46	3.500	3.375	5.920
140-4-761-1	SPL140	2.178	43	3.539	2.050	5.100
140-4-771-1	SPL140	2.795	55	4.725	2.047	4.980

Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
140-4-81-1	SPL140	2.750	10	3.750	3.000	6.570
140-4-881-1	SPL140	2.544	49	4.000	2.750	6.060
140-4-891-1	SPL140	1.998	38	2.750	2.125	4.730
140-4-901-1	SPL140	1.998	38	3.000	2.125	4.680
140-4-91-1X	SPL140	2.750	10	3.750	3.000	6.570
140-4-911-1X	SPL140	1.998	38	3.000	2.125	4.680
140-4-921-1	SPL140	2.114	32	3.000	2.250	4.810
140-4-931-1X	SPL140	2.114	32	3.000	2.250	4.810
170-4-101-1X	SPL170	2.274	44	2.938	2.500	5.281
170-4-1011-1	SPL170	2.364	36	3.000	2.685	5.470
170-4-1021-1X	SPL170	2.364	36	3.000	2.685	5.470
170-4-1031-1	SPL170	2.364	36	3.500	2.485	5.270
170-4-1041-1X	SPL170	2.364	36	3.500	2.485	5.270
170-4-1061-1	SPL170	2.364	18	3.500	3.375	6.350
170-4-1081-1	SPL170	2.178	43	3.540	2.050	5.340
170-4-1091-1	SPL170	2.795	55	4.725	2.047	5.200
170-4-111-1	SPL170	1.790	34	2.625	2.438	5.600
170-4-1141-1	SPL170	2.750	10	4.000	2.935	5.800
170-4-1161-1	SPL170	2.544	49	4.000	2.750	6.050
170-4-1171-1	SPL170	2.374	46	3.750	2.406	5.190
170-4-1191-1X	SPL170	2.374	46	3.750	2.406	5.190
170-4-121-1X	SPL170	1.790	34	2.625	2.438	5.600
170-4-1211-1	SPL170	2.374	46	3.500	2.406	5.880
170-4-1221-1X	SPL170	2.374	46	3.500	2.406	5.880
170-4-1251-1	SPL170	2.024	39	2.750	2.000	5.370
170-4-1261-1X	SPL170	2.024	39	2.750	2.000	5.370
170-4-1281-1	SPL170	2.374	46	3.500	2.406	6.688
170-4-1291-1X	SPL170	2.374	46	3.500	2.406	6.688
170-4-131-1	SPL170	1.790	34	2.625	2.438	6.250
170-4-1341-1	SPL170	2.500	10	3.500	2.406	5.188
170-4-1351-1X	SPL170	2.500	10	3.500	2.406	5.188
170-4-141-1X	SPL170	1.790	34	2.625	2.438	6.250
170-4-151-1	SPL170	2.024	39	2.625	2.250	4.938
170-4-161-1X	SPL170	2.024	39	2.625	2.250	4.938
170-4-1621-1	SPL170	2.024	39	3.000	2.281	6.240
170-4-1631-1X	SPL170	2.024	39	3.000	2.281	6.240
170-4-1641-1	SPL170	2.024	39	2.625	2.500	6.500
170-4-1651-1X	SPL170	2.024	39	2.625	2.500	6.500
170-4-171-1	SPL170	2.024	39	2.625	2.250	6.016
170-4-181-1X	SPL170	2.024	39	2.625	2.250	6.016
170-4-1901-1	SPL170	2.143	41	2.938	3.000	7.190
170-4-191-1	SPL170	2.274	44	3.000	2.500	5.270
170-4-201-1X	SPL170	2.274	44	3.000	2.500	5.270
170-4-21-1	SPL170	2.274	44	2.938	2.350	5.094
170-4-211-1	SPL170	2.024	39	2.625	2.500	5.266
170-4-221-1X	SPL170	2.024	39	2.625	2.500	5.266
170-4-231-1	SPL170	2.024	39	2.625	2.500	6.500
170-4-241-1X	SPL170	2.024	39	2.625	2.500	6.500
170-4-251-1	SPL170	2.024	39	3.000	2.281	5.156
170-4-261-1X	SPL170	2.024	39	3.000	2.281	5.156
170-4-271-1	SPL170	2.024	39	3.000	2.281	6.240
170-4-281-1X	SPL170	2.024	39	3.000	2.281	6.240
170-4-291-1	SPL170	2.390	46	3.375	3.195	6.531
170-4-301-1X	SPL170	2.390	46	3.375	3.195	6.531
170-4-31-1X	SPL170	2.274	44	2.938	2.350	5.094

End Yoke Parts Listing



Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub	Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth						O.D.	No. Teeth			
170-4-311-1	SPL170	2.143	41	2.938	3.000	7.190	2-4-1831	1310	1.250	10	1.750	2.000	3.625
170-4-321-1X	SPL170	2.143	41	2.938	3.000	7.190	2-4-2851-1X	1310	1.125	10	1.552	1.500	3.000
170-4-331-1	SPL170	2.143	41	2.938	3.000	5.800	2-4-3581-1X	1330	1.146	26	1.562	1.500	3.000
170-4-341-1X	SPL170	2.143	41	2.938	3.000	5.800	2-4-3801-1X	1310	1.276	29	1.875	1.500	2.938
170-4-351-1	SPL170	2.143	41	2.938	2.500	5.320	2-4-3801X	1310	1.276	29	1.875	1.500	2.938
170-4-361-1X	SPL170	2.143	41	2.938	2.500	5.320	2-4-4191-1	1310	1.400	32	2.125	2.000	3.438
170-4-371-1	SPL170	2.143	41	2.938	2.500	6.680	2-4-4291-1X	1330	1.276	29	1.875	1.500	2.938
170-4-381-1X	SPL170	2.143	41	2.938	2.500	6.680	2-4-4601-1	1310	1.146	26	1.844	1.375	2.938
170-4-411-1	SPL170	2.544	49	3.750	3.000	6.000	2-4-5251X	1310	1.146	26	1.552	1.500	3.406
170-4-421-1X	SPL170	2.544	49	3.750	3.000	6.000	2-4-5311X	1330-F	1.276	29	1.875	1.500	2.938
170-4-451-1	SPL170	2.250	10	3.500	3.000	5.750	2-4-5421X	1310	1.326	30	1.750	2.000	3.375
170-4-461-1X	SPL170	2.250	10	3.500	3.000	5.750	2-4-6111X	1330-F	1.146	26	1.562	1.500	3.000
170-4-471-1	SPL170	2.500	10	3.750	3.000	5.750	2-4-6131-1X	1310	1.026	23	1.552	1.500	3.000
170-4-481-1X	SPL170	2.500	10	3.750	3.000	5.750	2-4-6901-1X	1310	1.146	26	1.844	1.375	2.938
170-4-491-1	SPL170	2.750	10	3.750	3.000	5.850	2-4-7631-1	1330	1.146	26	1.844	1.375	3.562
170-4-501-1X	SPL170	2.750	10	3.750	3.000	5.850	2-4-7661-1	7290	1.146	26	1.844	1.375	3.219
170-4-511-1	SPL170	2.750	10	3.750	3.000	5.850	2-4-7681-1X	7290	1.276	29	1.875	1.500	3.359
170-4-521-1X	SPL170	2.750	10	3.750	3.000	5.850	2-4-8051X	1330-F	1.276	29	1.875	1.500	2.938
170-4-531-1	SPL170	2.750	10		3.000	5.850	2-4-8091-1X	1310	1.146	26	1.552	1.500	3.000
170-4-541-1	SPL170	1.998	38	2.750	2.125	4.844	2-4-8091X	1310	1.146	26	1.552	1.500	3.000
170-4-561-1	SPL170	2.794	54		2.750	5.600	250-4-101-1X	SPL250	2.390	46	3.375	3.195	6.760
170-4-571-1	SPL170	2.374	46	3.250	2.875	5.760	250-4-131-1	SPL250	2.143	41	2.938	2.500	5.490
170-4-581-1X	SPL170	2.374	46	3.250	2.875	5.760	250-4-141-1X	SPL250	2.143	41	2.938	2.500	5.490
170-4-591-1X	SPL170	2.374	46	3.250	2.875	5.760	250-4-151-1	SPL250	2.544	49	3.750	3.000	6.250
170-4-601-1	SPL170	2.374	46	3.250	2.875	7.250	250-4-161-1X	SPL250	2.544	49	3.750	3.000	6.250
170-4-611-1X	SPL170	2.374	46	3.250	2.875	7.250	250-4-191-1	SPL250	2.500	10	3.750	3.000	6.062
170-4-631-1	SPL170	1.774	34	2.500	2.250	6.440	250-4-201-1X	SPL250	2.500	10	3.750	3.000	6.062
170-4-641-1	SPL170	2.024	39	3.000	2.312	5.090	250-4-211-1	SPL250	2.750	10	3.750	3.000	6.300
170-4-651-1X	SPL170	2.024	39	3.000	2.312	5.090	250-4-221-1X	SPL250	2.750	10	3.750	3.000	6.300
170-4-661-1	SPL170	2.024	39	3.000	2.312	6.391	250-4-231-1	SPL250	2.750	10	3.750	3.000	6.297
170-4-671-1X	SPL170	2.024	39	3.000	2.312	6.391	250-4-241-1X	SPL250	2.750	10	3.750	3.000	6.297
170-4-681-1X	SPL170	2.024	39	3.000	2.312	5.090	250-4-251-1	SPL250	2.750	10		3.000	6.310
170-4-691-1X	SPL170	2.024	39	3.000	2.312	6.391	250-4-271-1	SPL250	2.794	54		2.750	5.703
170-4-701-1X	SPL170	2.024	39	3.000	2.312	5.090	250-4-281-1	SPL250	2.374	46	3.250	2.875	5.870
170-4-711-1	SPL170	2.390	46	3.250	2.328	5.100	250-4-291-1X	SPL250	2.374	46	3.250	2.875	5.870
170-4-721-1X	SPL170	2.390	46	3.250	2.328	5.100	250-4-301-1X	SPL250	2.374	46	3.250	2.875	5.870
170-4-731-1	SPL170	2.390	46	3.250	2.328	6.438	250-4-31-1	SPL250	2.274	44	2.938	2.350	5.328
170-4-741-1X	SPL170	2.390	46	3.250	2.328	6.438	250-4-341-1	SPL250	2.390	46	3.250	2.312	5.312
170-4-771-1	SPL170	1.989	30	3.000	2.685	6.580	250-4-351-1X	SPL250	2.390	46	3.250	2.312	5.312
170-4-781-1	SPL170	2.364	36	3.000	2.685	6.780	250-4-361-1	SPL250	2.364	36	3.000	2.685	5.680
170-4-791-1X	SPL170	2.364	36	3.000	2.685	6.780	250-4-371-1X	SPL250	2.364	36	3.000	2.685	5.680
170-4-801-1	SPL170	2.024	39	3.000	2.250	6.250	250-4-381-1	SPL250	2.024	39	3.000	2.245	5.240
170-4-811-1X	SPL170	2.024	39	3.000	2.250	6.250	250-4-391-1X	SPL250	2.024	39	3.000	2.245	5.240
170-4-821-1	SPL170	2.024	39	3.000	2.500	5.280	250-4-41-1X	SPL250	2.274	44	2.938	2.350	5.328
170-4-831-1	SPL170	2.024	39	3.000	2.500	6.500	250-4-411-1	SPL250	2.114	32	3.000	2.245	5.240
170-4-841-1	SPL170	2.024	39	3.000	2.250	5.031	250-4-421-1X	SPL250	2.114	32	3.000	2.245	5.240
170-4-851-1X	SPL170	2.024	39	3.000	2.250	5.031	250-4-471-1	SPL250	2.390	46	3.500	3.375	6.560
170-4-861-1X	SPL170	2.024	39	3.000	2.250	5.031	250-4-501-1	SPL250	2.795	55	4.725	2.047	5.413
170-4-891-1	SPL170	2.114	32	3.000	2.250	5.000	250-4-51-1	SPL250	2.274	44	2.938	2.500	5.484
170-4-901-1X	SPL170	2.114	32	3.000	2.250	5.000	250-4-511-1	SPL250	2.635	20	3.750	2.750	6.270
170-4-91-1	SPL170	2.274	44	2.938	2.500	5.281	250-4-521-1X	SPL250	2.635	20	3.750	2.750	6.270
170-4-921-1	SPL170	1.790	34	2.500	2.250	5.030	250-4-531-1	SPL250	2.225	06	3.000	3.250	6.240
170-4-951-1	SPL170	2.114	32	3.000	2.250	6.312	250-4-541-1X	SPL250	2.225	06	3.000	3.250	6.240
170-4-961-1X	SPL170	2.114	32	3.000	2.250	6.312	250-4-551-1	SPL250	2.750	10	4.000	2.935	6.370
2-4-1731	1310	1.375	10	2.125	2.000	3.438	250-4-561-1	SPL250	2.500	10	3.750	3.000	6.250

Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
250-4-601-1	SPL250	2.374	46	3.750	2.406	5.410
250-4-61-1X	SPL250	2.274	44	2.938	2.500	5.484
250-4-621-1X	SPL250	2.374	46	3.750	2.406	5.410
250-4-641-1	SPL250	2.374	46	3.500	2.406	6.140
250-4-651-1X	SPL250	2.374	46	3.500	2.406	6.140
250-4-701-1	SPL250	2.500	10	3.500	2.406	5.500
250-4-71-1	SPL250	2.274	44	3.000	2.500	5.490
250-4-711-1X	SPL250	2.500	10	3.500	2.406	5.500
250-4-751-1	SPL250	2.750	10	3.500	3.000	6.312
250-4-761-1X	SPL250	2.750	10	3.500	3.000	6.312
250-4-771-1	SPL250	2.374	46	3.250	2.625	5.610
250-4-781-1X	SPL250	2.374	46	3.250	2.625	5.610
250-4-791-1	SPL250	2.374	46	3.750	2.400	6.650
250-4-801-1X	SPL250	2.374	46	3.750	2.400	6.650
250-4-81-1X	SPL250	2.274	44	3.000	2.500	5.490
250-4-811-1	SPL250	2.225	06	3.000	3.250	6.250
250-4-91-1	SPL250	2.390	46	3.375	3.195	6.760
3-4-10251-1	1410	1.790	34	2.625	2.188	4.031
3-4-10261	1480	1.790	34	2.625	2.188	4.281
3-4-10261-1	1480	1.790	34	2.625	2.188	4.281
3-4-10461-1X	1410	1.790	34	2.625	2.188	4.031
3-4-10471-1X	1480	1.790	34	2.625	2.188	4.281
3-4-11051-1	1480	2.024	39	2.625	2.250	4.344
3-4-11061-1X	1480	2.024	39	2.625	2.250	4.344
3-4-11081-1X	1410	1.609	37	2.500	2.000	4.312
3-4-11281-1X	1480	1.609	37	2.500	2.000	4.328
3-4-11551-1	1480	1.790	34	2.567	2.750	4.885
3-4-11561-1	1480	1.750	10	2.500	1.922	5.109
3-4-1161-1	1410	1.750	10	2.375	2.188	4.188
3-4-11621-1X	1480	1.790	34	2.567	2.750	4.885
3-4-11871-2	1480	1.750	10	2.500	1.938	4.000
3-4-11921-1X	1480	1.790	34	2.625	2.188	4.281
3-4-12091-1	1480	1.790	34	2.375	2.188	4.219
3-4-12101-1X	1480	1.790	34	2.375	2.188	4.219
3-4-12111-1	1480	1.998	38	3.000	2.125	4.281
3-4-12121-1X	1480	1.998	38	3.000	2.125	4.281
3-4-12781-1X	1350	1.276	29	1.875	1.500	3.000
3-4-13051-1	1480	2.024	39	2.625	2.250	4.344
3-4-13061-1X	1480	2.024	39	2.625	2.250	4.344
3-4-13071-1	1480	2.024	39	3.000	2.281	4.344
3-4-13081-1X	1480	2.024	39	3.000	2.281	4.344
3-4-13341-1	1480	2.114	32	3.000	2.250	4.281
3-4-13351-1X	1480	2.114	32	3.000	2.250	4.281
3-4-14701-1X	1350	1.276	29	1.875	1.500	3.000
3-4-14711-1X	1410	1.276	29	1.875	1.500	3.200
3-4-14731-1X	1480	1.609	37	2.500	2.000	4.328
3-4-14781-1	1480	2.024	39	3.000	1.832	3.878
3-4-14791-1X	1480	2.024	39	3.000	1.832	3.878
3-4-1481-1	1410	1.375	10	1.938	2.000	3.688
3-4-14841-1X	1480	2.024	39	3.000	1.832	3.878
3-4-1841-1	1410	1.750	10	2.375	2.188	4.188
3-4-1911-1	1410	1.500	10	2.250	1.750	3.750
3-4-2241-1	1410	1.500	10	2.250	2.188	3.875
3-4-2271-1	1410	1.375	10	2.125	2.000	3.685
3-4-2351-1	1350	1.750	10	2.375	2.188	4.000

Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
3-4-2511-1	1410	1.750	10	2.625	2.188	4.250
3-4-3121-1	1480	1.750	10	2.625	2.250	4.469
3-4-3241-1	1480	1.500	10	2.250	2.188	4.406
3-4-3291-1	1350	1.375	10	2.125	2.000	3.688
3-4-3351	1410	1.750	10	2.250	2.188	4.188
3-4-3491-1	1410	1.625	10	2.375	2.125	3.938
3-4-3571-1	1480	1.750	10	2.375	2.188	4.219
3-4-3771	1480	1.625	10	2.375	2.125	4.312
3-4-3781-1	1480	1.500	10	2.250	2.188	4.250
3-4-3961-1	1410	1.500	10	2.125	2.000	3.688
3-4-4211	1480	1.964	10	2.500	2.000	4.688
3-4-5191-1	1410	1.525	35	2.125	2.000	3.688
3-4-5711-1X	1410	1.276	29	1.875	1.500	3.188
3-4-5731-1X	1350	1.276	29	1.875	1.500	3.000
3-4-5791-1X	1480	1.750	10	2.625	2.250	4.281
3-4-5881-1X	1410	1.750	10	2.625	2.188	4.000
3-4-5921-1X	1410	1.625	10	2.375	2.125	4.188
3-4-6211-1	1350	1.401	32	2.125	2.000	3.500
3-4-6221-1X	1480	1.500	10	2.250	2.188	4.250
3-4-6231-1	1480	1.750	10	2.250	2.188	4.250
3-4-6241-1X	1480	1.750	10	2.250	2.188	4.250
3-4-6251	1480	1.500	10	2.125	2.188	4.250
3-4-6261X	1480	1.500	10	2.125	2.188	4.250
3-4-6671-1X	1480	1.875	10	2.750	2.375	4.406
3-4-6701	1480	1.375	10	2.125	2.000	4.031
3-4-7151	1410	1.525	35	2.500	1.938	5.750
3-4-7161	1480	1.525	35	2.500	1.938	5.750
3-4-7241	1350	1.401	32	2.125	2.719	4.750
3-4-7241-1	1350	1.401	32	2.125	2.719	4.750
3-4-7541-1	1480	1.774	34	2.500	2.250	4.469
3-4-7551	1410	1.774	34	2.500	2.250	4.188
3-4-8051-1X	1480	1.774	34	2.500	2.250	4.469
3-4-8061X	1410	1.774	34	2.500	2.250	4.188
3-4-8781-1	1480	1.998	38	2.750	2.125	4.156
3-4-9001X	1350	1.625	10	2.375	2.125	3.969
3-4-9231-1	1480	1.790	34	2.562	2.750	5.125
3-4-9241-1X	1480	1.790	34	2.562	2.750	5.125
3-4-9241-2X	1480	1.790	34	2.562	2.750	5.125
3-4-9271-1	1480	1.750	10	2.500	1.953	4.000
4-4-1941	1550	1.875	10	2.750	2.375	4.406
4-4-2041-1	1550	1.750	10	2.375	2.188	4.000
4-4-2091-1	1550	1.750	10	2.625	2.250	4.281
4-4-3501-1	1550	2.250	10	3.500	3.000	5.125
4-4-3581-1X	1550	1.750	10	2.625	2.234	4.672
4-4-3851-1	1550	1.790	34	2.562	2.790	5.125
4-4-3861-1X	1550	1.790	34	2.562	2.790	5.125
4-4-4071-1X	1550	1.962	10	2.625	2.266	4.266
4-4-4101-1	1550	1.774	34	2.500	2.260	4.700
4-4-4111-1X	1550	1.774	34	2.500	2.260	4.700
4-4-4491-1	1550	1.998	38	2.750	2.125	4.047
4-4-4611	1550	1.998	38	2.750	1.984	4.156
4-4-4611-1	1550	1.998	38	2.750	1.984	4.156
4-4-4611-2	1550	1.998	38	2.750	1.984	4.156
4-4-4771-2	1550	1.962	10	2.750	2.812	5.000
4-4-4781-1	1550	1.750	10	2.500	1.938	4.125

Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub	Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth						O.D.	No. Teeth			
4-4-4781-2	1550	1.750	10	2.500	1.938	4.125	5-4-4831	1610	1.790	34	2.562	2.750	5.312
4-4-4791-1	1550	1.790	34	2.562	2.750	5.156	5-4-4831-1	1610	1.790	34	2.562	2.750	5.312
4-4-4801-1X	1550	1.790	34	2.562	2.750	5.156	5-4-4841-1X	1610	1.790	34	2.562	2.750	5.312
4-4-5251-1	1550	1.750	10	2.500	2.260	4.290	5-4-4841X	1610	1.790	34	2.562	2.750	5.312
4-4-5261-1	1550	2.024	39	3.000	2.312	5.000	5-4-4861	1610	2.390	46	3.500	3.391	6.125
4-4-5551-1	1550	1.790	34	2.625	2.185	4.275	5-4-4861-1	1610	2.390	46	3.500	3.391	6.125
4-4-5581-1	1550	2.143	41	2.938	2.500	4.500	5-4-4901X	1610	1.774	34	2.500	2.250	6.062
4-4-5611-1X	1550	1.790	34	2.625	2.185	4.275	5-4-4961	1610	2.250	10	3.500	3.000	5.750
4-4-5621-1	1550	2.024	39	2.625	2.255	4.281	5-4-4961-1	1610	2.250	10	3.500	3.000	5.750
4-4-5691-1X	1550	2.024	39	2.625	2.255	4.281	5-4-4971	1610	2.500	10	3.750	3.000	6.125
4-4-5701-1X	1550	2.143	41	2.938	2.500	4.500	5-4-5081X	1610	1.774	34	2.500	2.250	5.438
4-4-6101-1	1550	1.998	38	2.750	2.125	7.031	5-4-5111-1X	1610	1.750	10	2.625	2.250	4.750
4-4-6471-1	1550	2.024	39	2.625	2.250	4.266	5-4-5111X	1610	1.750	10	2.625	2.250	4.750
4-4-6731-1X	1550	2.024	39	3.000	2.312	5.000	5-4-5121-1X	1610	1.962	10	2.625	2.250	4.719
4-4-6781-2	1550	1.962	10	2.750	2.812	5.000	5-4-5121X	1610	1.962	10	2.625	2.250	4.719
4-4-6791-2	1550	1.750	10	2.500	1.915	4.115	5-4-5131X	1610	2.000	10	2.938	2.562	5.188
4-4-6851-1X	1550	1.609	37	2.500	2.016	4.406	5-4-5161-1X	1610	2.149	16	2.938	3.000	6.250
4-4-6951-1	1550	1.790	34	2.375	2.200	4.000	5-4-5161X	1610	2.149	16	2.938	3.000	6.250
4-4-6961-1X	1550	1.790	34	2.375	2.200	4.000	5-4-5231X	1610	1.790	34	2.567	2.830	5.310
4-4-6971-1	1550	1.998	38	3.000	2.125	4.500	5-4-5281X	1610	1.960	10	2.750	2.625	5.125
4-4-6981-1X	1550	1.998	38	3.000	2.125	4.500	5-4-5321X	1610	1.962	10	2.750	2.625	5.938
4-4-6991-1	1550	2.114	32	3.000	2.250	4.312	5-4-5421	1610	2.024	39	2.750	2.453	5.125
4-4-7001-1X	1550	2.114	32	3.000	2.250	4.312	5-4-5441	1610	2.024	39	2.750	2.438	5.938
4-4-7011-1	1550	2.364	36	3.000	2.688	5.078	5-4-5491-1X	1610	2.422	18	3.375	3.000	6.125
4-4-7111-1X	1550	2.364	36	3.000	2.688	5.078	5-4-5511X	1610	2.149	16	2.938	3.000	6.500
4-4-7341-1	1550	1.998	38	2.750	2.125	4.141	5-4-5571-1	1610	1.774	34	2.500	2.250	4.875
4-4-7551-1X	1550	2.024	39	2.625	2.250	4.266	5-4-5621-1X	1610	1.774	34	2.500	2.250	4.875
4-4-7561-1	1550	2.024	39	3.000	2.297	4.281	5-4-5631	1610	2.364	36	3.000	2.688	5.156
4-4-7571-1X	1550	2.024	39	3.000	2.297	4.281	5-4-5721	1610	1.989	30	3.000	2.688	6.000
5-4-1051	1610	1.750	10	2.500	2.250	4.125	5-4-5731	1610	2.114	32	3.000	2.250	6.000
5-4-1391	1610	2.000	10	2.938	3.000	5.625	5-4-5751	1610	2.114	32	3.000	2.250	5.375
5-4-1521	1610	2.000	10	2.938	3.000	5.000	5-4-5861X	1610	1.998	38	3.000	2.125	4.844
5-4-1661	1610	2.000	10	2.750	3.000	5.188	5-4-5881	1610	2.024	39	2.750	2.000	4.500
5-4-1661-1	1610	2.000	10	2.750	3.000	5.469	5-4-5971X	1610	2.024	39	2.625	2.250	6.000
5-4-1891	1610	2.260	06	3.250	2.250	4.938	5-4-5991X	1610	2.024	39	2.625	2.250	5.312
5-4-1891-1	1610	2.260	06	3.250	2.250	4.938	5-4-6241	1610	2.024	39	3.000	2.312	6.219
5-4-2031X	1610	1.960	06	2.750	3.000	5.000	5-4-6241-1	1610	2.024	39	3.000	2.312	6.219
5-4-2341	1650	2.359	18	3.000	2.781	5.219	5-4-6251	1610	1.774	34	2.500	2.250	6.062
5-4-2401	1610	1.625	10	2.375	2.125	4.125	5-4-6261	1610	1.774	34	2.500	2.250	5.438
5-4-2501	1610	1.875	10	2.750	2.375	5.000	5-4-6261-1	1610	1.774	34	2.500	2.250	5.438
5-4-2531	1610	1.962	10	3.000	2.250	4.750	5-4-6271	1610	2.024	39	3.000	2.312	5.531
5-4-3621	1610	1.750	10	2.750	2.250	5.000	5-4-6281X	1610	2.024	39	3.000	2.312	5.531
5-4-4161X	1650	1.750	10	2.625	2.250	4.375	5-4-6291-1X	1610	2.024	39	3.000	2.312	6.219
5-4-4391	1610	1.939	30	3.000	2.250	4.750	5-4-6291X	1610	2.024	39	3.000	2.312	6.219
5-4-4401	1610	2.032	10	2.750	2.000	4.500	5-4-6321	1610	1.998	38	2.750	2.125	4.125
5-4-4441X	1610	1.750	10	2.750	2.250	6.000	5-4-6321-1	1610	1.998	38	2.750	2.125	4.000
5-4-4461	1610	1.750	10	2.625	2.250	5.344	5-4-6341	1610	1.790	34	2.625	2.438	4.938
5-4-4461-1	1610	1.750	10	2.625	2.250	5.344	5-4-6351	1610	1.790	34	2.625	2.438	6.188
5-4-4471-1	1610	1.962	10	2.625	2.250	5.312	5-4-6361-1X	1610	1.962	10	2.625	2.250	5.312
5-4-4541	1610	1.962	10	3.000	2.250	5.375	5-4-6381-1X	1610	2.274	44	2.938	2.500	5.000
5-4-4551	1610	1.964	10	2.500	2.000	5.219	5-4-6381X	1610	2.274	44	2.938	2.500	5.000
5-4-4741	1610	2.225	06	3.000	3.250	5.719	5-4-6421	1610	2.024	39	3.000	2.312	4.875
5-4-4751X	1610	2.225	06	3.000	3.250	5.719	5-4-6421-1	1610	2.024	39	3.000	2.312	4.875
5-4-4761X	1610	1.750	10	2.625	2.250	6.000	5-4-6431-1X	1610	2.024	39	3.000	2.312	4.875
5-4-4771X	1610	1.962	10	2.625	2.250	6.000	5-4-6431X	1610	2.024	39	3.000	2.312	4.875

Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
5-4-6441-1X	1610	2.024	39	3.000	2.312	4.875
5-4-6481	1610	1.998	38	2.750	1.969	4.156
5-4-6481-1	1610	1.998	38	2.750	1.969	4.156
5-4-6531-1	1610	2.625	20	3.750	2.750	5.062
5-4-6891X	1610	2.250	10	3.000	3.000	5.625
5-4-6951X	1610	2.024	39	2.750	2.453	5.125
5-4-6961X	1610	2.024	39	2.750	2.438	5.938
5-4-7041-1	1610	1.962	10	2.750	2.812	5.281
5-4-7121X	1610	1.998	38	3.000	2.125	4.844
5-4-7181X	1610	2.114	32	3.000	2.250	6.000
5-4-7191	1610	2.364	36	3.000	2.688	5.156
5-4-7201X	1610	2.364	36	3.000	2.688	5.156
5-4-7211X	1610	2.364	36	3.000	2.688	5.156
5-4-7221X	1610	2.114	32	3.000	2.250	5.375
5-4-7231X	1610	2.364	36	3.000	2.703	6.000
5-4-7251X	1610	1.989	30	3.000	2.688	6.000
5-4-7261	1610	1.790	34	2.625	2.188	4.750
5-4-7261-1	1610	1.790	34	2.625	2.188	4.750
5-4-7271-1	1610	2.143	41	2.938	2.500	5.250
5-4-7301-1X	1610	1.790	34	2.625	2.188	4.750
5-4-7311-1X	1610	2.143	41	2.938	2.500	5.250
5-4-7331-1	1610	2.390	46	3.250	2.312	4.938
5-4-7341-1X	1610	2.390	46	3.250	2.312	4.938
5-4-7351-1	1610	2.374	46	3.250	2.891	4.547
5-4-7361-1X	1610	2.374	46	3.250	2.891	4.547
5-4-7381-1	1610	2.250	10	3.750	3.000	5.750
5-4-7391-1X	1610	2.250	10	3.750	3.000	5.750
5-4-7551-1	1610	2.143	41	2.938	3.000	6.500
5-4-7561	1610	2.143	41	2.938	2.500	6.000
5-4-7561-1	1610	2.143	41	2.938	2.500	6.000
5-4-7571-1X	1610	2.143	41	2.938	2.500	6.000
5-4-7571X	1610	2.143	41	2.938	2.500	6.000
5-4-7581-1	1610	1.750	10	2.500	2.250	4.720
5-4-7601-1	1610	1.998	38	2.750	2.125	7.562
5-4-7631-1	1610	1.750	10	2.500	1.953	4.125
5-4-7641-1	1610	2.343	45	3.750	3.000	5.750
5-4-7651-1X	1610	2.343	45	3.750	3.000	5.750
5-4-7781-1	1610	1.790	34	2.562	2.750	5.312
5-4-781	1610	1.750	10	2.625	2.250	4.125
5-4-7951-1	1610	2.547	49	4.000	2.750	5.500
5-4-7971	1610	2.024	39	2.625	2.250	5.312
5-4-7971-1	1610	2.024	39	2.625	2.250	5.312
5-4-7981-1	1610	2.024	39	2.625	2.234	4.719
5-4-7991	1610	2.024	39	2.625	2.250	6.000
5-4-8001	1610	1.790	34	2.625	2.438	6.188
5-4-8021-1	1610	2.274	44	2.938	2.328	4.844
5-4-8031-1X	1610	2.274	44	2.938	2.328	4.844
5-4-8061-1X	1610	1.790	34	2.562	2.750	5.312
5-4-8131-1X	1610	2.024	39	2.625	2.234	4.719
5-4-8211-1X	1610	2.260	06	3.250	2.250	4.938
5-4-8261	1610	2.024	39	3.000	2.284	6.000
5-4-8261-1	1610	2.024	39	3.000	2.281	6.000
5-4-8301	1610	2.024	39	2.625	2.500	6.000
5-4-8311-1	1610	2.274	44	3.000	2.500	5.000
5-4-8321-1	1610	2.274	44	2.938	2.500	5.000

Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
5-4-8361-1	1610	1.962	10	2.750	2.812	5.281
5-4-8411-1X	1610	2.024	39	2.625	2.250	5.312
5-4-8411X	1610	2.024	39	2.625	2.250	5.312
5-4-8421X	1610	2.024	39	2.625	2.250	6.000
5-4-8431-1X	1610	2.274	44	2.938	2.500	5.000
5-4-8441X	1610	1.790	34	2.625	2.438	6.188
5-4-8491-1	1610	1.790	34	2.625	2.422	4.938
5-4-8501-1X	1610	1.790	34	2.625	2.422	4.938
5-4-8561-1	1610	1.790	34	2.375	2.203	4.125
5-4-8571-1X	1610	1.790	34	2.375	2.203	4.125
5-4-8581-1	1610	1.998	38	3.000	2.125	4.844
5-4-8591-1X	1610	1.998	38	3.000	2.125	4.844
5-4-8601-1	1610	2.114	32	3.000	2.234	5.375
5-4-8611-1X	1610	2.114	32	3.000	2.234	5.375
5-4-8621-1	1610	2.364	36	3.000	2.688	5.156
5-4-8631-1X	1610	2.364	36	3.000	2.688	5.156
5-4-8641-1	1610	2.364	36	3.000	2.688	5.156
5-4-8651-1X	1610	2.364	36	3.000	2.688	5.156
5-4-8661-1	1610	1.989	30	3.000	2.688	6.000
5-4-8681-1	1610	2.114	32	3.000	2.234	6.000
5-4-8691-1X	1610	2.114	32	3.000	2.234	6.000
5-4-8911-1	1610	1.790	34	2.500	2.250	5.438
5-4-8971-1	1610	1.998	38	2.750	2.125	4.000
5-4-9101-1X	1610	2.274	44	2.938	2.328	4.844
5-4-9111-1X	1610	2.143	41	2.938	2.500	5.250
5-4-9121-1X	1610	2.143	41	2.938	2.500	6.000
5-4-9121X	1610	2.143	41	2.938	2.500	6.000
5-4-9131-1X	1610	2.143	41	2.938	3.000	6.500
5-4-9141	1610	2.178	43	3.531	2.031	5.406
5-4-9141-1	1610	2.178	43	3.531	2.031	5.406
5-4-9221-1	1610	2.024	39	3.000	2.281	4.875
5-4-9231-1X	1610	2.024	39	3.000	2.281	4.875
5-4-9241-1X	1610	2.024	39	3.000	2.281	6.000
5-4-9241X	1610	2.024	39	3.000	2.284	6.000
5-4-9261-1X	1610	2.274	44	3.000	2.500	5.000
5-4-9271X	1610	2.024	39	2.625	2.500	6.000
5-4-9291-1	1610	2.024	39	3.000	2.250	6.000
5-4-9311-1X	1610	2.024	39	3.000	2.250	6.000
5-4-9351-1	1610	2.024	39	3.000	2.500	5.594
5001480	SPL55	1.790	34	2.564	2.760	4.870
5001766	SPL170	2.024	39	3.000	2.281	5.540
5001768	SPL170	2.024	39	2.625	2.500	5.750
5001782	SPL70	2.024	39	3.000	1.844	3.878
5002873	1610	2.143	41	3.000	2.188	4.680
5002874	SPL100	2.143	41	3.000	2.166	4.310
5002875	SPL100	2.143	41	3.000	2.166	4.310
5002876	1710	2.143	41	3.000	2.166	5.380
5002877	1710	2.143	41	3.000	2.166	5.380
5003553	1710	2.390	46	3.250	2.328	5.391
5003555	1760	2.390	46	3.250	2.328	5.062
5003556	1810	2.390	46	3.250	2.312	5.156
5003557	SPL140	2.390	46	3.250	2.323	5.660
5003558	SPL170	2.390	46	3.250	2.328	5.100
5005217	SPL170	2.544	49	3.820	2.682	6.040
5005579	1710	2.544	49	3.819	2.677	6.050

End Yoke Parts Listing



Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
5005580	1710	2.544	49	3.819	2.677	6.050
5005581	1760	2.544	49	3.819	2.677	5.750
5005582	1760	2.544	49	3.819	2.677	5.750
5006607	SPL100	2.024	39	3.000	1.817	4.150
5006608	SPL100	2.024	39	3.000	1.817	4.150
5006714	SPL170	2.544	49	3.820	2.675	6.810
5006976	1480	2.024	39	3.000	1.832	3.878
55-4-101-1X	SPL55	1.790	34	2.564	2.760	4.870
55-4-31-1	SPL55	1.790	34	2.375	2.188	4.219
55-4-41-1X	SPL55	1.790	34	2.375	2.188	4.219
55-4-71-1	SPL55	2.024	39	3.000	2.281	4.330
55-4-81-1X	SPL55	2.024	39	3.000	2.281	4.330
55-4-91-1	SPL55	1.790	34	2.564	2.760	4.870
6.3-4-101	1760	2.374	46	3.250	2.625	5.438
6.3-4-101-1	1760	2.374	46	3.250	2.625	5.438
6.3-4-1021X	1760	2.364	36	3.000	2.688	5.438
6.3-4-1031	1760	2.390	46	3.250	2.328	5.062
6.3-4-1031-1	1760	2.390	46	3.250	2.328	5.062
6.3-4-1041-1X	1760	2.390	46	3.250	2.328	5.062
6.3-4-1041X	1760	2.390	46	3.250	2.328	5.062
6.3-4-1051-1	1760	2.794	54	3.750	3.000	5.970
6.3-4-1061	1760	2.143	41	2.938	2.500	5.250
6.3-4-1061-1	1760	2.143	41	2.938	2.500	5.250
6.3-4-1071-1X	1760	2.143	41	2.938	2.500	5.250
6.3-4-1071X	1760	2.143	41	2.938	2.500	5.250
6.3-4-1091-1	1760	2.250	10	3.750	3.000	5.625
6.3-4-1101-1X	1760	2.250	10	3.750	3.000	5.625
6.3-4-1141-1X	1760	2.024	39	3.000	2.312	5.188
6.3-4-1151	1760	2.390	46	3.375	3.188	6.000
6.3-4-1151-1	1760	2.390	46	3.375	3.188	6.000
6.3-4-1161-1X	1760	2.390	46	3.375	3.188	6.000
6.3-4-1161X	1760	2.390	46	3.375	3.188	6.000
6.3-4-1171	1760	2.143	41	2.938	3.000	5.812
6.3-4-1251	1760	2.544	49	4.000	2.750	5.562
6.3-4-1251-1	1760	2.544	49	4.000	2.750	5.562
6.3-4-1261X	1760	2.032	10	2.750	2.000	5.000
6.3-4-1271-1X	1760	2.374	46	3.750	2.422	5.406
6.3-4-1281-1X	1760	2.374	46	3.750	2.422	5.406
6.3-4-1281X	1760	2.374	46	3.750	2.422	5.406
6.3-4-1321	1760	2.274	44	2.938	2.328	5.094
6.3-4-1321-1	1760	2.274	44	2.938	2.328	5.094
6.3-4-1331-1X	1760	2.274	44	2.938	2.328	5.094
6.3-4-1331X	1760	2.274	44	2.938	2.328	5.094
6.3-4-1341-1X	1760	2.024	39	3.000	2.312	5.188
6.3-4-1391-1X	1760	2.374	46	3.500	2.406	5.375
6.3-4-1391X	1760	2.374	46	3.500	2.406	5.375
6.3-4-1401-1X	1760	2.500	10	3.500	2.406	5.406
6.3-4-1401X	1760	2.500	10	3.500	2.406	5.406
6.3-4-141	1760	2.149	16	2.938	3.000	5.812
6.3-4-141-1	1760	2.149	16	2.938	3.000	5.812
6.3-4-1411	1760	2.274	44	3.000	2.500	5.250
6.3-4-1411-1	1760	2.274	44	3.000	2.500	5.250
6.3-4-1421	1760	2.274	44	2.938	2.500	5.250
6.3-4-1421-1	1760	2.274	44	2.938	2.500	5.250
6.3-4-1481-1X	1760	2.274	44	2.938	2.500	5.250

Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
6.3-4-1481X	1760	2.274	44	2.938	2.500	5.250
6.3-4-1491-1	1760	1.998	38	3.000	2.125	4.844
6.3-4-1501-1X	1760	1.998	38	3.000	2.125	4.844
6.3-4-151	1760	2.500	10	3.500	2.406	5.406
6.3-4-151-1	1760	2.500	10	3.500	2.406	5.406
6.3-4-1511-1	1760	2.114	32	3.000	2.250	5.000
6.3-4-1521-1X	1760	2.114	32	3.000	2.250	5.000
6.3-4-1531-1	1760	2.364	36	3.000	2.688	5.438
6.3-4-1541-1X	1760	2.364	36	3.000	2.688	5.438
6.3-4-1551-1	1760	2.364	36	3.000	2.688	5.438
6.3-4-1561-1X	1760	2.364	36	3.000	2.688	5.438
6.3-4-1591-1	1760	2.178	43	3.539	2.050	5.500
6.3-4-1601-1	1760	2.364	36	3.500	2.485	5.230
6.3-4-1611-1X	1760	2.364	36	3.500	2.485	5.230
6.3-4-1621-1X	1760	2.274	44	2.938	2.328	5.094
6.3-4-1621X	1760	2.274	44	2.938	2.328	5.094
6.3-4-1631-1X	1760	2.143	41	2.938	2.500	5.250
6.3-4-1641X	1760	2.143	41	2.938	3.000	5.812
6.3-4-1651-1X	1760	2.390	46	3.375	3.188	6.000
6.3-4-1651X	1760	2.390	46	3.375	3.188	6.203
6.3-4-1681	1760	2.794	54		2.750	5.625
6.3-4-1681-1	1760	2.794	54		2.750	5.625
6.3-4-1701-1	1760	2.024	39	3.000	2.250	5.625
6.3-4-171-1X	1760	2.225	06	3.000	3.250	6.000
6.3-4-171X	1760	2.225	06	3.000	3.250	6.000
6.3-4-1711-1X	1760	2.024	39	3.000	2.250	5.625
6.3-4-181X	1760	2.000	10	2.938	2.562	5.375
6.3-4-1861	1760	2.544	49	3.818	2.141	5.200
6.3-4-1861-1	1760	2.544	49	3.818	2.141	5.200
6.3-4-191X	1760	2.024	39	3.000	2.438	5.188
6.3-4-211-1X	1760	2.374	46	3.250	2.625	5.438
6.3-4-211X	1760	2.374	46	3.250	2.625	5.438
6.3-4-221X	1760	1.964	10	2.625	2.250	5.625
6.3-4-231X	1760	2.149	16	2.938	2.500	5.250
6.3-4-241-1X	1760	2.422	18	3.375	3.000	6.000
6.3-4-241X	1760	2.422	18	3.375	3.000	6.000
6.3-4-251-1X	1760	2.149	16	2.938	3.000	5.812
6.3-4-251X	1760	2.149	16	2.938	3.000	5.812
6.3-4-271	1760	2.364	18	3.500	3.375	6.125
6.3-4-271-1	1760	2.364	18	3.500	3.375	6.125
6.3-4-291	1760	2.374	46	3.250	2.875	5.625
6.3-4-291-1	1760	2.374	46	3.250	2.875	5.625
6.3-4-301-1X	1760	2.374	46	3.250	2.875	5.625
6.3-4-301X	1760	2.374	46	3.250	2.875	5.625
6.3-4-331-1X	1760	2.274	44	2.938	2.500	5.250
6.3-4-331X	1760	2.274	44	2.938	2.500	5.250
6.3-4-381	1760	2.390	46	3.500	3.375	6.000
6.3-4-381-1	1760	2.390	46	3.500	3.375	6.000
6.3-4-391	1760	2.374	46	3.500	2.406	5.375
6.3-4-391-1	1760	2.374	46	3.500	2.406	5.375
6.3-4-41	1760	2.635	20	3.750	2.750	5.562
6.3-4-41-1	1760	2.635	20	3.750	2.750	5.562
6.3-4-421	1760	2.032	10	2.750	2.000	5.000
6.3-4-51	1760	2.225	06	3.000	3.250	6.000
6.3-4-51-1	1760	2.225	06	3.000	3.250	6.000

PART DATA LISTING

Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
6.3-4-5221-1X	1760	2.274	44	3.000	2.500	5.250
6.3-4-5221X	1760	2.274	44	3.000	2.500	5.250
6.3-4-531	1760	2.024	39	3.000	2.312	5.188
6.3-4-531-1	1760	2.024	39	3.000	2.312	5.188
6.3-4-541-1X	1760	2.024	39	3.000	2.312	5.188
6.3-4-541X	1760	2.024	39	3.000	2.312	5.188
6.3-4-61	1760	2.750	10	4.000	2.938	6.000
6.3-4-61-1	1760	2.750	10	4.000	2.938	6.000
6.3-4-641	1760	2.374	46	3.750	2.422	5.406
6.3-4-641-1	1760	2.374	46	3.750	2.422	5.406
6.3-4-651	1760	2.500	10	3.750	3.000	6.000
6.3-4-651-1	1760	2.500	10	3.750	3.000	6.031
6.3-4-661	1760	2.750	10	3.750	3.000	5.969
6.3-4-661-1	1760	2.750	10	3.750	3.000	5.969
6.3-4-711	1760	2.750	10	3.750	3.000	5.969
6.3-4-711-1	1760	2.750	10	3.750	3.000	5.969
6.3-4-721-1X	1760	2.750	10	3.750	3.000	5.969
6.3-4-721X	1760	2.750	10	3.750	3.000	5.969
6.3-4-731-1X	1760	2.250	10	3.000	3.000	5.844
6.3-4-731X	1760	2.250	10	3.000	3.000	5.844
6.3-4-771-1X	1760	2.544	49	3.750	3.000	6.031
6.3-4-771X	1760	2.544	49	3.750	3.000	6.031
6.3-4-781-1X	1760	2.500	10	3.750	3.000	6.031
6.3-4-781X	1760	2.500	10	3.750	3.000	6.000
6.3-4-791-1X	1760	2.750	10	3.750	3.000	5.969
6.3-4-791X	1760	2.750	10	3.750	3.000	5.969
6.3-4-811	1760	2.544	49	3.750	3.000	6.031
6.3-4-811-1	1760	2.544	49	3.750	3.000	6.031
6.3-4-841-1	1760	2.343	45	3.750	3.000	5.656
6.3-4-851X	1760	2.364	36	3.000	2.688	5.438
6.3-4-861-1X	1760	2.374	46	3.250	2.875	5.625
6.3-4-861X	1760	2.374	46	3.250	2.875	5.625
6.3-4-871-1X	1760	2.635	20	3.750	2.750	5.562
6.3-4-871X	1760	2.635	20	3.750	2.750	5.562
6.3-4-901-1X	1760	2.343	45	3.750	3.000	5.656
6.5-4-1901	1810	2.750	10	3.500	3.000	6.062
6.5-4-1911	1810	2.250	10	3.000	3.000	5.844
6.5-4-1971	1810	2.225	06	3.000	3.250	6.000
6.5-4-1971-1	1810	2.225	06	3.000	3.250	6.000
6.5-4-1991	1810	2.422	18	3.375	3.000	5.812
6.5-4-1991-1	1810	2.422	18	3.375	3.000	5.812
6.5-4-2011	1810	2.635	20	3.750	2.750	5.562
6.5-4-2021	1810	2.250	10	3.500	3.000	5.844
6.5-4-2051	1810	1.939	30	3.000	2.250	5.375
6.5-4-2101	1810	2.500	10	3.500	2.406	5.406
6.5-4-2101-1	1810	2.500	10	3.500	2.406	5.406
6.5-4-2141-1	1810	2.250	10	3.125	2.250	5.375
6.5-4-2171	1810	2.750	10	4.000	2.938	6.000
6.5-4-2171-1	1810	2.750	10	4.000	2.938	6.000
6.5-4-2181	1810	2.631	25	3.625	3.000	5.781
6.5-4-2261	1810	2.031	10	2.750	2.000	5.250
6.5-4-2271X	1810	2.225	06	3.000	3.250	6.000
6.5-4-2291	1810	2.149	16	2.938	3.000	5.812
6.5-4-2291-1	1810	2.149	16	2.938	3.000	5.812
6.5-4-2341X	1810	2.000	10	2.938	2.562	5.375

Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
6.5-4-2351X	1810	1.964	10	2.625	2.250	5.625
6.5-4-2361-1X	1810	2.422	18	3.375	3.000	5.812
6.5-4-2361X	1810	2.422	18	3.375	3.000	5.812
6.5-4-2401-1X	1810	2.149	16	2.938	3.000	5.812
6.5-4-2401X	1810	2.149	16	2.938	3.000	5.812
6.5-4-2471	1810	2.024	39	3.000	2.438	5.188
6.5-4-2491X	1810	2.024	39	3.000	2.438	5.188
6.5-4-2541	1810	2.390	46	3.500	3.375	6.156
6.5-4-2541-1	1810	2.390	46	3.500	3.375	6.156
6.5-4-2551X	1810	2.250	10	3.000	3.000	5.844
6.5-4-2581	1810	2.364	18	3.500	3.375	6.125
6.5-4-2581-1	1810	2.364	18	3.500	3.375	6.125
6.5-4-2701	1810	2.374	46	3.250	2.625	5.438
6.5-4-2701-1	1810	2.374	46	3.250	2.625	5.438
6.5-4-2711-1X	1810	2.374	46	3.250	2.625	5.438
6.5-4-2711X	1810	2.374	46	3.250	2.625	5.438
6.5-4-2781	1810	2.024	39	2.750	2.438	5.531
6.5-4-2781-1	1810	2.024	39	2.750	2.438	5.625
6.5-4-2831X	1810	2.225	06	3.000	3.250	6.000
6.5-4-2911	1810	2.005	15	2.875	2.500	5.250
6.5-4-2931X	1810	2.750	10	3.500	3.000	6.062
6.5-4-3011	1810	2.350	16	3.750	2.750	5.562
6.5-4-3021	1810	2.635	20	3.750	2.750	5.562
6.5-4-3021-1	1810	2.635	20	3.750	2.750	5.562
6.5-4-3161	1810	2.364	36	3.000	2.688	5.438
6.5-4-3201	1810	2.374	46	3.250	2.875	5.688
6.5-4-3201-1	1810	2.374	46	3.250	2.875	5.688
6.5-4-3221-1X	1810	2.374	46	3.250	2.875	5.688
6.5-4-3221X	1810	2.374	46	3.250	2.875	5.688
6.5-4-3251	1810	2.374	46	3.500	2.406	5.406
6.5-4-3251-1	1810	2.374	46	3.500	2.406	5.406
6.5-4-3261	1810	2.024	39	2.750	2.000	5.188
6.5-4-3261-1	1810	2.024	39	2.750	2.000	5.188
6.5-4-3281-1X	1810	2.274	44	2.938	2.500	5.250
6.5-4-3281X	1810	2.274	44	2.938	2.500	5.250
6.5-4-3361	1810	2.560	20	3.500	3.344	6.125
6.5-4-3361-1	1810	2.560	20	3.500	3.344	6.125
6.5-4-3371	1810	2.024	39	3.000	2.312	5.190
6.5-4-3371-1	1810	2.024	39	3.000	2.312	5.190
6.5-4-3381-1X	1810	2.024	39	3.000	2.312	5.190
6.5-4-3381X	1810	2.024	39	3.000	2.312	5.190
6.5-4-3441	1810	2.374	46	3.750	2.406	5.219
6.5-4-3441-1	1810	2.374	46	3.750	2.406	5.219
6.5-4-3451	1810	2.500	10	3.750	3.000	5.875
6.5-4-3451-1	1810	2.500	10	3.750	3.000	5.875
6.5-4-3461	1810	2.750	10	3.750	3.000	6.062
6.5-4-3461-1	1810	2.750	10	3.750	3.000	6.062
6.5-4-3491	1810	2.750	10	3.750	3.000	6.062
6.5-4-3491-1	1810	2.750	10	3.750	3.000	6.062
6.5-4-3501-1X	1810	2.750	10	3.750	3.000	6.062
6.5-4-3501X	1810	2.750	10	3.750	3.000	6.062
6.5-4-3541-1X	1810	2.635	20	3.750	2.750	5.562
6.5-4-3541X	1810	2.635	20	3.750	2.750	5.562
6.5-4-3551-1X	1810	2.500	10	3.750	3.000	5.875
6.5-4-3551X	1810	2.500	10	3.750	3.000	5.875

End Yoke Parts Listing



Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
6.5-4-3561-1X	1810	2.750	10	3.750	3.000	6.062
6.5-4-3561X	1810	2.750	10	3.750	3.000	6.062
6.5-4-3571-1X	1810	2.024	39	2.750	2.438	5.625
6.5-4-3571X	1810	2.024	39	2.750	2.438	5.531
6.5-4-3581-1X	1810	2.374	46	3.250	2.875	5.688
6.5-4-3581X	1810	2.374	46	3.250	2.875	5.688
6.5-4-3611	1810	2.544	49	3.750	3.000	5.875
6.5-4-3611-1	1810	2.544	49	3.750	3.000	5.875
6.5-4-3621-1X	1810	2.544	49	3.750	3.000	5.875
6.5-4-3621X	1810	2.544	49	3.750	3.000	5.875
6.5-4-3651X	1810	2.364	36	3.000	2.688	5.438
6.5-4-3681	1810	2.143	41	2.938	2.500	5.250
6.5-4-3681-1	1810	2.143	41	2.938	2.500	5.250
6.5-4-3691-1X	1810	2.143	41	2.938	2.500	5.250
6.5-4-3691X	1810	2.143	41	2.938	2.500	5.250
6.5-4-3721	1810	2.390	46	3.250	2.312	5.156
6.5-4-3721-1	1810	2.390	46	3.250	2.312	5.156
6.5-4-3731-1X	1810	2.390	46	3.250	2.312	5.156
6.5-4-3731X	1810	2.390	46	3.250	2.312	5.156
6.5-4-3801-1	1810	2.750	10	3.875	3.000	6.062
6.5-4-3821-1	1810	2.544	49	4.000	2.750	5.562
6.5-4-3881-1X	1810	2.024	39	3.000	2.312	5.750
6.5-4-3911	1810	2.390	46	3.375	3.188	6.000
6.5-4-3911-1	1810	2.390	46	3.375	3.188	6.000
6.5-4-3921-1X	1810	2.390	46	3.375	3.188	6.000
6.5-4-3921X	1810	2.390	46	3.375	3.188	6.000
6.5-4-3931	1810	2.143	41	2.938	3.000	5.812
6.5-4-4001-1X	1810	2.374	46	3.750	2.406	5.219
6.5-4-4001X	1810	2.374	46	3.750	2.406	5.219
6.5-4-4011-1X	1810	2.374	46	3.750	2.406	5.219
6.5-4-4011X	1810	2.374	46	3.750	2.406	5.219
6.5-4-4081-1	1810	2.274	44	2.938	2.344	5.090
6.5-4-4091-1X	1810	2.274	44	2.938	2.344	5.090
6.5-4-4191-1X	1810	2.024	39	3.000	2.312	5.190
6.5-4-4211-1	1810	2.364	18	3.750	2.344	5.625
6.5-4-4221-1X	1810	2.250	10	3.125	2.250	5.375
6.5-4-4241-1X	1810	2.250	10	3.312	2.250	5.375
6.5-4-4261-1X	1810	2.500	10	3.500	2.406	5.406
6.5-4-4271-1X	1810	2.374	46	3.500	2.406	5.406
6.5-4-4271X	1810	2.374	46	3.500	2.406	5.406
6.5-4-4281-1X	1810	2.024	39	2.750	2.000	5.188
6.5-4-4281X	1810	2.024	39	2.750	2.000	5.188
6.5-4-4291-1X	1810	2.500	10	3.500	2.406	5.406
6.5-4-4291X	1810	2.500	10	3.500	2.406	5.406
6.5-4-4311	1810	2.274	44	3.000	2.500	5.250
6.5-4-4311-1	1810	2.274	44	3.000	2.500	5.250
6.5-4-4321	1810	2.274	44	2.938	2.500	5.250
6.5-4-4321-1	1810	2.274	44	2.938	2.500	5.250
6.5-4-4351-1X	1810	2.274	44	2.938	2.500	5.250
6.5-4-4351X	1810	2.274	44	2.938	2.500	5.250
6.5-4-4411-1	1810	2.364	36	3.000	2.688	5.438
6.5-4-4421-1X	1810	2.364	36	3.000	2.688	5.438
6.5-4-4431-1	1810	2.364	36	3.000	2.688	5.438
6.5-4-4441-1X	1810	2.364	36	3.000	2.688	5.438
6.5-4-4451-1	1810	2.114	32	3.000	2.250	5.000

Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
6.5-4-4461-1X	1810	2.114	32	3.000	2.250	5.000
6.5-4-4471-1	1810	2.364	36	3.500	2.500	5.230
6.5-4-4481-1X	1810	2.364	36	3.500	2.500	5.230
6.5-4-4571-1X	1810	2.274	44	3.000	2.500	5.250
6.5-4-4571X	1810	2.274	44	3.000	2.500	5.250
6.5-4-4591-1X	1810	2.274	44	2.938	2.344	5.090
6.5-4-4601-1X	1810	2.143	41	2.938	2.500	5.250
6.5-4-4601X	1810	2.143	41	2.938	2.500	5.250
6.5-4-4611-1X	1810	2.390	46	3.375	3.188	6.000
6.5-4-4611X	1810	2.390	46	3.375	3.188	6.000
6.5-4-4621X	1810	2.143	41	2.938	3.000	5.812
6.5-4-4631	1810	2.794	54		2.750	5.625
6.5-4-4631-1	1810	2.794	54		2.750	5.625
6.5-4-4651-1	1810	2.024	39	3.000	2.250	5.000
6.5-4-4661-1X	1810	2.024	39	3.000	2.250	5.000
6.5-4-5091	1810	2.544	49	3.818	2.141	5.740
6.5-4-5091-1	1810	2.544	49	3.818	2.141	5.740
6-4-10291	1710	2.544	49	3.819	2.125	5.570
6-4-10291-1	1710	2.544	49	3.819	2.125	5.570
6-4-10301	1710	2.143	41	2.938	3.000	6.620
6-4-10301-1	1810	2.143	41	2.938	3.000	6.620
6-4-10311	1710	2.544	49	3.819	2.125	6.260
6-4-10311-1	1710	2.544	49	3.819	2.125	6.260
6-4-1971	1710	2.250	10	3.250	2.250	5.250
6-4-1991	1710	2.250	10	3.000	3.000	6.062
6-4-1991-1	1710	2.250	10	3.000	3.000	6.062
6-4-2001	1710	2.000	10	3.250	3.000	5.625
6-4-2061	1710	1.960	10	2.938	2.219	4.500
6-4-2141	1710	2.250	10	3.500	3.000	5.250
6-4-2181	1710	2.149	16	2.938	3.000	5.500
6-4-2191	1710	2.000	10	2.938	3.000	5.625
6-4-2211	1710	1.964	10	2.625	2.250	4.500
6-4-2381	1710	1.750	10	2.750	2.250	4.875
6-4-2441	1710	2.250	10	3.125	2.250	5.250
6-4-2511	1710	2.250	10	3.000	2.875	5.250
6-4-3001	1710	2.005	15	2.875	2.500	5.375
6-4-3021	1710	2.631	25	3.625	3.000	5.250
6-4-3031	1710	2.225	06	3.000	3.250	5.312
6-4-3031-1	1710	2.225	06	3.000	3.250	5.438
6-4-3041-1X	1710	2.225	06	3.000	3.250	5.438
6-4-3041X	1710	2.225	06	3.000	3.250	5.312
6-4-3161	1710	2.422	18	3.375	3.000	5.250
6-4-3221	1710	1.960	10	2.750	2.625	5.250
6-4-3241	1710	2.000	10	2.938	2.562	5.188
6-4-3291	1710	1.964	10	3.000	2.250	4.562
6-4-3501-1	1710	2.260	06	3.250	2.250	5.300
6-4-3791	1710	2.032	10	2.750	2.000	5.000
6-4-3831	1710	1.962	10	2.750	2.812	5.156
6-4-3831-1	1710	1.962	10	2.750	2.812	5.156
6-4-4151	1710	1.962	10	2.625	2.250	6.125
6-4-4151-1	1710	1.962	10	2.625	2.250	6.125
6-4-4171-1X	1710	2.149	16	2.938	3.000	5.500
6-4-4171X	1710	2.149	16	2.938	3.000	5.500
6-4-4271	1710	1.775	16	2.375	2.000	4.750
6-4-4291X	1710	2.000	10	2.938	2.562	5.188

PART DATA LISTING

Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
6-4-4301X	1710	1.750	10	2.625	2.250	5.250
6-4-4361X	1710	1.960	10	2.750	2.625	5.250
6-4-4371	1710	1.939	30	3.000	2.250	4.562
6-4-4391X	1710	2.000	10	2.750	2.562	5.188
6-4-4411-1X	1710	2.250	10	3.000	3.000	6.062
6-4-4411X	1710	2.250	10	3.000	3.000	6.062
6-4-4421	1710	2.500	10	3.500	2.406	5.156
6-4-4421-1	1710	2.500	10	3.500	2.406	5.156
6-4-4481X	1710	1.960	10	2.750	2.625	6.500
6-4-4531	1710	2.351	16	3.750	2.750	5.188
6-4-4551	1710	2.750	10	3.500	3.000	5.750
6-4-4551-1	1710	2.750	10	3.500	3.000	5.750
6-4-4561	1710	2.364	18	3.500	3.375	5.750
6-4-4561-1	1710	2.364	18	3.500	3.375	5.750
6-4-4581	1710	2.422	18	3.375	3.000	5.812
6-4-4581-1	1710	2.422	18	3.375	3.000	5.812
6-4-4591	1710	2.149	16	2.938	3.000	6.625
6-4-4601	1710	2.350	16	3.312	2.750	4.938
6-4-4651	1710	2.750	10	4.000	2.938	5.312
6-4-4651-1	1710	2.750	10	4.000	2.938	5.312
6-4-4721	1710	1.962	10	2.625	2.250	4.500
6-4-4731-1X	1710	1.962	10	2.625	2.250	4.500
6-4-4731X	1710	1.962	10	2.625	2.250	4.500
6-4-4741X	1710	2.000	10	2.938	2.562	5.188
6-4-4751-1X	1710	2.422	18	3.375	3.000	5.812
6-4-4751X	1710	2.422	18	3.375	3.000	5.812
6-4-4771	1710	2.390	46	3.500	3.375	5.750
6-4-4771-1	1710	2.390	46	3.500	3.375	5.750
6-4-4851-1X	1710	1.962	10	2.625	2.250	6.125
6-4-4851X	1710	1.962	10	2.625	2.250	6.125
6-4-4861X	1710	1.750	10	2.625	2.250	6.125
6-4-4961	1710	2.149	16	2.938	2.500	5.188
6-4-5031-1	1710	1.790	34	2.562	2.750	5.594
6-4-5041-1X	1710	1.790	34	2.562	2.750	5.594
6-4-5041X	1710	1.790	34	2.562	2.750	7.188
6-4-5061X	1710	2.149	16	2.938	2.500	5.188
6-4-5101X	1710	2.024	39	3.000	2.438	5.188
6-4-5111X	1710	1.774	34	2.500	2.250	5.969
6-4-5131-1X	1710	1.774	34	2.500	2.250	4.875
6-4-5131X	1710	1.774	34	2.500	2.250	4.875
6-4-5141	1710	1.962	10	2.625	2.250	5.250
6-4-5151X	1710	1.962	10	2.625	2.250	5.250
6-4-5341	1710	2.350	16	3.750	2.750	5.188
6-4-5351	1710	2.635	20	3.750	2.750	5.188
6-4-5351-1	1710	2.635	20	3.750	2.750	5.188
6-4-5451	1710	2.374	46	3.250	2.625	5.688
6-4-5451-1	1710	2.374	46	3.250	2.625	5.688
6-4-5461-1X	1710	2.374	46	3.250	2.625	5.688
6-4-5461X	1710	2.374	46	3.250	2.625	5.688
6-4-5481X	1710	2.149	16	2.938	3.000	6.625
6-4-5501	1710	2.024	39	2.750	2.438	6.500
6-4-5501-1	1710	2.024	39	2.750	2.438	6.500
6-4-5521	1710	2.024	39	2.750	2.438	5.250
6-4-5521-1	1710	2.024	39	2.750	2.438	5.250
6-4-5581-1X	1710	1.750	10	2.625	2.250	4.500

Part Number	Series	Splines Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
6-4-5581X	1710	1.750	10	2.625	2.250	4.500
6-4-5711	1710	2.364	36	3.000	2.688	5.438
6-4-5791	1710	2.114	32	3.000	2.250	6.250
6-4-5801	1710	2.364	36	3.000	2.688	6.500
6-4-5811	1710	2.114	32	3.000	2.250	4.562
6-4-5841	1710	2.374	46	3.500	2.406	5.156
6-4-5841-1	1710	2.374	46	3.500	2.406	5.156
6-4-5851	1710	2.024	39	2.750	2.000	5.000
6-4-5851-1	1710	2.024	39	2.750	2.000	5.000
6-4-5931	1710	2.374	46	3.250	2.875	5.938
6-4-5931-1	1710	2.374	46	3.250	2.875	5.938
6-4-5961-1X	1710	2.374	46	3.250	2.875	5.938
6-4-5961X	1710	2.374	46	3.250	2.875	5.938
6-4-6001X	1710	2.024	39	2.625	2.250	5.250
6-4-6021-1X	1710	2.024	39	2.625	2.250	6.125
6-4-6021X	1710	2.024	39	2.625	2.250	6.125
6-4-6041-1X	1710	2.274	44	2.938	2.500	5.188
6-4-6041X	1710	2.274	44	2.938	2.500	5.188
6-4-6321	1710	1.774	34	2.500	2.250	5.969
6-4-6321-1	1710	1.774	34	2.500	2.250	5.969
6-4-6331	1710	1.774	34	2.500	2.250	4.875
6-4-6331-1	1710	1.774	34	2.500	2.250	4.875
6-4-6371	1710	2.024	39	3.000	2.312	6.250
6-4-6371-1	1710	2.024	39	3.000	2.312	6.250
6-4-6381X	1710	2.024	39	3.000	2.312	6.250
6-4-6391-1X	1710	2.024	39	3.000	2.312	6.250
6-4-6391X	1710	2.024	39	3.000	2.312	6.250
6-4-6401	1710	2.024	39	3.000	2.327	5.156
6-4-6401-1	1710	2.024	39	3.000	2.327	5.156
6-4-6411X	1710	2.024	39	3.000	2.327	5.156
6-4-6421-1X	1710	2.024	39	3.000	2.327	5.156
6-4-6421X	1710	2.024	39	3.000	2.327	5.156
6-4-6451	1710	1.790	34	2.625	2.438	6.312
6-4-6451-1	1710	1.790	34	2.625	2.438	6.312
6-4-6481	1710	1.790	34	2.625	2.438	5.438
6-4-6571	1710	2.024	39	2.750	2.000	5.875
6-4-6571-1	1710	2.024	39	2.750	2.000	5.875
6-4-6601	1710	2.374	46	3.752	2.422	4.938
6-4-6601-1	1710	2.374	46	3.752	2.422	4.938
6-4-6611	1710	2.500	10	3.750	3.000	5.625
6-4-6611-1	1710	2.500	10	3.750	3.000	5.625
6-4-6631	1710	2.750	10	3.750	3.000	5.750
6-4-6631-1	1710	2.750	10	3.750	3.000	5.750
6-4-6821	1710	2.750	10	3.750	3.000	5.750
6-4-6821-1	1710	2.750	10	3.750	3.000	5.750
6-4-6841-1X	1710	2.750	10	3.750	3.000	5.750
6-4-6841X	1710	2.750	10	3.750	3.000	5.750
6-4-6861-1	1710	2.250	10	3.500	3.000	5.250
6-4-6871-1X	1710	2.024	39	2.750	2.438	6.500
6-4-6871X	1710	2.024	39	2.750	2.438	6.500
6-4-6891X	1710	2.250	10	3.000	3.000	7.188
6-4-6901-1X	1710	2.250	10	3.500	3.000	5.250
6-4-6921-1X	1710	2.500	10	3.750	3.000	5.625
6-4-6921X	1710	2.500	10	3.750	3.000	5.625
6-4-6931-1X	1710	2.750	10	3.750	3.000	5.750

Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub	Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth						O.D.	No. Teeth			
6-4-6931X	1710	2.750	10	3.750	3.000	5.750	6-4-7761-1	1710	2.390	46	3.250	2.344	6.500
6-4-6941X	1710	2.024	39	2.750	2.438	4.812	6-4-7771-1X	1710	2.390	46	3.250	2.344	6.500
6-4-6951-1X	1710	2.024	39	2.750	2.438	5.250	6-4-7771X	1710	2.390	46	3.250	2.344	6.500
6-4-6951X	1710	2.024	39	2.750	2.438	5.250	6-4-7831	1710	2.374	46	3.250	2.891	6.938
6-4-6961-1X	1710	2.374	46	3.250	2.875	5.938	6-4-7831-1	1710	2.374	46	3.250	2.891	6.938
6-4-6961X	1710	2.374	46	3.250	2.875	5.938	6-4-7851-1X	1710	2.374	46	3.250	2.891	6.938
6-4-6971	1710	2.364	18	3.750	2.344	5.094	6-4-7851X	1710	2.374	46	3.250	2.891	6.938
6-4-6971-1	1710	2.364	18	3.750	2.344	5.094	6-4-7881-1X	1710	2.374	46	3.752	2.422	4.938
6-4-7041-1X	1710	2.544	49	3.755	3.000	5.625	6-4-7881X	1710	2.374	46	3.752	2.422	4.938
6-4-7041X	1710	2.544	49	3.755	3.000	5.625	6-4-7891-1X	1710	2.374	46	3.752	2.422	4.938
6-4-7051	1710	2.544	49	3.755	3.000	5.625	6-4-7961	1710	2.274	44	2.938	2.359	5.031
6-4-7051-1	1710	2.544	49	3.755	3.000	5.625	6-4-7961-1	1710	2.274	44	2.938	2.359	5.031
6-4-7071-1X	1710	2.635	20	3.000	2.750	5.188	6-4-7971-1X	1710	2.274	44	2.938	2.359	5.031
6-4-7071X	1710	2.635	20	3.000	2.750	5.188	6-4-7971X	1710	2.274	44	2.938	2.359	5.031
6-4-7161	1710	2.390	46	3.250	2.328	5.391	6-4-7981	1710	2.024	39	2.625	2.250	6.125
6-4-7161-1	1710	2.390	46	3.250	2.328	5.391	6-4-7981-1	1710	2.024	39	2.625	2.250	6.125
6-4-7171X	1710	2.114	32	3.000	2.250	6.250	6-4-7991	1710	2.024	39	2.625	2.250	5.250
6-4-7181-1X	1710	2.390	46	3.250	2.328	5.391	6-4-7991-1	1710	2.024	39	2.625	2.250	5.250
6-4-7181X	1710	2.390	46	3.250	2.328	5.391	6-4-8001	1710	1.790	34	2.625	2.438	6.312
6-4-7191X	1710	2.364	36	3.000	2.688	5.438	6-4-8001-1	1710	1.790	34	2.625	2.438	6.312
6-4-7201	1710	2.364	36	3.000	2.688	5.438	6-4-8081	1710	1.790	34	2.625	2.438	5.438
6-4-7211X	1710	2.364	36	3.000	2.688	5.438	6-4-8081-1	1710	1.790	34	2.625	2.438	5.438
6-4-7221X	1710	2.114	32	3.000	2.250	4.562	6-4-8291-1X	1710	2.260	06	3.250	2.250	5.300
6-4-7231X	1710	1.989	30	3.000	2.700	6.280	6-4-8321-1X	1710	2.500	10	3.500	2.406	5.156
6-4-7241X	1710	2.364	36	3.000	2.688	6.500	6-4-8331-1X	1710	2.024	39	2.750	2.000	5.000
6-4-7251	1710	2.343	45	3.750	3.000	5.250	6-4-8331X	1710	2.024	39	2.750	2.000	5.000
6-4-7251-1	1710	2.343	45	3.750	3.000	5.250	6-4-8341-1X	1710	2.374	46	3.500	2.406	5.156
6-4-7271-1X	1710	2.343	45	3.750	3.000	5.250	6-4-8341X	1710	2.374	46	3.500	2.406	5.156
6-4-7271X	1710	2.343	45	3.750	3.000	5.250	6-4-8351-1X	1710	2.500	10	3.500	2.406	5.156
6-4-7301	1710	1.998	38	2.750	2.125	5.250	6-4-8361-1X	1710	2.024	39	2.750	2.000	5.875
6-4-7301-1	1710	1.998	38	2.750	2.125	5.250	6-4-8361X	1710	2.024	39	2.750	2.000	5.875
6-4-7311	1710	2.143	41	2.938	2.500	5.190	6-4-8411	1710	2.024	39	3.000	2.281	6.125
6-4-7311-1	1710	2.143	41	2.938	2.500	5.190	6-4-8411-1	1710	2.024	39	3.000	2.281	6.125
6-4-7321-1X	1710	2.143	41	2.938	2.500	5.190	6-4-8421	1710	2.024	39	3.000	2.281	5.250
6-4-7371-1	1710	2.250	10	3.750	3.000	5.250	6-4-8421-1	1710	2.024	39	3.000	2.281	5.250
6-4-7381-1X	1710	2.250	10	3.750	3.000	5.250	6-4-8431	1710	2.024	39	2.625	2.500	6.125
6-4-7511	1710	2.390	46	3.375	3.188	6.000	6-4-8431-1	1710	2.024	39	2.625	2.500	6.125
6-4-7511-1	1710	2.390	46	3.375	3.188	6.000	6-4-8441	1710	2.024	39	2.625	2.500	5.250
6-4-7531-1X	1710	2.390	46	3.375	3.188	6.000	6-4-8441-1	1710	2.024	39	2.625	2.500	5.250
6-4-7531X	1710	2.390	46	3.375	3.188	6.000	6-4-8451	1710	2.274	44	3.000	2.500	5.190
6-4-7541	1710	2.143	41	2.938	3.000	6.625	6-4-8451-1	1710	2.274	44	3.000	2.500	5.190
6-4-7541-1	1710	2.143	41	2.938	3.000	6.625	6-4-8461	1710	2.274	44	2.938	2.500	5.188
6-4-7551	1710	2.143	41	2.938	2.500	6.125	6-4-8461-1	1710	2.274	44	2.938	2.500	5.188
6-4-7551-1	1710	2.143	41	2.938	2.500	6.125	6-4-8511-1X	1710	1.790	34	2.625	2.438	5.438
6-4-7561-1X	1710	2.143	41	2.938	2.500	6.125	6-4-8511X	1710	1.790	34	2.625	2.438	5.438
6-4-7561X	1710	2.143	41	2.938	2.500	6.125	6-4-8521-1X	1710	1.790	34	2.625	2.438	6.312
6-4-7571-1	1710	1.790	34	2.625	2.188	5.438	6-4-8521X	1710	1.790	34	2.625	2.438	6.312
6-4-7581-1X	1710	1.790	34	2.625	2.188	5.438	6-4-8531-1X	1710	2.024	39	2.625	2.250	5.250
6-4-7621-1	1710	2.024	39	3.000	2.312	5.156	6-4-8531X	1710	2.024	39	2.625	2.250	5.250
6-4-7631-1X	1710	2.024	39	3.000	2.312	5.156	6-4-8541-1X	1710	2.024	39	2.625	2.250	6.125
6-4-7641-1X	1710	2.024	39	3.000	2.312	5.156	6-4-8541X	1710	2.024	39	2.625	2.250	6.125
6-4-7661-1	1710	2.750	10	3.812	3.000	5.750	6-4-8551-1X	1710	2.274	44	2.938	2.500	5.188
6-4-7691	1710	2.544	49	4.000	2.750	5.188	6-4-8551X	1710	2.274	44	2.938	2.500	5.188
6-4-7691-1	1710	2.544	49	4.000	2.750	5.188	6-4-8571-1X	1710	2.024	39	3.000	2.312	6.250
6-4-7761	1710	2.390	46	3.250	2.344	6.500	6-4-8571X	1710	2.024	39	3.000	2.312	6.250

Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
6-4-8601-1X	1710	2.024	39	3.000	2.312	5.156
6-4-8651-1	1710	1.998	38	3.000	2.125	4.844
6-4-8661-1X	1710	1.998	38	3.000	2.125	4.844
6-4-8671-1	1710	2.114	32	3.000	2.250	4.562
6-4-8681-1X	1710	2.114	32	3.000	2.250	4.562
6-4-8691-1	1710	2.364	36	3.000	2.688	5.438
6-4-8701-1X	1710	2.364	36	3.000	2.688	5.438
6-4-8711-1	1710	2.364	36	3.000	2.688	5.438
6-4-8721-1X	1710	2.364	36	3.000	2.688	5.438
6-4-8731-1	1710	1.989	30	3.000	2.703	6.281
6-4-8751-1	1710	2.114	32	3.000	2.250	6.062
6-4-8761-1X	1710	2.114	32	3.000	2.250	6.062
6-4-8771-1	1710	2.364	36	3.000	2.703	6.500
6-4-8781-1X	1710	2.364	36	3.000	2.703	6.500
6-4-8791-1	1710	2.364	36	3.500	2.500	5.234
6-4-8801-1X	1710	2.364	36	3.500	2.500	5.234
6-4-8981-1X	1710	2.274	44	3.000	2.500	5.190
6-4-8981X	1710	2.274	44	3.000	2.500	5.190
6-4-8991-1X	1710	2.024	39	3.000	2.281	6.125
6-4-8991X	1710	2.024	39	3.000	2.281	6.125
6-4-9001-1X	1710	2.024	39	2.625	2.500	6.125
6-4-9001X	1710	2.024	39	2.625	2.500	6.125
6-4-9021-1	1710	1.790	34	2.500	2.250	4.875
6-4-9031-1X	1710	2.024	39	3.000	2.281	5.250
6-4-9031X	1710	2.024	39	3.000	2.281	5.250
6-4-9041-1X	1710	2.024	39	2.625	2.500	5.250
6-4-9041X	1710	2.024	39	2.625	2.500	5.250
6-4-9161-1X	1710	2.274	44	2.938	2.359	5.031
6-4-9161X	1710	2.274	44	2.938	2.359	5.031
6-4-9171-1X	1710	2.143	41	2.938	2.500	5.190
6-4-9171X	1710	2.143	41	2.938	2.500	5.190
6-4-9181-1X	1710	2.143	41	2.938	2.500	6.125
6-4-9181X	1710	2.143	41	2.938	2.500	6.125
6-4-9191-1X	1710	2.143	41	2.938	3.000	6.625
6-4-9191X	1710	2.143	41	2.938	3.000	6.625
6-4-9201-1X	1710	2.390	46	3.375	3.188	6.000
6-4-9221	1710	2.178	43	3.539	2.047	4.875
6-4-9221-1	1710	2.178	43	3.539	2.047	4.875
6-4-9231	1710	2.794	54		2.750	5.625
6-4-9231-1	1710	2.794	54		2.750	5.625
6-4-9281-1	1710	2.024	39	3.000	2.500	6.120
6-4-9291-1	1710	2.024	39	3.000	2.250	6.000
6-4-9301-1X	1710	2.024	39	3.000	2.250	6.000
6-4-9411-1	1710	2.024	39	3.000	2.500	5.438
6-4-9421-1	1710	2.024	39	3.000	2.250	4.656
6-4-9431-1X	1710	2.024	39	3.000	2.250	4.656
6-4-9441-1X	1710	2.024	39	3.000	2.250	4.656
6-4-9531-1X	1710	2.390	46	3.250	2.312	5.125
6-4-9951-1	1710	1.998	38	3.000	2.125	4.840
6-4-9961-1X	1710	1.998	38	3.000	2.125	4.840
70-4-101-1	SPL70	2.024	39	3.000	2.281	4.281
70-4-111-1X	SPL70	2.024	39	3.000	2.281	4.281
70-4-141-1	SPL70	2.143	41	2.938	2.500	4.555
70-4-151-1X	SPL70	2.143	41	2.938	2.500	4.555
70-4-161-1	SPL70	1.750	10	2.500	2.000	5.750

Part Number	Series	Spline Data		Ground Hub Dia.	Length Thru Hole	*C/L to End of Hub
		O.D.	No. Teeth			
70-4-171-1X	SPL70	1.750	10	2.500	2.000	5.750
70-4-181-1	SPL70	1.790	34	2.564	2.750	5.530
70-4-191-1X	SPL70	1.790	34	2.564	2.750	5.530
70-4-51-1	SPL70	1.790	34	2.375	2.188	4.000
70-4-61-1X	SPL70	1.790	34	2.375	2.188	4.000
8-4-1141	1820	2.375	46	3.750	2.375	3.938
8-4-1151X	1820	2.375	46	3.750	2.375	3.938
8-4-1161X	1820	2.375	46	3.750	2.375	3.938
90-4-111-1	SPL90	1.998	38	2.750	2.125	7.562
90-4-161-1	SPL90	2.250	10	3.750	3.000	5.219
90-4-171-1X	SPL90	2.250	10	3.750	3.000	5.219
90-4-181-1	SPL90	1.790	34	2.562	2.750	5.609
90-4-191-1X	SPL90	1.790	34	2.562	2.750	5.609
90-4-241-1	SPL90	2.024	39	3.000	2.281	4.750
90-4-251-1X	SPL90	2.024	39	3.000	2.281	4.750
90-4-281-1	SPL90	2.281	44	2.938	2.344	4.469
90-4-311-1	SPL90	2.024	39	3.000	2.312	4.625
90-4-321-1X	SPL90	2.024	39	3.000	2.312	4.625
90-4-331-1	SPL90	2.390	46	3.250	2.312	4.641
90-4-341-1X	SPL90	2.390	46	3.250	2.312	4.641
90-4-351-1	SPL90	2.374	46	3.250	2.875	5.188
90-4-361-1X	SPL90	2.374	46	3.250	2.875	5.188
90-4-371-1	SPL90	1.750	10	2.500	1.938	4.125
90-4-381-1	SPL90	1.962	10	2.750	2.781	4.984
90-4-391-1	SPL90	1.998	38	2.750	2.125	4.250
90-4-461-1	SPL90	1.790	34	2.562	2.750	5.625
90-4-471-1	SPL90	2.141	41	2.938	2.500	4.562
90-4-501-1X	SPL90	1.790	34	2.562	2.750	5.625
90-4-541-1	SPL90	1.790	34	2.375	2.188	5.625
90-4-551-1X	SPL90	1.790	34	2.375	2.188	5.625
90-4-561-1	SPL90	1.998	38	3.000	2.125	4.250
90-4-571-1X	SPL90	1.998	38	3.000	2.125	4.250
90-4-581-1	SPL90	2.114	32	3.000	2.250	4.375
90-4-591-1X	SPL90	2.114	32	3.000	2.250	4.375
90-4-601-1	SPL90	2.364	36	3.000	2.688	4.812
90-4-611-1X	SPL90	2.364	36	3.000	2.688	4.812
90-4-621-1	SPL90	2.024	39	2.626	2.245	4.160
90-4-631-1X	SPL90	2.024	39	2.626	2.245	4.160
90-4-691-1X	SPL90	2.141	41	2.938	2.500	4.562
90-4-71-1	SPL90	1.998	38	2.750	2.125	4.000
90-4-751-1	SPL90	1.774	34	2.500	2.250	4.110
90-4-761-1X	SPL90	1.774	34	2.500	2.250	4.110
90-4-791-1	SPL90	2.178	43	3.547	2.031	4.625



SPICER[®]

Drivetrain Products

Dana Holding Corporation
Spicer Service Parts
PO Box 321
Toledo, Ohio 43697-0321
1-800-SAY-DANA (729-3262)

www.spicerparts.com

Dana Holding Corporation
Spicer Service Parts - Canada
5095 South Service Road
Beamsville, Ontario LOR 1B0

Dana Holding Corporation
Spicer Service Parts - International
(419) 861-6325

J300P-10
8/08
Printed in U.S.A

© Dana Limited 2008.
All rights reserved.